

LEVELS AND TRENDS IN CARE SEEKING FOR CHILDHOOD ILLNESS IN USAID MCH PRIORITY COUNTRIES

DHS COMPARATIVE REPORTS 38

SEPTEMBER 2015

This publication was produced for review by the United States Agency for International Development (USAID). The report was prepared by Rebecca Winter, Wenjuan Wang, Lia Florey, and Thomas Pullum of ICF International.

DHS Comparative Reports No. 38

Levels and Trends in Care Seeking for Childhood Illness in USAID MCH Priority Countries

Rebecca Winter Wenjuan Wang Lia Florey Thomas Pullum

ICF International Rockville, Maryland, USA

September 2015

Corresponding author: Rebecca Winter, International Health and Development, ICF International, 530 Gaither Road, Suite 500, Rockville, Maryland, 20850, USA; phone: 301-572-0541; fax: 301-407-6501; email: Rebecca.Winter@icfi.com

Acknowledgment: The authors are grateful for input and feedback from Debra Prosnitz, Fred Arnold, the Maternal and Child Health group in the Office of Health, Infectious Diseases, and Nutrition at USAID, Roland T. Suomie, Vicki MacDonald, Eric Sarriot, Sarah Staveteig, Lindsay Mallick, Clara Burgert, and Matt Pagan.

Editors: Bryant Robey and Diane Stoy Document Production: Natalie La Roche

This study was carried out with support provided by the United States Agency for International Development (USAID) through The DHS Program (#AID-OAA-C-13-00095). The views expressed are those of the authors and do not necessarily reflect the views of USAID or the United States Government.

The DHS Program assists countries worldwide in the collection and use of data to monitor and evaluate population, health, and nutrition programs. For additional information about The DHS Program, contact The DHS Program, ICF International, 530 Gaither Road, Suite 500, Rockville, MD 20850, USA; phone: 301-407-6500; fax: 301-407-6501; email: reports@dhsprogram.com; Internet: www.dhsprogram.com.

Recommended citation:

Winter, Rebecca, Wenjuan Wang, Lia Florey, and Thomas Pullum. 2015. *Levels and Trends in Care Seeking for Childhood Illness in USAID MCH Priority Countries*. DHS Comparative Reports No. 38. Rockville, Maryland, USA: ICF International.

Tables	•••••		v
Figures	•••••		vii
Preface			xi
Abstract	t		.xiii
Executiv	ve Sumi	mary	XV
1.	Introdu	ction	1
	1.1.	Rationale for this Study	1
	1.2.	Background	1
2.	Data ar	nd Methods	5
	2.1.	Data	5
	2.2.	Analytic Strategy	9
	2.3.	Definitions of Indicators	9
	2.4.	Limitations	12
3.	Results		13
	3.1.	Current Care Seeking in USAID MCH Priority Countries	13
	3.2.	Trends in Care Seeking	21
	3.3.	Equity in Recent Trends in Care Seeking	26
	3.4.	Country Case Studies: Have Child Health Interventions Helped?	38
	3.5.	Appropriateness of Care	44
4.	Discuss	sion and Conclusions	53
	4.1.	Levels of Care Seeking	53
	4.2.	Recent Trends in Care Seeking	55
	4.3.	Appropriateness of Care	56
Referen	ces		59
Append	ix		63

Contents

Tables

Table 1.	USAID priority countries for maternal and child health and DHS survey availability
Table 2.	Percentage of children under age 5 who were reported to have fever, symptoms of ARI,
	or diarrhea in the two weeks preceding the interview, USAID MCH priority countries7
Table 3.	Percent distribution of combinations of illness symptoms among children with recent fever,
	symptoms of ARI, or diarrhea, USAID MCH priority countries
Table 4.	Care seeking for diarrhea for POUZN and non-POUZN districts in Nepal, 2006 and
	2011 Nepal DHS
Table 5.	Odds ratios for care seeking for children with recent diarrhea in POUZN Project Districts
	vs. non-project districts after adjusting for maternal, child, and household characteristics,
Table 6	Nepal 2006 and 2011 DHS
Table 0.	Care seeking for recent lever within EQUIP and non-EQUIP counties, Liberta 2007 DHS and 2011 MIS
Table 7	Odds ratios for care seeking for children with recent fever in FOLIIP project districts vs
	non-project districts after adjusting for maternal child and household characteristics
	Liberia 2007 DHS and 2011 MIS
Table 8a	Among children under age 5 with recent fever, the percentage who had a finger or heel
Tuble bu.	stick for malaria testing, by source of care, USAID MCH priority countries
Table 8b.	Among children under age 5 with recent fever, the percentage who received
14010 001	Artemisinin-based Combination Therapy (ACT) among children who received any
	antimalarial, by source of care, USAID MCH priority countries
Table 8c.	Among children under age 5 with recent fever, the percentage who received first-line
	antimalarial treatment among children who received any antimalarial, by source of care,
	USAID MCH priority countries
Table 9a.	Among children under age 5 with recent diarrhea for whom care was sought, the percentage
	who received ORS, by source of care, USAID MCH priority countries
Table 9b.	Among children under age 5 with recent diarrhea for whom care was sought, the percentage
	who received ORS and zinc, by source of care, USAID MCH priority countries
Table 9c.	Among children under age 5 with recent non-bloody diarrhea for whom care was sought,
	the percentage who received antibiotics, by source of care, USAID MCH priority countries 51
Table A1.	Sources of care for fever by place of residence, USAID MCH priority countries
Table A2.	Sources of care for symptoms of ARI by place of residence, USAID MCH priority
	countries
Table A3.	Sources of care for diarrhea by place of residence, USAID MCH priority countries70
Table A4.	Sources of care for fever by household wealth, USAID MCH priority countries
Table A5.	Sources of care for symptoms of ARI by household wealth, USAID MCH priority
T-1-1- AC	Countries
Table Ao.	Sources of care for diarrnea by nousehold wealth, USAID MCH priority countries
Table A7.	ose of public, private, pharmacy, and other sources of care for lever, symptoms of ARI, and diambas by place of residence, with confidence intervals. US AID MCU priority countries??
Table A8	Lise of public, private, phermapy, and other sources of care for four symptoms of API
Table Ao.	and diarrhea by household wealth with confidence intervals. USAID MCH priority countries 90
Table AQ	Trend in coverage of care seeking among rural children and urban children and rural-urban
Table A).	gap in care seeking equity. USAID MCH priority countries
Table A10	Trend in coverage of care seeking among children in poorest and wealthiest quintile
1000/110.	households and poorest-wealthiest quintile gap in care seeking equity USAID MCH priority
	countries
Table A11.	Background characteristics among children with recent diarrhea by intervention coverage
	area, Nepal 2006 and 2011 DHS
Table A12.	Background characteristics among children with recent fever by intervention coverage
	area, Liberia 2007 DHS and 2011 MIS

Figures

Figure 1.	USAID priority countries for maternal and child health	2
Figure 2.	Percentage of children who received care from any source for recent illness,	
	USAID MCH priority countries	. 13
Figure 3.	Percentage of children who received care from public, private, pharmacy,	
	and other sources among children with recent fever, USAID MCH priority countries	14
Figure 4.	Percentage of children who received care from public, private, pharmacy,	
	and other sources among children with recent symptoms of ARI, USAID MCH priority	15
Figuro 5	Countries	13
Figure 5.	and other sources among children with recent diarrhea. USAID MCH priority	
	countries	15
Figure 6.	Percentage of children who received care from public, private, pharmacy.	10
8	and other sources among children with recent fever by place of residence.	
	USAID MCH priority countries	. 16
Figure 7.	Percentage of children who received care from public, private, pharmacy,	
	and other sources among children with recent symptoms of ARI by place of residence,	
	USAID MCH priority countries	. 17
Figure 8.	Percentage of children who received care from public, private, pharmacy,	
	and other sources among children with recent diarrhea by place of residence,	1 -
E ' 0	USAID MCH priority countries	. 17
Figure 9.	Percentage of children who received care from public, private, pharmacy,	
	and other sources among children with recent lever by wealth quintile, USAID MCH	10
Figure 10	Percentage of children who received care from public private pharmacy	10
riguie 10.	and other sources among children with recent symptoms of ARI by wealth quintile	
	USAID MCH priority countries	. 18
Figure 11.	Percentage of children who received care from public, private, pharmacy,	
U	and other sources among children with recent diarrhea by wealth quintile,	
	USAID MCH priority countries	19
Figure 12.	Percentage of children who received care from any source among children	
	with recent fever, by the co-occurrence of other illness symptoms,	
	USAID MCH priority countries	19
Figure 13.	Percentage of children who received care from any source among children	
	with recent symptoms of ARI, by the co-occurrence of other illness symptoms,	20
Eigung 14	USAID MCH priority countries	20
Figure 14.	with recent diarrhea, by the co-occurrence of other illness symptoms. USAID	
	MCH priority countries	20
Figure 15	Trend in coverage of care seeking from any source among children under	20
i iguie 15.	age 5 with fever in the two weeks preceding the survey. USAID MCH priority	
	countries	21
Figure 16.	Trend in coverage of care seeking from public sources among children under	
C	age 5 with fever in the two weeks preceding the survey, USAID MCH priority	
	countries	22
Figure 17.	Trend in coverage of care seeking from private sources among children under	
	age 5 with fever in the two weeks preceding the survey, USAID MCH priority	
	countries	22

Figure 18.	Trend in coverage of care seeking from any source among children under age 5 with symptoms of ARI in the two weeks preceding the survey, USAID	
F' 10	MCH priority countries	23
Figure 19.	I rend in coverage of care seeking from public sources among children under	
	MCH priority countries	23
Figure 20.	Trend in coverage of care seeking from private sources among children under	25
8	age 5 with symptoms of ARI in the two weeks preceding the survey, USAID	
	MCH priority countries	24
Figure 21.	Trend in coverage of care seeking from any source among children under	
-	age 5 with diarrhea in the two weeks preceding the survey, USAID MCH	
	priority countries	24
Figure 22.	Trend in coverage of care seeking from public sources among children under	
	age 5 with diarrhea in the two weeks preceding the survey, USAID MCH	
	priority countries	25
Figure 23.	Trend in coverage of care seeking from private sources among children under	
	age 5 with diarrhea in the two weeks preceding the survey, USAID MCH	25
E '	priority countries	25
Figure 24.	I rend in coverage of public care seeking for fever among children in rural	
	nousenoids and rural-urban gap in care seeking equity, USAID MCH	27
Figure 25	Trand in coverage of private care seeking for fever among children in rural	21
Figure 23.	households and rural-urban gap in care seeking equity USAID Asian MCH priority	
	countries and Haiti	27
Figure 26	Trend in coverage of private care seeking for fever among children in rural	21
119410 20.	households and rural-urban gap in care seeking equity. African USAID MCH	
	priority countries	28
Figure 27.	Trend in coverage of public care seeking for symptoms of ARI among children in	
C	rural households and rural-urban gap in care seeking equity, USAID MCH priority	
	countries	29
Figure 28.	Trend in coverage of private care seeking for symptoms of ARI among children in	
	rural households and rural-urban gap in care seeking equity, USAID Asian MCH	
	priority countries and Haiti	29
Figure 29.	Trend in coverage of private care seeking for symptoms of ARI among children in	
	rural households and rural-urban gap in care seeking equity, USAID African MCH	20
E'	priority countries	30
Figure 30.	I rend in coverage of public care seeking for diarrnea among children in rural households and rural urban can in care seeking aquity. USAID MCU priority	
	countries	31
Figure 31	Trend in coverage of private care seeking for diarrhea among children in rural	51
Figure 51.	households and rural-urban gap in care seeking equity. Asian USAID MCH priority	
	countries and Haiti	31
Figure 32	Trend in coverage of private care seeking for diarrhea among children in rural	
1 iguie 52.	households and rural-urban gap in care seeking equity. African USAID MCH	
	priority countries	32
Figure 33.	Trend in coverage of public care seeking for fever among children in poorest-quintile	
C	households and poorest-wealthiest quintile gap in care seeking equity, USAID	
	MCH priority countries	33
Figure 34.	Trend in coverage of private care seeking for fever among children in poorest-quintile	
	households and poorest-wealthiest quintile gap in care seeking equity, Asian	
	USAID MCH priority countries and Haiti	33

Figure 35.	Trend in coverage of private care seeking for fever among children in poorest-quintile households and poorest-wealthiest quintile gap in care seeking equity, African USAID
Figure 36.	MCH priority countries
Figure 37	USAID MCH priority countries
11guio 57.	poorest-quintile households and poorest-wealthiest quintile gap in care seeking equity, USAID MCH priority countries
Figure 38.	Trend in coverage of public care seeking for diarrhea among children in poorest-quintile households and poorest-wealthiest quintile gap in care seeking equity, USAID MCH priority countries
Figure 39.	Trend in coverage of private care seeking for diarrhea among children in poorest-quintile households and poorest-wealthiest quintile gap in care seeking equity, Asian USAID MCH priority countries and Haiti
Figure 40.	Trend in coverage of private care seeking for diarrhea among children in poorest-quintile households and poorest-wealthiest quintile gap in care seeking equity, African USAID MCH priority countries
Figure 41.	Percentage of children with recent diarrhea for whom care was sought from a private source, Nepal 2006 and 2011 DHS
Figure 42.	Percentage of children with recent diarrhea for whom care was sought from a public source. Nepal 2006 and 2011 DHS
Figure 43.	Percentage of children with recent diarrhea for whom care was sought from any source, Nepal 2006 and 2011 DHS
Figure 44.	Percentage of children with recent diarrhea who were treated with ORS, Nepal 2006 and 2011 DHS
Figure 45.	Percentage of children with recent diarrhea who were given zinc, Nepal 2006 and 2011 DHS.
Figure 46.	Percentage of children with recent fever for whom care was sought from a public source. Liberia 2007 DHS and 2011 MIS 42
Figure 47.	Percentage of children with recent fever for whom care was sought from a private source. Liberia 2007 DHS and 2011 MIS
Figure 48.	Percentage of children with recent fever for whom care was sought from any source, Liberia 2007 DHS and 2011 MIS
Figure A1.	Comparison of care seeking from public versus private facilities for fever, USAID MCH priority countries
Figure A2.	Comparison of care seeking from public versus private facilities for symptoms of ARI, USAID MCH priority countries
Figure A3.	Comparison of care seeking from public versus private facilities for diarrhea, USAID MCH priority countries
Figure A4.	Trend in coverage of any care seeking for fever among children in rural households and rural-urban gap in care seeking equity USAID MCH priority countries 99
Figure A5.	Trend in coverage of any care seeking for symptoms of ARI among children in rural households and rural-urban equity gap in care seeking
Figure A6.	Trend in coverage of any care seeking for diarrhea among children in rural households and rural-urban gap in care seeking equity. USAID MCH priority countries
Figure A7.	Trend in coverage of any care seeking for fever among children in poorest-quintile households and poorest-wealthiest quintile gap in care seeking equity, USAID MCH priority countries

Figure A8.	Trend in coverage of any care seeking for symptoms of ARI among children in poorest-	-
	quintile households and poorest-wealthiest quintile gap in care seeking equity,	
	USAID MCH priority countries	. 101
Figure A9.	Trend in coverage of any care seeking for diarrhea among children in poorest-quintile	
-	households and poorest-wealthiest quintile gap in care seeking equity, USAID MCH	
	priority countries	. 101

Preface

The Demographic and Health Surveys (DHS) Program is one of the principal sources of international data on fertility, family planning, maternal and child health, nutrition, mortality, environmental health, HIV/AIDS, malaria, and provision of health services.

One of the objectives of The DHS Program is to provide policymakers and program managers in low- and middle-income countries with easily accessible data on levels and trends for a wide range of health and demographic indicators. DHS Comparative Reports provide such information, usually for a large number of countries in each report. These reports are largely descriptive, without multivariate methods, but when possible they include confidence intervals and/or statistical tests.

The topics in the DHS Comparative Reports series are selected by The DHS Program in consultation with the U.S. Agency for International Development.

It is hoped that the DHS Comparative Reports will be useful to researchers, policymakers, and survey specialists, particularly those engaged in work in low- and middle-income countries.

Sunita Kishor Director, The DHS Program

Abstract

This study uses Demographic and Health Survey (DHS) data to examine patterns and trends in care seeking for children who have experienced recent fever, symptoms of acute respiratory infection (ARI), or diarrhea in USAID maternal and child health (MCH) priority countries. Overall, current levels of care seeking among children with recent illness vary widely across the 21 priority countries, from nearly 90 percent in the Indonesia 2012 survey to 33 percent in Ethiopia 2011. Results show that care seeking from public sources is predominant in African MCH priority countries while care seeking from private sources is predominant in African MCH priority countries while care seeking for diarthea sources is predominant in Asian MCH priority countries. The majority of countries did not show significant improvements between the two most recent DHS surveys in the level of care seeking for fever or symptoms of ARI, although care seeking for diarrhea showed more widespread improvement. The use of appropriate antimalarial treatment varied widely across MCH priority countries. Despite the widespread increase in care seeking for diarrhea, there has not been a parallel increase in coverage of appropriate treatment for diarrhea. In conclusion, our results show that the percentage of children with diarrhea, fever, and symptoms of ARI who reach the health system remains low in many high childhood mortality settings. Findings would be most useful when interpreted at the country-level, with national childhood illness management goals in mind.

KEY WORDS: child health, care seeking for childhood illness, pneumonia, diarrhea, malaria

Executive Summary

This study, a follow-up to Hodgins, Pullum, and Dougherty (2013), examines patterns in care seeking for children who have experienced recent fever, symptoms of acute respiratory infection (ARI), or diarrhea in USAID maternal and child health (MCH) priority countries for which Demographic and Health Surveys (DHS) data are available since 2000. The results are categorized into five sections. First, we describe the current landscape of care seeking for children's recent illness. Second, we present trends in care seeking between the two most recent surveys in the 20 countries. Third, we focus specifically on the equity of these recent trends. Fourth, we present two case studies as examples, in which we use DHS data to look for ecological evidence of intervention impact on care seeking patterns in two countries, Liberia and Nepal. Finally, we examine the appropriateness of the care that was received for fever and diarrhea.

Overall, current levels of care seeking among children with recent illness vary widely across the priority countries, from nearly 90 percent in the Indonesia 2012 survey to 33 percent in Ethiopia 2011. In three countries—Ethiopia, Madagascar, and Haiti—less than half of children under age 5 with recent illness received care from any source. For all three illnesses, care seeking from public sources is predominant in African MCH priority countries while care seeking from private sources is predominant in Asian MCH priority countries.

The majority of countries did not show significant improvements between the two most recent DHS surveys in the level of care seeking for fever or for symptoms of ARI (from any source, private sources, or public sources). Care seeking for diarrhea, however, showed more widespread improvement; 13 of 20 countries showed a statistically significant increase in care seeking from any source for diarrhea, and no country showed a decrease in coverage.

The study identified distinct patterns in recent trends in care seeking from public versus private sources. For all three illnesses, the use of public sources of care either remained the same or increased between surveys; there were no decreases. The trend in use of private sources of care was more mixed. For fever and diarrhea, some countries, primarily in Asia, experienced an increase in the level of care seeking from private sources while others, all in sub-Saharan Africa, experienced a decrease in the level of care seeking from private sources.

There is general agreement that to have the greatest impact on child survival and wellness, interventions around childhood illness should focus on the poorest and most vulnerable children. Nevertheless, we found only limited evidence that increases in care seeking were concentrated in these vulnerable children. We examined trends specifically among children in poorest-wealth quintile households and among children in rural households, and found that the patterns within these populations roughly followed the national patterns. In most cases, the change in coverage of care seeking between surveys was not significantly different between children in the poorest and the wealthiest households, or between rural and urban children.

Using case studies in Liberia and Nepal, we attempted to identify ecological evidence of the impact of programs by examining temporal trends in care seeking separately for areas covered and not covered by two USAID health initiatives. In Liberia our results show that the increase in care seeking from public facilities between 2007 and 2011 was significantly greater in Liberian counties covered by the PMI-funded EQUIP project compared with the increase in areas with no EQUIP presence, after adjusting for socio-demographic characteristics. However, overall levels of care seeking from any source did not improve in EQUIP project districts between 2007 and 2011. Instead, there appears to have been a shift from the use of private providers to public providers. In Nepal, despite countrywide improvements in levels of care seeking for diarrhea between the 2006 and 2011 DHS surveys, we did not find evidence that increases in districts covered by the POUZN project were greater than those in non-project districts. There

are several possible explanations for this null finding, such as the time lapse between the end of the program and the 2011 survey, the possibility that using district as a proxy for program exposure may be inappropriate, and the fact that certain aspects of the program's communication campaigns were broadcast nationally, which could potentially dilute the differential between primary project districts and the non-covered districts.

Levels and trends in coverage of care seeking are only meaningful if the sources of care consistently provide children and caregivers with appropriate diagnoses, advice, and treatment. Despite the widespread increase in coverage of care seeking for diarrhea, there has not been a parallel increase in coverage of appropriate treatment. Treatment with oral rehydration solution (ORS) increased significantly in just four of the 20 countries, coverage of treatment with both ORS and zinc remains under 5 percent in 16 of the 18 countries with data available, and no country showed an improvement (reduction) in inappropriate use of antibiotics to treat non-bloody diarrhea.

Appropriateness of antimalarial treatment—in terms of the percentage of children who had a finger or heel stick among those with recent fever for whom care was sought, and the percentage who received artemisinin-based combination therapy (ACT) or other first-line treatment among those who received any antimalarial—varied widely across MCH priority countries. The results indicate varied levels of access to essential medications but do not provide reasons for successes or failures in the provision of appropriate antimalarial treatment.

We know that in order to save lives, children need to receive ACT for malaria, antibiotics for pneumonia, and ORS and zinc for diarrhea. Yet coverage of these proven interventions remains far too low. In order to receive the correct treatment, children first must receive appropriate diagnosis, care, and counseling from a qualified provider. Our results show that the percentage of children with diarrhea, fever, and symptoms of ARI who reach the health system remains low in many high childhood mortality settings. The results would be most useful when interpreted within the landscape of child health interventions and programming, and with national childhood illness management goals in mind.

1. Introduction

1.1. Rationale for this Study

Malaria, diarrhea, and pneumonia are the leading causes of death among children under age 5. Together, as of 2013, these three conditions account for about 40 percent of under-five deaths in sub-Saharan Africa, about 25 percent of under-five deaths in Southern Asia, and nearly one-third of under-five deaths globally (UNICEF et al. 2014). Scale-up of both preventive interventions and case management interventions for improved care and treatment of illness are needed to reduce the burden of child illness and death from these conditions. In order to develop appropriate potentially life-saving case management programs, it is essential to understand where caregivers are taking their sick children. This study, a follow-up to Hodgins, Pullum, and Dougherty (2013), examines patterns in care seeking for children who have experienced recent fever, symptoms of acute respiratory infection (ARI)¹, or diarrhea.

Chapter 1 provides background information on the burden of malaria, pneumonia, and diarrhea, and on international standards for case management. Chapter 2 describes the data and the methodology of the study, defines all variables, and presents study limitations. Chapter 3 has five sections that describe results. First, we describe the current landscape of care seeking for children's fever, symptoms of ARI, and diarrhea in the 21 USAID maternal and child health (MCH) priority countries for which Demographic and Health Surveys (DHS) data are available since 2000. Second, among the 20 countries with data available from at least two surveys since 2000, we present trends in care seeking between the two most recent surveys. Third, we focus specifically on the equity of these recent trends. Fourth, as examples, we present two case studies in which we use DHS data to find ecological evidence of intervention impact on care seeking patterns in two countries, Nepal and Liberia. Finally, we examine the appropriateness of the care that was received for fever and diarrhea. Chapter 4 provides interpretation of key findings, overall conclusions, and policy implications.

1.2. Background

Millennium Development Goal 4 (MDG 4) established the target of a two-thirds reduction in under-five mortality between 1990 and 2015. Although this goal will not be met, impressive gains have been made. Between 2000 and 2013, under-five mortality declined from 77 to 46 deaths per 1,000 live births, with the largest reductions found in pneumonia, diarrhea and measles deaths (Liu et al. 2015). The reductions in pneumonia and diarrhea deaths alone accounted for nearly 40 percent of the total observed reduction in under-five mortality. During this period, under-five deaths caused by diarrhea, pneumonia, and malaria declined at annual rates of 6.5 percent, 5 percent, and 4.5 percent, respectively (Liu et al. 2015).

Despite these gains, malaria, diarrhea, and pneumonia remain leading causes of death among children under age 5. In 2013, pneumonia was responsible for an estimated 935,000 deaths to children under age 5, diarrhea for an estimated 578,000 deaths, and malaria for an estimated 456,000 deaths (Liu et al. 2015).

¹ Note on terminology. In the report we use the term "pneumonia" carefully and sparingly: only in the context of discussing the global burden of this childhood ailment based on findings from other studies and when discussing illness symptoms or standard treatment recommendations. Using DHS data we cannot assess whether a child had recent pneumonia. Instead, we know whether he or she had symptoms of acute respiratory infection (ARI), which are not specific to pneumonia. Similarly, we do not know whether a child had recent malaria – instead we know whether the child had fever. All discussion of study results uses the terms fever and symptoms of ARI. Section 2.1 provides a more detailed discussion of the limitations of these non-specific proxy measures.

1.2.1. Equity and the geography of burden

The vast majority of under-five deaths occur in low- and middle-income countries, with the highest numbers in South Asia and sub-Saharan Africa. Nearly 90 percent of all child deaths from pneumonia and diarrhea occur in sub-Saharan Africa and South Asia (WHO and UNICEF 2013). More generally, nearly half of all under-five deaths worldwide occur in just four countries: India (22 percent), Nigeria (13 percent), Pakistan (6 percent), and the Democratic Republic of Congo (6 percent) (UNICEF 2013). Based on the distribution of the global burden of maternal and child death, USAID selected 24 MCH priority countries—displayed in Figure 1—as the focus of programmatic efforts designed to scale up high-impact interventions and strengthen health systems (USAID 2013). These 24 priority countries are the focus of the current study.



Figure 1. USAID priority countries for maternal and child health

Beyond the global concentration of child deaths in a few low- and middle-income countries, inequities exist within these high-burden countries. The children who become sick with diarrhea and pneumonia are often those who are poor and malnourished, live in remote areas, and lack access to simple life-saving interventions (UNICEF 2012). Highlighting the economic inequity in intervention coverage and its impact on under-five mortality, the United Nations Children's Fund (UNICEF) estimated that, within the 75 countries with the highest burden of child death, more than two million child deaths related to pneumonia and diarrhea could be averted between 2012 and 2015 if national coverage of key pneumonia and diarrhea interventions were raised to levels found in the wealthiest 20 percent of households in each country. Scale-up to the levels of intervention coverage in the wealthiest 20 percent of households could reduce under-five deaths from pneumonia by 30 percent, and under-five deaths from diarrhea by as much as 60 percent (UNICEF 2012). Our report examines levels of inequity in patterns of care seeking in USAID MCH priority countries and recent trends in care seeking, specifically among children in rural areas and the poorest households.

1.2.2. Management of childhood illness

Health ministries, international partners, and aid organizations have utilized numerous approaches in their attempts to reach *all* children—with specific efforts that target the poor, remote, and hard-to-reach—and with expanded access to preventive and curative care for childhood illnesses. One key approach, the Integrated Management of Childhood Illnesses (IMCI), was developed by WHO (World Health Organization) and UNICEF in the mid-1990s. IMCI has been implemented widely across low- and middle-income countries. Given that 70 percent of child deaths are caused by five conditions—pneumonia, diarrhea, malaria, measles, and malnutrition—and that these often occur in combination and could be prevented with many of the same measures, IMCI uses an integrated approach to the prevention and treatment of childhood illness that works at the family, community, and health systems levels (UNICEF 2012). IMCI guidelines for assessing, classifying, treating, counseling, and preventing the most common childhood illnesses focus on the child rather than on any single illness.

Another strategy supported by UNICEF and WHO to bring appropriate care to hard-to-reach children with malaria, pneumonia, and diarrhea is the use of community health workers. In most high-mortality countries, facility-based health services alone cannot provide adequate access to timely treatment. The aim of integrated community case management (iCCM) is to train, supply, and supervise the community health workers who will identify, diagnose, and treat sick children. The iCCM strategy is supported by research that estimates that community case management of diarrhea, pneumonia, and malaria with oral rehydration solution (ORS) and zinc, antibiotics, and artemisinin-based combination therapy (ACT), respectively, can reduce mortality attributed to these three diseases by 50 percent (WHO and UNICEF 2012).

Promotion of the private sector is a third strategy for increasing the reach of health systems. The USAID Strengthening Health Outcomes through the Private Sector (SHOPS) program, for example, works with nongovernmental organizations (NGOs) and for-profit facilities to increase availability, improve quality, and expand coverage of essential health products and services in the private health sector (Abt. Associates n.d.). Support for the private health sector through the SHOPS program is expected to work in tandem with the expansion of public sector health services to serve those with the greatest need (USAID 2009). The rationale suggests that "increasing private sector involvement to serve those who can pay for private health services, drugs and health products will free up public sector resources to better serve low-income populations" (USAID 2009).

1.2.3. Public versus private sources of care

Since the 1990s, international partners and aid organizations have encouraged low-income countries to expand their private health sectors. Public sectors in developing countries face a number of challenges, such as government decentralization, economic hardships, humanitarian crises, political instability and corruption, and an exodus of educated health care workers. Within the health care system, additional challenges include poor infrastructure, insufficient funding, inconsistent supplies of pharmaceuticals and commodities, and weak health information and referral systems (White and Levin 2006). A World Bank study (2008) estimated that in select countries where the environment is favorable to private sector participation, the private sector could potentially provide 45-70 percent of the needed increase in health care capacity (International Finance Corporation World Bank Group 2008). In theory, the private sector has the potential to provide higher quality care, a broader range of care, and more flexible hours and payment options (International Finance Corporation World Bank Group 2008). Despite these potential benefits, growth in the private sector raises concerns about the potential impact on equity, affordability, regulation, and the quality of service provision (Hanson et al. 2008; Lagomarsino, Nachuk, and Kundra 2009). This report examines patterns in the use of public and private sources of care to treat children's

illness and to the extent possible, the appropriateness of treatment provided by public versus private sources of care (see Section 2.3 for a discussion of indicators that assess the appropriateness of treatment).

1.2.4. Symptoms of illness and recommended treatments

The scale-up of both preventive and case management interventions are needed to reduce the burden of child death from malaria, pneumonia, and diarrhea. This study, however, focuses primarily on patterns in care seeking for sick children. International treatment recommendations for sick children with suspected malaria, suspected pneumonia, and diarrhea are summarized below, along with key symptoms of the illnesses.

Malaria. Early symptoms of malaria are nonspecific and include headache, lassitude, fatigue, abdominal discomfort, and muscle/joint aches. These are usually followed by fever, chills, perspiration, anorexia, vomiting, and worsening malaise. Young children may also experience lethargy, poor feeding, and cough. If treated promptly with effective antimalarials at an early stage with no evidence of vital organ dysfunction, a child can typically expect a rapid, full recovery. Disease progression to severe malaria (which can take days or hours) usually includes coma, metabolic acidosis, severe anemia, hypoglycemia, acute renal failure, and/or acute pulmonary edema (WHO, 2015).

According to the latest WHO recommendations, all cases of suspected malaria should have a parasitological test, with either microscopy or a rapid diagnostic test (RDT) to confirm the diagnosis (WHO 2015). Treatment of malaria depends on the *Plasmodium* species and disease severity. For uncomplicated, i.e., non-severe, *P. falciparum* malaria, children should be treated with ACT for three days. For uncomplicated *P. vivax*, *P. ovale*, *P. malariae*, or *P. knowlesi* malaria in areas with chloroquine-susceptible infections, children may be treated with either ACT or chloroquine. In areas with chloroquine-resistant infections, children should be treated with ACT. For severe malaria, children should first be given intravenous or intramuscular artesunate for at least 24 hours, after which they should be treated with three days of ACT when they can tolerate oral medication. Some cases may require pre-referral rectal administration of a single dose of artesunate. Dosages depend on the child's weight and age (WHO 2015).

Pneumonia. In low-income settings, chest radiology, blood tests, and sputum samples are often unavailable to confirm a pneumonia diagnosis and identify the disease-causing pathogen. As a result, pneumonia is classified and treated based on symptoms and physical examinations, according to WHO and UNICEF IMCI guidelines (UNICEF 2012). Pneumonia symptoms include coughing and fast/difficult breathing. The 2014 IMCI guidelines outline two paths to treatment which depend on the severity of symptoms (WHO 2014). Children with a cough or difficult breathing, as well as stridor (a high-pitched wheezing sound caused by disrupted airflow) or any general danger sign, are classified as having severe or very severe pneumonia. These children should be given a first dose of an appropriate antibiotic and referred urgently to a hospital. Children with a cough or difficult breathing, and either chest indrawing or rapid breathing for their age and no signs of severe pneumonia, are diagnosed with pneumonia. These children should be treated with oral amoxicillin for five days, and given home care. IMCI provides specific guidance on home care, which should include more frequent, longer periods of breastfeeding and increased fluid intake. Young infants must be breastfed and kept warm at all times. The dosage of amoxicillin depends on the child's age and weight, and the presence of chest indrawing. Injectable antibiotics are given only in cases of severe pneumonia (WHO 2014).

Diarrhea. WHO and UNICEF recommend the provision of low-osmolarity ORS with zinc supplementation for 10-14 days to treat diarrhea in children under age 5 (WHO and UNICEF 2004). Continued feeding and increased breastfeeding are recommended during this time, in which unnecessary antibiotics should be avoided. Antibiotics are only appropriate in the presence of bloody diarrhea or shigellosis (WHO and UNICEF 2004).

2. Data and Methods

2.1. Data

This study uses data from DHS surveys in 21 of the 24 USAID MCH priority countries. These are nationally representative, population-based household surveys that monitor demographic trends, reproductive health behaviors, attitudes, outcomes, and socio-demographic characteristics of women and men of reproductive age. The data are collected with face-to-face household interviews. All surveys include information on care seeking for children under age 5 with reported fever, diarrhea, or symptoms of acute respiratory infection (ARI) in the two weeks preceding the interview. Each survey includes a standard core questionnaire that enables comparisons across countries and over time.

Table 1 lists the USAID MCH priority countries and DHS survey availability. The study uses the two most recent DHS surveys. For 20 countries—Bangladesh, DR Congo, Ethiopia, Ghana, Haiti, Indonesia, Kenya, Liberia, Madagascar, Malawi, Mali², Mozambique, Nepal, Nigeria, Pakistan, Rwanda, Senegal, Tanzania, Uganda, and Zambia—two DHS surveys are available since 2000. For India, just one survey is available since 2000.

Country and DHS country code	Survey 1	Survey 2	
Afghanistan (AF)	n/a	n/a	
Bangladesh (BD)	2007 DHS	2011 DHS	
DR Congo (CD)	2007 DHS	2013-14 DHS	
Ethiopia (ET)	2005 DHS	2011 DHS	
Ghana (GH)	2003 DHS	2008 DHS	
Haiti (HT)	2005-6 DHS	2012 DHS	
India (IA)	n/a	2005-6 DHS	
Indonesia (ID)	2007 DHS	2012 DHS	
Kenya (KE)	2003 DHS	2008-9 DHS	
Liberia (LB)	2007 DHS	2013 DHS	
Madagascar (MD)	2003-4 DHS	2008-9 DHS	
Malawi (MW)	2004 DHS	2010 DHS	
Mali (ML)	2006 DHS	2012-13 DHS	
Mozambique (MZ)	2003 DHS	2011 DHS	
Nepal (NP)	2006 DHS	2011 DHS	
Nigeria (NG)	2008 DHS	2013 DHS	
Pakistan (PK)	2006-7 DHS	2012-13 DHS	
Rwanda (RW)	2005 DHS	2010 DHS	
Senegal (SN)	2005 DHS	2010-11 DHS	
South Sudan (SS)	n/a	n/a	
Tanzania (TZ)	2004-5 DHS	2010 DHS	
Uganda (UG)	2006 DHS	2011 DHS	
Yemen (YE)	n/a	n/a	
Zambia (ZM)	2007 DHS	2013-14 DHS	

Table 1. USAID priority	countries for maternal	and child health and	DHS survey availability
-------------------------	------------------------	----------------------	-------------------------

Note: We have no data for Afghanistan, South Sudan, or Yemen as of June 2014. Recode files are not available for the Afghanistan 2010 Mortality Survey. n/a= data not available

² Note on Mali surveys: The 2006 survey included all eight regions of Mali and Bamako (CPS/DNSI and Macro International, 2007), while for reasons of security the 2012-13 survey excluded the three northern regions of Gao, Kidal, and Timbuktu, and did not fully represent the region of Mopti (CPS et al. 2014). A strong case could be made that comparison of the two surveys should omit Gao, Kidal, Timbuktu, and Mopti from the 2006 survey and should omit Mopti from the 2012-13 survey to make the two surveys comparable. However, to avoid discarding data that have been collected and to present estimates that are as close to nationally representative as possible, this report does not omit any regions from either survey. Readers are warned that the differences between the estimates from the 2006 and 2012-13 surveys are potentially biased estimates of the differences that would have been found with complete coverage in both surveys. A separate analysis of trends in malaria prevention and care seeking for children's fever found that the direction and significance of the trend between surveys remained the same after removing the four northern regions to create comparable populations. These results are not shown.

The study population was restricted to the 143,961 children under age 5 with reported illness—fever, symptoms of ARI, or diarrhea—in the two weeks preceding the mother's interview. While identifying the population of children with recent malaria, pneumonia, and diarrhea is ideal, the DHS is limited in its ability to diagnose these illnesses, particularly malaria and pneumonia. We do not know if a child had malaria in the two weeks preceding the survey; instead, we know if the mother reports that the child had a fever during this period. The percentage of fever cases due to malaria varies across country and across endemicity zones within a country, and can be highly dependent on the season of fieldwork.

We also do not know from the DHS whether a child had pneumonia. Instead, we know if the child had a reported cough and chest-related rapid/difficult breathing. These symptoms are not specific to pneumonia and could identify a number of childhood illnesses such as the common cold or bronchitis. For this reason, the collection of symptoms is referred to as ARI. The indicator is based on the following standard DHS questions: Respondents are asked whether the child has had an illness with a cough at any time in the last two weeks. If the response is yes, the respondents are asked "When [name of child] had an illness with a cough, did he/she breathe faster than usual with short, rapid breaths or have difficulty breathing?" For most surveys conducted after 2003, respondents are then asked "Was the fast or difficult breathing due to a problem in the chest or to a blocked or runny nose?" For consistency, the analysis of trends in care seeking for symptoms of ARI was restricted to surveys with all three questions. In the study, children are classified as having had symptoms of ARI if they were reported to have had a cough with difficulty breathing or short, rapid breaths, and if the child's difficulty breathing was due to a problem in the chest or to a problem in the chest and blocked/runny nose. The need for caution in interpreting the ARI estimates is underscored by a recent prospective study in Pakistan and Bangladesh (Hazir et al. 2013). This study found that the specificity (the true negative rate) of the symptoms of ARI questions used by DHS and the UNICEF MICS surveys is well below the levels required for the proxy measure to provide accurate estimates of the prevalence of pneumonia; thus, estimates should not be used for that purpose.

Finally, while we know if a child had diarrhea in the two weeks preceding the survey and if the diarrhea was bloody, we have no further information about the severity or duration of illness or the cause of the diarrhea. According to the 2013 Global Burden of Disease Study, rotavirus was the main cause of diarrhea in children younger than age 5, and the most common cause of diarrhea deaths for children under age 5 in 2013, followed by cholera, cryptosporidium, and shigellosis (Liu et al. 2015).

Table 2 lists the prevalence of the three illnesses among children under age 5 in each survey. The prevalence of fever ranged from 9 percent among children under age 5 in the Madagascar 2008-9 survey and the Mali 2012-13 survey to about 40 percent in Kenya 2003 and Uganda in 2006 and 2011. The prevalence of symptoms of ARI ranged from 2 percent in Mali 2012-13, Mozambique 2011, and Nigeria 2013, to 19 percent of children under age 5 in Malawi 2004. The prevalence of diarrhea in the two weeks preceding the survey ranged from 5 percent in the Bangladesh 2011 survey to 26 percent in Uganda 2006. The analysis of care seeking is restricted to these children with recent illness symptoms.

	_	Symptoms of	Diarrhea	Diarrhea	Ν
	Fever	ARI	(any)	(bloody)	children under
Country/survey year	%	%	%	%	age 5
Bangladesh 2007	38.2	4.8	9.8	n/a	5,719
Bangladesh 2011	36.5	5.8	4.6	0.6	8,395
Congo DR 2007 ¹	30.8	15.4	16.4	n/a	8,009
Congo DR 2013-14	29.5	6.7	16.8	3.0	17,017
Ethiopia 20051	18.7	12.6	18.0	6.2	10,109
Ethiopia 2011	17.1	7.0	13.4	3.3	11,042
Ghana 2003 ¹	21.3	10.0	15.2	n/a	3,340
Ghana 2008	19.9	5.5	19.8	3.1	2,731
Haiti 2005-6	27.9	10.3	23.7	5.0	5,322
Haiti 2012	27.1	14.4	20.8	2.0	6,410
India 2005-6	14.9	5.8	9.0	0.9	52,868
Indonesia 2007 ¹	31.6	11.2	13.7	n/a	15,925
Indonesia 2012	31.0	5.1	14.3	0.1	16,380
Kenya 2003 ¹	40.6	18.4	16.0	n/a	5,560
Kenya 2008-9	23.7	7.6	16.6	2.6	5,481
Liberia 2007	30.7	8.6	19.8	4.9	5,132
Liberia 2013	28.6	6.5	22.0	3.9	6,047
Madagascar 2003-4 ¹	20.6	8.6	9.8	n/a	5,841
Madagascar 2008-9	9.3	2.9	8.3	0.9	11,976
Mali 2006 ¹	17.9	5.6	13.3	n/a	12,523
Mali 2012-13	8.6	1.6	8.6	2.0	9,655
Malawi 2004 ¹	37.1	18.8	22.3	n/a	9,777
Malawi 2010	34.5	6.8	17.5	2.4	18,013
Mozambique 2003 ¹	26.7	9.8	14.1	2.8	9,400
Mozambique 2011	13.4	1.5	11.1	1.5	10,835
Nepal 2006	16.9	5.3	11.9	2.0	5,252
Nepal 2011	18.7	4.6	13.8	1.6	5,140
Nigeria 2008	15.9	2.8	10.1	2.0	24,975
Nigeria 2013	12.5	2.0	10.2	2.1	28,950
Pakistan 2006-7	30.7	14.1	12.6	3.1	8,367
Pakistan 2012-13	37.6	15.9	22.5	2.3	11,040
Rwanda 2005 ¹	26.2	17.1	14.1	n/a	7,797
Rwanda 2010	15.8	3.7	13.2	2.0	8,605
Senegal 2005 ¹	29.8	13.2	22.3	n/a	9,709
Senegal 2010-11	22.6	5.4	20.6	2.0	10,893
Tanzania 2004-51	24.4	8.1	12.6	n/a	7,976
Tanzania 2010	22.9	4.3	14.5	1.9	7,667
Uganda 2006	40.9	14.5	25.8	5.6	7,664
Uganda 2011	40.4	14.8	23.4	4.2	7,535
Zambia 2007	17.8	5.2	15.5	2.0	5,861
Zambia 2013-14	21.0	3.7	16.1	2.5	12,634

Table 2. Percentage of children under age 5 who were reported to have fever, symptoms of ARI, or diarrhea in the two weeks preceding the interview, USAID MCH priority countries

¹ For 12 surveys, "symptoms of ARI" is defined by a less specific definition (having a cough with rapid breathing, rather than having a cough with rapid breathing that is chest-related), because these surveys did not collect information on whether the child's rapid breathing was chest-related. n/a= data not available

For the most part, this study examines care seeking separately by illness; that is, we examine care seeking in three populations: all children with recent fever, all children with recent symptoms of ARI, and all children with recent diarrhea. However, children may have experienced combinations of these illnesses. Table 3 presents the percent distribution of illness symptoms among all children with reported illness in the two weeks preceding the interview. In all surveys the largest percentage of children with recent illness experienced *only* fever in the two weeks preceding the interview, without coinciding symptoms of ARI or diarrhea. This percentage ranged from 19 percent in the Ethiopia 2005 survey to 75 percent in Bangladesh 2011. Between 1 percent (Bangladesh 2007) and 13 percent (Haiti 2012) of children with recent illness experienced only symptoms of ARI, and between 5 percent (Bangladesh 2011) and 39 percent (Mali 2012-13) experienced only diarrhea.

In all surveys except Bangladesh 2011, at least 10 percent of children with recent illness were reported to have experienced both fever and diarrhea. The reported co-occurrence of diarrhea and symptoms of ARI is much less common; in all surveys, 4 percent of children or less experienced both diarrhea and symptoms of ARI. Between 2 percent (Mozambique 2011) and 23 percent (Pakistan 2006-7) experienced fever along with symptoms of ARI.

Finally, a small percentage of children experienced all three illnesses or illness symptoms in the two weeks preceding the survey. This ranged from 1 percent in Bangladesh 2007 and 2011 and in Mali 2012-13 to 14 percent in Ethiopia 2005.

					Fever				N
	Fever	Symptoms	Diarrhea	Fever	and	Diarrhea			children
	only	of ARI only	only	and ARI	diarrhea	and ARI	All three	Total	with recent
Country/survey year	%	%	%	%	%	%	%	%	illness
Bangladesh 2007	67.6	1.4	9.9	8.3	11.3	0.1	1.4	100.0	2,467
Bangladesh 2011	74.8	2.3	4.9	11.2	5.5	0.1	1.1	100.0	3,306
Congo DR 2007 ¹	35.2	7.9	14.7	17.0	12.6	2.5	10.0	100.0	3,299
Congo DR 2013-14	46.5	5.0	19.4	6.5	17.4	1.8	3.3	100.0	6,802
Ethiopia 20051	19.1	9.8	26.0	13.1	14.4	4.0	13.6	100.0	3,133
Ethiopia 2011	30.9	7.4	24.6	9.7	17.4	1.9	8.2	100.0	2,848
Ghana 2003 ¹	32.2	9.4	24.2	12.3	13.3	2.2	6.3	100.0	1,107
Ghana 2008	31.7	4.7	35.2	5.3	17.0	1.6	4.5	100.0	930
Haiti 2005-6	28.9	6.8	25.8	8.9	21.3	2.2	6.1	100.0	2,279
Haiti 2012	30.0	12.5	23.0	11.0	14.8	4.0	4.8	100.0	2,866
India 2005-6	38.9	6.6	24.8	14.0	10.2	1.6	3.9	100.0	11,717
Indonesia 2007 ¹	45.0	6.6	11.3	13.5	15.1	1.5	7.0	100.0	6,245
Indonesia 2012	53.5	3.1	17.0	6.8	16.5	0.5	2.6	100.0	6,404
Kenya 2003 ¹	40.6	7.1	9.4	20.0	12.8	1.7	8.4	100.0	2,755
Kenya 2008-9	37.5	3.6	25.7	10.3	14.5	1.1	7.4	100.0	1,868
Liberia 2007	40.8	2.9	21.7	8.6	16.8	1.3	7.8	100.0	2,129
Liberia 2013	36.5	3.9	24.6	5.9	22.9	1.7	4.6	100.0	2,474
Madagascar 2003-4 ¹	41.2	7.7	16.3	15.6	11.0	1.0	7.2	100.0	1,602
Madagascar 2008-9	33.9	5.6	34.8	8.3	13.2	1.0	3.1	100.0	1,906
Mali 2006 ¹	37.6	5.6	27.0	8.1	14.7	1.7	5.3	100.0	3,409
Mali 2012-13	37.8	4.7	39.3	2.9	12.6	1.5	1.3	100.0	1,523
Malawi 2004 ¹	33.9	10.9	13.1	11.8	16.3	3.7	10.3	100.0	5,020
Malawi 2010	48.6	2.8	16.2	7.9	19.5	1.0	4.0	100.0	7,763
Mozambique 2003 ¹	42.6	8.5	16.0	10.1	14.5	2.2	5.9	100.0	3,427
Mozambique 2011	42.2	2.3	32.9	2.4	17.7	0.6	2.0	100.0	2,268
Nepal 2006	38.7	3.2	29.1	11.5	11.5	1.2	4.8	100.0	1,339
Nepal 2011	38.2	3.2	28.5	8.5	16.5	0.7	4.3	100.0	1,421
Nigeria 2008	46.6	2.4	25.6	5.7	15.4	0.9	3.5	100.0	5,577
Nigeria 2013	41.5	2.4	32.4	3.6	16.1	0.9	3.0	100.0	5,654
Pakistan 2006-7	39.6	5.7	14.8	22.5	9.8	1.2	6.4	100.0	3,283
Pakistan 2012-13	32.5	4.1	17.2	17.4	17.9	1.8	9.1	100.0	5,399
Rwanda 2005 ¹	28.2	11.4	14.7	21.9	10.8	2.6	10.4	100.0	2,871
Rwanda 2010	36.6	4.9	30.7	5.6	17.6	1.1	3.4	100.0	2,142
Senegal 2005 ¹	29.9	7.0	21.7	11.7	18.1	2.8	8.8	100.0	4,217
Senegal 2010-11	30.5	3.1	30.3	6.8	23.6	1.2	4.5	100.0	3,769
Tanzania 2004-5 ¹	45.1	2.4	24.5	6.8	16.7	0.8	3.7	100.0	2,428
Tanzania 2010	42.9	6.2	15.6	11.1	15.8	0.9	7.5	100.0	2,522
Uganda 2006	37.1	5.5	16.4	9.7	19.7	2.2	9.4	100.0	4,134
Uganda 2011	38.1	7.4	13.7	10.1	20.1	2.4	8.1	100.0	3,979
Zambia 2007	34.2	6.1	30.1	5.8	17.7	2.0	4.2	100.0	1,688
Zambia 2013-14	41.3	4.0	28.0	3.8	18.9	1.4	2.5	100.0	3,991

Table 3. Percent distribution of combinations of illness symptoms among children with recent
fever, symptoms of ARI, or diarrhea, USAID MCH priority countries

¹ For 12 surveys, "symptoms of ARI" is defined using a less specific definition (having a cough with rapid breathing, rather than having a cough with rapid breathing that is chest-related), because these surveys did not collect information on whether the child's rapid breathing was chest-related.

2.2. Analytic Strategy

The analysis is primarily descriptive. First, we describe the current landscape of care seeking in MCH priority countries, and the differentials by household wealth and place of residence. The confidence intervals around point estimates are adjusted for the DHS sample design.

Second, we examine temporal trends in levels³ of care seeking from public sources of care, private sources of care, and any source of care between the two most recent DHS surveys. Logit regression tested if the levels of care seeking changed significantly between surveys.

Third, we examine trends over time in equity (between children in rural versus urban households, and between children in the poorest versus wealthiest quintiles of household wealth). Trends in care seeking from public sources and from private sources are presented for rural children and for children in the poorest households in Figures 24-40. In these figures, bubble size represents the percentage point difference in care seeking coverage between the disadvantaged (rural children and children in the poorest households) and advantaged groups (urban and children in the wealthiest households).

To test whether the differential in care seeking between children in rural versus urban households changed significantly between surveys, logit regression models were run on the two combined surveys with an indicator for survey year, urban/rural residence, and an interaction term between the two. A significant interaction term indicates that the change in care seeking over time differed significantly between children in rural versus urban households. Similarly, logit regression models tested whether the trend in care seeking over time was different between children in the poorest and wealthiest quintiles, with children in the middle three wealth quintiles removed.

Fourth, in two MCH priority countries (Liberia and Nepal) where subnational USAID-funded interventions were implemented to promote appropriate care seeking for childhood illness, logit regression examined whether improvements in care seeking behavior between surveys were significantly greater in intervention catchment areas than in non-intervention areas.

Finally, to assess the appropriateness of care that children received during the study period, we compared indicators of appropriate care (described in detail below) for children in study countries who received care from private sources, public sources, and from any source. All analyses were conducted with STATA 13. STATA svy commands generated robust standard error estimates that incorporated the DHS complex sample design.

2.3. Definitions of Indicators

2.3.1. Place of treatment

Indicators for place of treatment are based on two standard DHS interview questions asked of female respondents who reported that their child under age 5 had an illness in the two weeks preceding the survey. These women were asked "Did you seek advice or treatment for the illness from any source?" and, if yes, "Where did you seek advice or treatment?" The women were then asked the question "Anywhere else?" to identify all sources of care. These questions were asked one time for women who reported that their child had either fever or cough, and separately for respondents who reported their child had diarrhea.

³ Here and throughout the report, the term *level* is used interchangeably with the term *coverage* to refer to the percentage of children with recent illness for whom care was sought.

The majority of tables and figures in this report categorize care seeking into four groups: public sources of care, private sources of care, pharmacy only, and any other source. Some tables and figures also use a summary indicator to identify children who received any care outside the home for a recent illness. The place of treatment indicators are defined below:

Public sources of care include a public hospital, health center, health post, mobile clinic, community health worker, or any other public sector source.

Private sources of care include a private hospital, doctor, nurse, mobile clinic, private community health worker, religious or NGO-run facilities, or other private sector source.

Pharmacy only indicates children for whom care was sought only from a pharmacy.

Other sources include a market or informal shop, traditional healer or other non-allopathic sources, friend, relative, or any other source of care sought outside the home.

Any care includes all sources of care included in the four summary groups defined above.

With the exception of pharmacies, care for a child that is sought from multiple sources (i.e., from both a public and private facility) contributes to both categories. However, in some settings, pharmacies are used as a primary source of advice and treatment rather than a place for filling a prescription based on advice from another category of provider. To differentiate between pharmacy as a primary source of care and as a secondary source of medication, the analyses restrict this category to children for whom care was sought *only* from a pharmacy.

Annex tables provide more detailed information about where children were taken for care for each illness. These tables provide the percentage of children who were taken to a public hospital, public peripheral health facility (health center, health post, mobile clinic, or other public sector care), private clinic or clinician (private hospital, doctor, nurse, mobile clinic, or other private sector care), public community health worker, private community health worker, religious or NGO facility, pharmacy, market, informal market/shop, non-allopathic source of care (traditional healer), or any other source outside the home (friend, relative, other) disaggregated by place of residence (Annex Tables A1-A3), and by household wealth (Annex Tables A4-A6). Unless otherwise specified, the child contributes to multiple categories if care was sought from multiple sources.

2.3.2. Background characteristics

Place of residence. This variable identifies whether the household in which the child's mother was interviewed is in an urban or rural location. The DHS uses the prevailing definitions of urban and rural residence in each country. Children in urban locations are generally expected to have better access to care and reduced exposure to some infections. However, the benefits of an urban residence depend on the economic resources of the household and community. Children in urban slums, for example, are particularly vulnerable to childhood illness because of overcrowding, unhygienic surroundings, poverty, and the absence of basic health infrastructure (Fernandez, Mondkar, and Mathai 2003; Mutisya et al. 2010).

Household wealth quintile. The standard DHS wealth index uses household-level data on assets, services, and amenities to rank households according to their level of wealth. The survey population in each country was divided into fifths from poorest to wealthiest, based on the distribution of wealth index scores. Caregivers in poorer households are expected to face more barriers to accessing care for their sick children, who are expected to be more exposed and vulnerable to some infections (UNICEF 2012).

2.3.3. Indicators of appropriate care

Fever

The percentage of children who had a finger or heel stick for malaria testing, among children under age 5 with fever in the last two weeks. In DHS surveys conducted since roughly 2008, respondents who indicated that a child had fever in the two preceding weeks were asked: "At any time during the illness, did the child have blood taken from his/her finger or heel for testing?" We examined the percentage of children who were tested, among children with recent fever for whom care was sought from a public source, private source, and any source. This standard Roll Back Malaria Partnership (RBM) indicator is a proxy measure of the extent to which children with fever obtain a parasitological diagnosis when they present at a health facility. Since most malaria endemic countries now have policies that require universal diagnostic testing for malaria before treatment, this is an important measure of the appropriateness of care (MEASURE Evaluation et al.2013).

The percentage of children who received ACT, among children under age 5 with fever in the last two weeks who received any antimalarial drugs. For each child who had a fever or cough in the two weeks preceding the survey, DHS respondents are asked: "At any time during the illness, did the child take any drugs for the illness?" and, if yes, "What drugs did the child take?" Respondents are asked the question "Any other drugs?" to identify all drugs given to the child. This indicator is calculated separately among children with recent fever for whom care was sought from any public source, private source, and any source. This standard RBM indicator measures the extent to which ACT (where ACT is the recommended first-line treatment for uncomplicated malaria) is being used instead of another antimalarial option. This assumes that an appropriate diagnosis was made. The indicator is a measure of the appropriateness of treatment (MEASURE Evaluation et al. 2013). Ideally, in surveys conducted since the inception of policies that recommend ACT as first-line antimalarial treatment and in which *Plasmodium vivax* infections are uncommon, ACT should represent almost all antimalarial treatment.

The percentage of children who received first-line antimalarial therapy, among children under age 5 with fever in the last two weeks who received any antimalarial drugs. Much like the previous indicator, this outcome is intended to assess the appropriateness of treatment that follows a correct diagnosis of malaria. Given that recommended treatments for malaria have changed over the course of the study period, two indicators are needed for this outcome. To include surveys from the earlier part of the study period when ACT may not have been a treatment option, the prevailing first-line antimalarial is included. Ideally, all children who are given an antimalarial should receive a first-line antimalarial treatment.

Diarrhea

The percentage of children who were given ORS, among children under age 5 with diarrhea in the last two weeks. For each child who had diarrhea in the two weeks preceding the survey, DHS respondents are asked: "Was he/she given any of the following to drink at any time since he/she started having the diarrhea: (a) A fluid made from a special packet called [local name for ORS packet]? (b) A pre-packaged ORS liquid [in countries that have this type of ORS] (c) A government-recommended homemade fluid?" and "What (else) was given to treat the diarrhea?" Interviewers are required to probe to record all treatments given to the child. ORS has been the primary treatment for children's diarrhea since the 1980s and is known to reduce diarrhea mortality (WHO 2005). This standard indicator, which measures the extent to which ORS is being used to treat diarrhea, is a measure of the appropriateness of treatment. Ideally, all children with diarrhea should be treated with ORS.

The percentage of children who received ORS with zinc, among children under age 5 with diarrhea in the last two weeks. Since 2004, WHO and UNICEF have recommended the use of zinc supplementation for 10-14 days along with an updated ORS formula with reduced levels of glucose and salt to treat children's diarrhea (WHO 2005). This indicator is based on the same open-ended question described above: "What (else) was given to treat the diarrhea?" The indicator, which measures the extent to which ORS and zinc are being used to treat diarrhea, is thus a measure of the appropriateness of treatment. Ideally, all children with diarrhea should be treated with both ORS and zinc.

The percentage of children who received antibiotics, among children under age 5 with non-bloody diarrhea in the last two weeks. Unlike the indicators above, which describe appropriate care, this indicator measures inappropriate care, in which antibiotics are given to children with non-bloody diarrhea. The indicator is based on the same DHS question about what drugs the child was given, but is restricted to children with non-bloody diarrhea.

2.4. Limitations

The study has several limitations. The study relies heavily on the respondent's recall of the care her children received for recent illnesses. Such information is subject to recall bias, reporting bias, and misclassification. For example, a respondent may not accurately recall the type of medication her child was given for fever, or she may misclassify the type of facility to which her child was brought (e.g. incorrectly identify a private religious or non-profit clinic as a public clinic because it does not charge fees). She may not know where the child was taken if another person took the child to the facility. A respondent whose child had severe disease, co-morbidities, or unsuccessful treatment may also differentially recall and report on her care seeking behavior. Given that the period of recall is only two weeks, we expect most types of bias to be minimal.

As mentioned, we are interested in care seeking for malaria, pneumonia, and diarrhea but are limited in our ability to identify children with clinical or parasitological diagnoses. Instead, we study patterns of care seeking among all children with recent fever, symptoms of ARI, and diarrhea. A large number of children with symptoms of ARI do not have pneumonia, and some children with fever do not have malaria. Thus, some children in our study may not have needed the care or medical treatment we are examining, or would like to examine. Such discrepancies are particularly problematic for children with symptoms of ARI. While antibiotics are the recommended treatment for pneumonia, antibiotic treatment is not necessary for children with some other acute respiratory infections such as the common cold. Since we cannot distinguish children with recent pneumonia from children with other acute respiratory infections, we cannot evaluate the appropriateness of the treatment provided for these children.

In order to examine the appropriateness of care for fever and diarrhea, we assume that the child obtained drugs or treatment from the source of care identified. However, this may not have been the case. When children sought care from both public and private sources, we attribute the drug treatment given to the child to both sources, since we cannot identify the true source. This bias will dilute any genuine differences in the appropriateness of care received from public versus private sources.

Finally, the scope of the analysis is limited by the sample size. While we would like to examine patterns in appropriateness of care by children's background characteristics such as wealth, we could not do so because of the small number of children in the sample who had the symptoms and who sought care from the various providers.

3. Results

3.1. Current Care Seeking in USAID MCH Priority Countries

In this section we examine the most recent data on care seeking available for each MCH priority country. Figure 2 shows the percentage of children who received care from any source outside the home, among all children under age 5 who experienced any illness symptom (i.e., fever, symptoms of ARI, or diarrhea) in the two weeks preceding the interview. In Asian MCH priority countries, care seeking from any source ranged from 69 percent in Nepal to 87 percent in Indonesia while in African MCH priority countries, care seeking ranged from 33 percent in Ethiopia to 84 percent in Uganda. In Madagascar, Ethiopia, and Haiti, care outside the home was sought for less than half of children under age 5 with recent illness.



Figure 2. Percentage of children who received care from any source for recent illness, USAID MCH priority countries

Note: The figure presents the prevalence of care seeking from any source among children with reported fever, diarrhea, or symptoms of ARI in the two weeks preceding the survey. Here and in all subsequent figures, LAC refers to Latin America and the Caribbean.

Figures 3, 4, and 5 highlight the percentage of children who received care from any public source, private source, a pharmacy only, and from any other source for children with recent fever, recent symptoms of ARI, and recent diarrhea. Since children can contribute to multiple categories if care was sought from multiple sources, the sum of the percentages across the four groupings in most cases yields a slightly larger number than the total percentage of children for whom care was sought.

Care seeking from public sources is consistently more prevalent in African MCH priority countries than in Asian MCH priority countries (see Figures 3-5). For fever, for example, care seeking from public sources in Africa ranges from 17 percent of children with recent fever in Ethiopia to 68 percent of children with recent fever in Zambia, while in Asian MCH priority countries care seeking from public sources ranges from 9 percent in Pakistan and Bangladesh to 25 percent in Indonesia (see Figure 3).

In contrast, care seeking from private sources is consistently more prevalent in Asian MCH priority countries than in African MCH priority countries. In Asia, care seeking from private sources ranges from 24 percent of children with recent fever in Nepal to 71 percent in Pakistan, while in African MCH priority countries the prevalence of care seeking from private sources is well under 20 percent in all countries

with the exception of Uganda (48 percent). Use of the private sector is less than 5 percent in Zambia, Mozambique, Mali, and Rwanda. Appendix Figures 1-3 highlight the public-private differential.

The use of pharmacies as the sole source of care for children's illness ranges widely across MCH priority countries. In nine countries, a pharmacy was the only source of advice or treatment for a recent fever for less than 5 percent of children, compared with 10 percent to 20 percent in six countries, 28 percent in Nepal, and 35 percent in Nigeria. In these cases, the pharmacy was the source of advice or treatment, although this does not necessarily mean that the child was taken to the pharmacy for treatment. The caregiver could have visited the pharmacy, described the child's symptoms, and received medication.

Other sources of care include a market/informal shop, traditional healer or other non-allopathic sources, friends, relatives, and other sources. In three countries—Indonesia, Liberia, and Mali—more than 10 percent of children with recent fever were taken to one of these sources of care.

The patterns of care seeking for children's illnesses are quite similar across the three illnesses (see Figures 3-5). For all three, Uganda is the only African country in which care seeking from private facilities is more prevalent than from public facilities. Nigeria is noteworthy for its widespread use of pharmacies as the single source of care for children's illness, and Mali for its use of other sources of care.

Figure 3. Percentage of children who received care from public, private, pharmacy, and other sources among children with recent fever, USAID MCH priority countries



Note: Public sources include: public hospital, health center, health post, mobile clinic, community health worker, and other public sector; Private sources include: private hospital, doctor, nurse, mobile clinic, private community health worker, religious or NGO-run facilities, and other private sector; Pharmacy only highlights children for whom care was sought only from a pharmacy; Other sources include: market/informal shop, traditional healer or other non-allopathic sources, friend, relative, or other sources. Since children for whom care was sought from multiple sources contribute to each source's total, the total percentage may exceed the percentage of children who received any care.



Figure 4. Percentage of children who received care from public, private, pharmacy, and other sources among children with recent symptoms of ARI, USAID MCH priority countries

Note: Public sources include: public hospital, health center, health post, mobile clinic, community health worker, and other public sector; Private sources include: private hospital, doctor, nurse, mobile clinic, private community health worker, religious or NGO-run facilities, and other private sector; Pharmacy only highlights children for whom care was sought only from a pharmacy; Other sources include: market/informal shop, traditional healer or other non-allopathic sources, friend, relative, or other sources. Children for whom care was sought from multiple sources contribute to each source's total, so the total percentage may exceed the percentage of children who received any care.



Figure 5. Percentage of children who received care from public, private, pharmacy, and other sources among children with recent diarrhea, USAID MCH priority countries

Note: Public sources include: public hospital, health center, health post, mobile clinic, community health worker, and other public sector; Private sources include: private hospital, doctor, nurse, mobile clinic, private community health worker, religious or NGO-run facilities, and other private sector; Pharmacy only highlights children for whom care was sought only from a pharmacy; Other sources include: market/informal shop, traditional healer or other non-allopathic sources, friend, relative, or other sources. Children for whom care was sought from multiple sources contribute to each source's total, so the total percentage may exceed the percentage of children who received any care.

3.1.1. Place of residence and care seeking

Figures 6, 7, and 8 present patterns in care seeking for fever, symptoms of ARI, and diarrhea, respectively, disaggregated by place of residence. There is strikingly little variation in the patterns of care seeking between children in urban and rural households.

In the majority of countries there is little difference in the level of care seeking from public sources for fever between urban and rural households (see Figure 6). In three countries—Mozambique, Senegal, and Mali—the level of care seeking from public sources for fever is higher for children in urban households

compared with rural households, and the confidence intervals between estimates do not overlap⁴ (see Appendix Table A7 for the confidence intervals). In contrast, the level of care seeking from public sources in DR Congo is higher among children in rural households compared with urban households, with non-overlapping 95 percent confidence intervals.

There is a more consistent differential between children in urban and rural households in the level of care seeking from private sources. In 13 countries—more than half of the MCH priority countries—the level of care seeking for fever from private sources is higher in urban areas than in rural areas, with non-overlapping confidence intervals.

The percentage of children with recent fever for whom care was sought only from a pharmacy is similar in urban and rural households. However, the level of care seeking from a pharmacy in Indonesia, Senegal, and Mali is higher among children in urban areas than in rural areas, with non-overlapping confidence intervals.

Levels of care seeking for fever from other sources are approximately the same for children in urban and rural households. However, in Indonesia, Nigeria, Mozambique, and Madagascar, care seeking for fever from other sources is higher among children in rural households, with non-overlapping confidence intervals.

Figure 6. Percentage of children who received care from public, private, pharmacy, and other sources among children with recent fever by place of residence, USAID MCH priority countries



Note: Public sources include: public hospital, health center, health post, mobile clinic, community health worker, and other public sector; Private sources include: private hospital, doctor, nurse, mobile clinic, private community health worker, religious or NGO-run facilities, and other private sector; Pharmacy only highlights children for whom care was sought only from a pharmacy; Other sources include: market/informal shop, traditional healer or other non-allopathic sources, friend, relative, or other sources. Since children for whom care was sought from multiple sources contribute to each source's total, the total percentage may exceed the percentage of children who received any care. Please refer to Table 1 for a listing of DHS country codes and corresponding country names.

The general patterns of care seeking described for children with recent fever also apply to care seeking for symptoms of ARI and diarrhea, as depicted in Figures 7 and 8. The confidence intervals around estimates are available in Appendix Table A7.

⁴ If estimates for different sub-populations have non-overlapping confidence intervals, they are necessarily significantly different. If they have overlapping confidence intervals, it is not necessarily true that they are not significantly different. In some cases where the confidence intervals between two point estimates overlap slightly, a statistical test is required to identify a significant difference between the two estimates.





Note: Public sources include: public hospital, health center, health post, mobile clinic, community health worker, and other public sector; Private sources include: private hospital, doctor, nurse, mobile clinic, private community health worker, religious or NGO-run facilities, and other private sector; Pharmacy Only highlights children for whom care was sought only from a pharmacy; Other sources include: market/informal shop, traditional healer or other non-allopathic sources, friend, relative, or other sources. Since children for whom care was sought from multiple sources contribute to each source's total, the total percentage may exceed the percentage of children who received any care. Please refer to Table 1 for a listing of DHS country codes and corresponding country names. Care seeking estimates for urban areas in the Ghana 2008 DHS and the Mali 2012-13 DHS are based on 25-49 unweighted cases and should be interpreted with caution.



Figure 8. Percentage of children who received care from public, private, pharmacy, and other sources among children with recent diarrhea by place of residence, USAID MCH priority countries

Note: Public sources include: public hospital, health center, health post, mobile clinic, community health worker, and other public sector; Private sources include: private hospital, doctor, nurse, mobile clinic, private community health worker, religious or NGO-run facilities, and other private sector; Pharmacy only highlights children for whom care was sought only from a pharmacy; Other sources include: market/informal shop, traditional healer or other non-allopathic sources, friend, relative, or other sources. Since children for whom care was sought from multiple sources contribute to each source's total, the total percentage may exceed the percentage of children who received any care. Please refer to Table 1 for a listing of DHS country codes and corresponding country names.

3.1.2. Household wealth and care seeking

Interesting patterns emerge when we examine care seeking by household wealth quintile. Figure 9 shows patterns in care seeking for fever across levels of household wealth, while Figures 10 and 11 show these patterns for symptoms of ARI and diarrhea, respectively. The patterns of care seeking for symptoms of ARI and diarrhea across levels of household wealth are very similar to those described for fever.

Figure 9 shows that in nearly all MCH priority countries, the use of private sources of care for fever increases incrementally with increasing household wealth. The association between wealth and the use of public sources of care is more varied. In Indonesia, Nepal, Uganda, and Liberia, for example, the use of public facilities is negatively associated with household wealth. In these countries, as the level of wealth

increases, care seeking from public sources decreases. In other countries such as Mozambique, Senegal, Mali, Rwanda, and Ethiopia, care seeking from public sources for fever increases with increasing household wealth. In Pakistan, Bangladesh, and Tanzania, care seeking from public sources is similar across all wealth quintiles.

In most countries, there is no clear association between household wealth and the use of a pharmacy as the only source of care for fever. However, in DR Congo, pharmacy use increases with increasing household wealth. Finally, there is a negative association between household wealth and the use of other sources of care in Indonesia, Liberia, Nigeria, and Mali. The use of other sources of care is highest among children in the poorest households. Appendix Table A8 shows the coverage estimates included in Figures 9, 10, and 11, with confidence intervals.

Figure 9. Percentage of children who received care from public, private, pharmacy, and other sources among children with recent fever by wealth quintile, USAID MCH priority countries



Note: Public sources include public hospital, health center, health post, mobile clinic, community health worker, and other public sector; Private sources include: private hospital, doctor, nurse, mobile clinic, private community health worker, religious or NGO-run facilities, and other private sector; Pharmacy only highlights children for whom care was sought only from a pharmacy; Other sources include: market/informal shop, traditional healer or other non-allopathic sources, friend, relative, or other sources. Since children for whom care was sought from multiple sources contribute to each source's total, the total percentage may exceed the percentage of children who received any care. Please refer to Table 1 for a listing of DHS country codes and corresponding country names.



Figure 10. Percentage of children who received care from public, private, pharmacy, and other sources among children with recent symptoms of ARI by wealth quintile, USAID MCH priority countries

Note: Public sources include: public hospital, health center, health post, mobile clinic, community health worker, and other public sector; Private sources include: private hospital, doctor, nurse, mobile clinic, private community health worker, religious or NGO-run facilities, and other private sector; Pharmacy Only highlights children for whom care was sought only from a pharmacy; Other sources include: market/informal shop, traditional healer or other non-allopathic sources, friend, relative, or other sources. Since children for whom care was sought from multiple sources contribute to each source's total, the total percentage may exceed the percentage of children who received any care. Care seeking estimates based on fewer than 25 unweighted cases are not shown. For the following countries, estimates are based on 25-49 unweighted cases and should be interpreted with caution: Ghana 2008 (quintiles 2,4), Liberia 2013 (quintiles 4,5), Mali 2012-13 (quintiles 1-5), Mozambique 2011 (quintiles 1,2,4,5), Nepal 2011 (quintiles 2-5), Nigeria 2013 (quintile 5), Rwanda 2010 (quintile 4). Please refer to Table 1 for a listing of DHS country codes and corresponding country names.


Figure 11. Percentage of children who received care from public, private, pharmacy, and other sources among children with recent diarrhea by wealth quintile, USAID MCH priority countries

Note: Public sources include public hospital, health center, health post, mobile clinic, community health worker, and other public sector; Private sources include: private hospital, doctor, nurse, mobile clinic, private community health worker, religious or NGO-run facilities, and other private sector; Pharmacy only highlights children for whom care was sought only from a pharmacy; Other sources include: market/informal shop, traditional healer or other non-allopathic sources, friend, relative, or other sources. Since children for whom care was sought from multiple sources contribute to each source's total, the total percentage may exceed the percentage of children who received any care. Care seeking estimates for children in the wealthiest quintile in Ghana 2008 are based on 25-49 unweighted cases and should be interpreted with caution. Please refer to Table 1 for a listing of DHS country codes and corresponding country names.

3.1.3. Co-occurrence of symptoms and care seeking

Figure 12 shows the prevalence of any care seeking for fever, by co-occurrence with other symptoms. In four of the five Asian countries—Indonesia, Pakistan, Bangladesh, and India—levels of care seeking are higher for children who had both fever and symptoms of ARI than for children who had only fever, with non-overlapping confidence intervals between estimates. In most African countries a similar pattern is found, but it is weaker. The confidence intervals overlap in all but four of 14 African countries, and in Haiti. Having diarrhea in addition to fever did not increase the likelihood of care seeking. In five of the 21 countries studied—Pakistan, Malawi, Nigeria, Kenya, and Rwanda—care seeking was higher for children with all three illness symptoms than for children who had only fever, with no overlap in the confidence intervals.



Figure 12. Percentage of children who received care from any source among children with recent fever, by the co-occurrence of other illness symptoms, USAID MCH priority countries

Note: Care seeking estimates for children with all three illnesses in Bangladesh 2011 and Ghana 2008, and for children with fever and symptoms of ARI only in Mali 2012-13 are based on 25-49 unweighted cases and should be interpreted with caution. Care seeking estimates for children with all three illnesses in Mali 2012-13 are based on fewer than 25 cases and are not shown. Please refer to Table 1 for a listing of DHS country codes and corresponding country names.

Figure 13 shows the prevalence of any care seeking for symptoms of ARI, by co-occurrence with other symptoms. Compared with children who experienced only symptoms of ARI, children who experienced both ARI symptoms and fever were more likely to have received care in 11 of the 21 countries with no overlap in the confidence intervals. Having diarrhea in addition to symptoms of ARI did not increase the likelihood of care seeking, and the combination of all three illnesses did not increase the likelihood of care seeking beyond the likelihood among children with symptoms of ARI and fever.





Note: Care seeking estimates for children with all three illnesses in Bangladesh 2011 and Ghana 2008, and for children with symptoms of ARI and fever only in Mali 2012-13 are based on 25-49 unweighted cases and should be interpreted with caution. Care seeking estimates for children with all three illnesses in Mali 2012-13 are based on fewer than 25 cases and are not shown. Please refer to Table 1 for a listing of DHS country codes and corresponding country names.

Figure 14 shows the prevalence of any care seeking for diarrhea, by co-occurrence with other symptoms. Compared with children who experienced only diarrhea, children who experienced both diarrhea and fever were more likely to have received any care, with non-overlapping confidence intervals in 11 of the 21 countries. Having symptoms of ARI in addition to diarrhea did not increase the likelihood of care seeking, and the combination of all three illnesses did not increase the likelihood of care seeking beyond the likelihood among children with diarrhea and fever.





Diarrhea only Diarrhea and fever only Diarrhea and symtoms of ARI only All three

Note: Care seeking estimates for children with all three illnesses in Bangladesh 2011 and Ghana 2008 are based on 25-49 unweighted cases and should be interpreted with caution. Care seeking estimates for children with all three illnesses in Mali 2012-13 are based on fewer than 25 cases and are not shown. Please refer to Table 1 for a listing of DHS country codes and corresponding country names.

3.2. Trends in Care Seeking

3.2.1. National trends in care seeking for fever

In this section we examine trends in care seeking among children under age 5 between the most recent two DHS surveys in the 20 MCH priority countries with two recent surveys available. Figures 15, 16, and 17 present trends in care seeking for fever from any source, public sources, and private sources. Logit regression models were run to determine whether the change in coverage between surveys was statistically significant. In the figures, a solid line indicates a significant change between surveys, while a dotted line indicates no change. Detailed regression results are not shown.

Figure 15 presents the trend in coverage of care seeking from any source for recent fever. In 11 of the 20 countries examined, there was no change in the level of care seeking from any source between the two most recent surveys. In four countries—Ethiopia, Nepal, Nigeria, and Zambia—there was a significant increase in coverage, while in five countries—Kenya, Mali, Malawi, Rwanda, and Tanzania—there was a significant decrease.

Figure 15. Trend in coverage of care seeking from any source among children under age 5 with fever in the two weeks preceding the survey, USAID MCH priority countries



Note: A solid line indicates a significant change between surveys, while a dotted line indicates no significant change (detailed regression results not shown). Please refer to Table 1 for a listing of DHS country codes and corresponding country names.

Figure 16 presents the trend between surveys in coverage of care seeking from public sources for fever. In 14 of the 20 countries there was no change in this level. In six African countries—Kenya, Malawi, Mozambique, Rwanda, Uganda, and Zambia—there was a significant increase in coverage. No significant decreases in care seeking from public sources for fever were observed in any country.

Figure 16. Trend in coverage of care seeking from public sources among children under age 5 with fever in the two weeks preceding the survey, USAID MCH priority countries



Note: A solid line indicates a significant change between surveys, while a dotted line indicates no significant change (detailed regression results not shown). Please refer to Table 1 for a listing of DHS country codes and corresponding country names.

Figure 17 shows the trend in coverage of care seeking from private sources for fever. In seven African countries there was a significant decrease in care seeking from private sources for fever. In six countries—Ethiopia, Malawi, and four Asian countries—there was a significant increase in care seeking from private sources for fever.





Note: A solid line indicates a significant change between surveys, while a dotted line indicates no significant change (detailed regression results not shown). Please refer to Table 1 for a listing of DHS country codes and corresponding country names.

3.2.2. National trends in care seeking for symptoms of ARI

For symptoms of ARI, we examine the trend in care seeking in the eight countries with complete information on symptoms of ARI in both DHS surveys. In three of the countries—Nigeria, Nepal, and Haiti—care seeking from any source for symptoms of ARI increased significantly (see Figure 18). No significant decreases in care seeking for symptoms of ARI were observed in any country.

Figure 18. Trend in coverage of care seeking from any source among children under age 5 with symptoms of ARI in the two weeks preceding the survey, USAID MCH priority countries



Note: A solid line indicates a significant change between surveys, while a dotted line indicates no significant change (detailed regression results not shown). The figure is restricted to USAID MCH priority countries with complete information on symptoms of ARI in two surveys. Please refer to Table 1 for a listing of DHS country codes and corresponding country names.

In seven of the eight countries there was no change between surveys in the coverage of care seeking from public sources for symptoms of ARI (see Figure 19). In Liberia, the level of care seeking from public sources for symptoms of ARI decreased significantly.

Figure 19. Trend in coverage of care seeking from public sources among children under age 5 with symptoms of ARI in the two weeks preceding the survey, USAID MCH priority countries



Note: A solid line indicates a significant change between surveys, while a dotted line indicates no significant change (detailed regression results not shown). The figure is restricted to USAID MCH priority countries with complete information on symptoms of ARI. Please refer to Table 1 for a listing of DHS country codes and corresponding country names.

In two of the eight countries—Uganda and Bangladesh—there was a significant increase in care seeking from private sources for symptoms of ARI (see Figure 20). There was no change in the remaining six countries.

Figure 20. Trend in coverage of care seeking from private sources among children under age 5 with symptoms of ARI in the two weeks preceding the survey, USAID MCH priority countries



Note: A solid line indicates a significant change between surveys, while a dotted line indicates no significant change (detailed regression results not shown). The figure is restricted to USAID MCH priority countries with complete information on symptoms of ARI. Please refer to Table 1 for a listing of DHS country codes and corresponding country names.

3.2.3. National trends in care seeking for diarrhea

As Figure 21 shows, there have been substantial improvements in recent years in the coverage of care seeking for diarrhea, with statistically significant increases in care seeking from any source in 13 of the 20 countries studied. No significant decreases in care seeking for diarrhea were observed in any country.

Figure 21. Trend in coverage of care seeking from any source among children under age 5 with diarrhea in the two weeks preceding the survey, USAID MCH priority countries



Note: A solid line indicates a significant change between surveys, while a dotted line indicates no significant change (detailed regression results not shown). Please refer to Table 1 for a listing of DHS country codes and corresponding country names.

Figure 22 highlights the trend in care seeking from public sources for children's diarrhea. Coverage increased significantly in nine of 20 countries, all in Africa. There were no significant decreases in coverage in any country.



Figure 22. Trend in coverage of care seeking from public sources among children under age 5 with diarrhea in the two weeks preceding the survey, USAID MCH priority countries

Note: A solid line indicates a significant change between surveys, while a dotted line indicates no significant change (detailed regression results not shown). Please refer to Table 1 for a listing of DHS country codes and corresponding country names.

Figure 23 shows the trend in care seeking from private sources for children's diarrhea. In seven of 20 countries—DR Congo, Ethiopia, Malawi and all four Asian countries—there was a statistically significant increase in coverage. Bangladesh showed the greatest increase in coverage, from 11 percent in 2007 to 41 percent in 2011. There were significant decreases in the level of care seeking from private sources in Liberia, Nigeria, Tanzania, and Zambia. In the other nine countries, there was no significant change in the level of care seeking from private sources for children's diarrhea.

Figure 23. Trend in coverage of care seeking from private sources among children under age 5 with diarrhea in the two weeks preceding the survey, USAID MCH priority countries



Note: A solid line indicates a significant change between surveys, while a dotted line indicates no significant change (detailed regression results not shown). Please refer to Table 1 for a listing of DHS country codes and corresponding country names.

3.3. Equity in Recent Trends in Care Seeking

There is a consensus that to have the greatest impact on child survival and wellness, interventions for childhood illness should focus on the poorest, most vulnerable children (UNICEF 2012). In recent years, many countries, health ministries, and child health programs have focused on reaching these vulnerable groups with strategies such as IMCI, iCCM, and private-public partnerships. Policymakers could benefit from knowing the extent to which these efforts have raised the level of care seeking in vulnerable populations, and narrowed the equity gap between children in rural compared with urban areas, and between children in the poorest households compared with the wealthiest.

To address these questions, we examine recent trends in care seeking specifically among children in rural households and among children in households in the poorest wealth quintile. Figures 24-32 depict trends in care seeking from public and private sources among rural children. A solid line indicates a significant change in care seeking coverage between surveys, while a dotted line indicates no change. The bubble size represents the percentage point difference in care seeking between rural and urban children as an indicator of equity. Larger bubble size indicates greater inequity between rural and urban children. Bubbles in a solid color identify a rural disadvantage, while clear bubbles identify an advantage among rural children. An "E" identifies countries with a significant change in inequity between surveys. Similarly, Figures 33-40 present trend lines for care seeking from public and private sources among the children in the poorest households compared with children in households in the wealthiest quintile. Appendix Figures A4-A9 present trends in care seeking from any source among rural children and among children in households in the poorest quintile.

3.3.1. Trends in care seeking among children in rural households

Fever

Similar to the national trend, in 13 of 20 countries there was no change in the percentage of rural children for whom care was sought from a public source between surveys (see Appendix Table A9 for detailed results). Figure 24 highlights the trend in the seven countries with a significant change in either coverage or equity between surveys. In those seven countries, all in Africa, care seeking from public sources increased between surveys for rural children.

As indicated by the bubble color and size, in all surveys except Uganda 2012 and Liberia 2013, coverage of care seeking was lower among rural than urban children (see Figure 24, where an increasing differential is indicated by increasing colored bubble size). In Malawi and Liberia, the rural-urban equity gap narrowed significantly between surveys (identified by an "E" in Figure 24). This indicated that the increase in care seeking from public sources was more concentrated among rural children. In Liberia, coverage in rural areas appears to have actually surpassed coverage in urban areas.





Since the patterns in care seeking from private sources are quite different in Asia and Africa, the trends are presented separately in Figures 25 and 26, respectively. In all four Asian countries with two recent surveys available, there was a significant increase in care seeking from private sources for fever (see Figure 25). In Bangladesh, the rural-urban equity gap narrowed significantly due to a dramatic increase in care seeking from private sources among children in rural households.





As Figure 26 shows, the pattern is very different in the 15 African MCH priority countries. Eight countries showed a significant decline in coverage of care seeking from private sources for fever among children in rural households. Two countries, Malawi and Ethiopia, showed a significant increase in coverage among rural children. In the remaining five countries, there was no change between the two surveys.

The rural-urban equity gap in care seeking from private sources for fever did not narrow in any African country. In Zambia, Liberia, and Uganda, the gap widened significantly. In Zambia and Liberia, the decline in coverage of care seeking from private sources was more concentrated among rural children. In Uganda, by contrast, the increase in use of private sources of care for fever was more concentrated among urban children.

Figure 26. Trend in coverage of private care seeking for fever among children in rural households and rural-urban gap in care seeking equity, African USAID MCH priority countries



Note: Due to low levels of private care seeking in African countries, the figure ranges from 0 to 50 percent coverage, rather than 0 to 100 percent coverage.

Symptoms of ARI

When we examine care seeking from public sources for symptoms of ARI among children in rural households, we find no evidence of change in coverage between the two surveys in any of the eight countries with complete information to identify children with symptoms of ARI. In Bangladesh and Liberia, however, there was a significant reduction in the rural-urban equity gap (see Figure 27). In both countries, unfortunately, this was due to a significant decline in care seeking from public sources among urban children, along with no change in coverage among rural children (see Appendix Table A9 for detailed results).





We also examine care seeking from private sources for symptoms of ARI among children in rural households. In both Nepal and Bangladesh, the percentage of rural children for whom care was sought from a private provider increased significantly, although there were no significant changes in the ruralurban equity gap (see Figure 28).

Figure 28. Trend in coverage of private care seeking for symptoms of ARI among children in rural households and rural-urban gap in care seeking equity, USAID Asian MCH priority countries and Haiti



Three of the six African MCH priority countries showed a significant decline in the percentage of rural children for whom care was sought from a private provider for symptoms of ARI (see Figure 29). In all three countries, the decline in coverage was disproportionately concentrated among rural children, thus leading to an even greater rural disadvantage.



Figure 29. Trend in coverage of private care seeking for symptoms of ARI among children in rural households and rural-urban gap in care seeking equity, USAID African MCH priority countries

Survey Year

Note: Due to low levels of private care seeking in African countries, the figure ranges from 0 to 50 percent coverage, rather than 0 to 100 percent coverage.

Diarrhea

The trend in coverage of care seeking from public sources for diarrhea among children in rural households closely parallels the overall national trends, with significant increases in coverage in 10 of the 20 countries with data (see Figure 30). In seven of these countries, according to the most recent survey, care seeking from public sources was higher among rural households than urban households. In three countries—Ghana, DR Congo, and Liberia—there was a significant increase in the rural-urban equity gap between surveys. This favored rural areas where the increase in coverage was disproportionately concentrated.



Figure 30. Trend in coverage of public care seeking for diarrhea among children in rural households and rural-urban gap in care seeking equity, USAID MCH priority countries

In four Asian study countries, there was a significant increase between surveys in the percentage of rural children for whom care was sought from a private provider for diarrhea (see Figure 31). In Indonesia, there was a significant change in the rural-urban equity gap, but favoring rural areas where the increase in coverage was disproportionately concentrated.

Figure 31. Trend in coverage of private care seeking for diarrhea among children in rural households and rural-urban gap in care seeking equity, Asian USAID MCH priority countries and Haiti



In the majority of African countries, there was no significant change between surveys in the percentage of rural children for whom care was sought from a private provider for diarrhea. In Liberia, Zambia, and Tanzania, the percentage decreased while in Malawi and Ethiopia the percentage increased (see Figure 32).

In three African countries—Liberia, Zambia, and DR Congo—there was a significant change in the ruralurban equity gap between surveys with an increase in the rural disadvantage. In Liberia and Zambia, a decline in use of private sources of care was concentrated among rural children, while in DR Congo an increase in use of private sources of care was concentrated among urban children.

Figure 32. Trend in coverage of private care seeking for diarrhea among children in rural households and rural-urban gap in care seeking equity, African USAID MCH priority countries



Note: Due to low levels of private care seeking in African countries, the figure ranges from 0 to 50 percent coverage, rather than 0 to 100 percent coverage.

3.3.2. Trends in care seeking among children in households in the poorest wealth quintile

Fever

In 13 countries, there was no change between surveys in the level of care seeking for fever from public sources among children in the poorest wealth quintile (see Appendix A10 for detailed results). Figure 33 presents the trend in the percentage of poorest-quintile children for whom care for fever was sought from any source for the seven countries with a significant change in coverage or equity. All seven countries showed a significant increase between surveys in care seeking from public sources among children in the poorest wealth quintile.

The level of equity in coverage of care seeking between children in the poorest and wealthiest wealth quintiles changed significantly in two countries, Liberia and Indonesia. In both, the increase in care seeking was disproportionately concentrated in poorest-quintile children (see Appendix Table A10). According to the most recent survey, coverage of care seeking from public sources in both countries was higher among the children in the poorest households than among children in the wealthiest households.



Figure 33. Trend in coverage of public care seeking for fever among children in poorest-quintile households and poorest-wealthiest quintile gap in care seeking equity, USAID MCH priority countries

In two of the four Asian countries studied—Bangladesh and Indonesia—the percentage of poorestquintile children for whom care was sought from a private provider increased significantly between surveys. The wealth equity gap in care seeking decreased significantly in Bangladesh (see Figure 34).

Survey





In contrast, in six of the seven African countries with a significant change between surveys, there was a decline in the percentage of poorest-quintile children for whom care was sought from a private provider for fever (see Figure 35). Only in Malawi was there an increase in the percentage of poorest-quintile children for whom care for fever was sought from a private provider.

In three countries—Senegal, Liberia, and Zambia—there was a significant increase in the disadvantage among poor children between surveys. This was driven by decreases in the level of care seeking from private sources for fever among poorest-quintile children.

Figure 35. Trend in coverage of private care seeking for fever among children in poorest-quintile households and poorest-wealthiest quintile gap in care seeking equity, African USAID MCH priority countries



Survey Year

Note: Due to low levels of private care seeking in African countries, the figure ranges from 0 to 50 percent coverage, rather than 0 to 100 percent coverage.

Symptoms of ARI

Among children in the poorest wealth quintile in the eight countries with complete information to identify children with symptoms of ARI, care seeking from public sources for symptoms of ARI increased significantly in Nigeria and Haiti but did not change in the other six countries (see Figure 36).

In Liberia, there was a significant change in the wealth equity gap, with higher levels of care seeking from public sources among poorest-quintile children in the most recent survey (see Figure 36). This shift was driven by a significant decline in care seeking from public sources among children in the wealthiest quintile (see Appendix Table A10).



Figure 36. Trend in coverage of public care seeking for symptoms of ARI among children in poorest-quintile households and poorest-wealthiest quintile gap in care seeking equity, USAID MCH priority countries

Survey Year

Note: For the following countries, care seeking estimates for children in the wealthiest quintile are based on 25-49 unweighted cases and should be interpreted with caution: Liberia 2007, Liberia 2013, Nigeria 2008, Nigeria 2013, Haiti 2005-6.

Among children in the poorest wealth quintile, the level of care seeking from private sources changed significantly in two of the eight countries with complete information to identify children with symptoms of ARI (see Figure 37). In Bangladesh, the percentage of poorest-quintile children for whom care was sought from a private provider increased significantly between surveys, from 13 percent to 42 percent. In contrast, in Zambia the coverage of care seeking from private sources for symptoms of ARI dropped significantly between surveys for children in the poorest quintile, from 13 percent to 2 percent. In Zambia, the decrease in coverage of care seeking from private sources among poorest-quintile children coincided with a significant increase in the wealth equity gap.

Figure 37. Trend in coverage of private care seeking for symptoms of ARI among children in poorest-quintile households and poorest-wealthiest quintile gap in care seeking equity, USAID MCH priority countries



Survey Year

Note: For the following countries, care seeking estimates for children in the wealthiest quintile are based on 25-49 unweighted cases and should be interpreted with caution: Bangladesh 2007, Zambia 2007.

Diarrhea

Among children in the poorest wealth quintile, there was a significant increase in coverage of care seeking for diarrhea from public sources in 10 of the 20 countries (see Figure 38). In seven of those countries, according to the most recent survey, the level of care seeking from public sources was higher in poorest-quintile households than in wealthiest-quintile households.

In Madagascar, Liberia, and DR Congo, the change in wealth equity in care seeking from public sources between surveys was statistically significant. In Liberia and DR Congo, the change resulted in higher coverage among the children in the poorest households relative to the wealthiest households; in Madagascar, the disadvantage among the children from the poorest households grew, with the increase in coverage of care seeking from public sources disproportionately concentrated in children from the wealthiest households.

Figure 38. Trend in coverage of public care seeking for diarrhea among children in poorestquintile households and poorest-wealthiest quintile gap in care seeking equity, USAID MCH priority countries



Note: For Ghana 2008, care seeking estimates for children in the wealthiest quintile are based on 25-49 unweighted cases and should be interpreted with caution.

In three Asian MCH priority countries, there was a significant increase between surveys in the percentage of poorest-quintile children for whom care was sought from a private provider for diarrhea (see Figure 39).

In Indonesia and Nepal, there was a significant change in wealth equity between surveys. In Indonesia, there was a significant narrowing of the wealth equity gap along with significant improvement in coverage among children in the poorest households; in Nepal, there was a significant increase in the wealth equity gap, despite a small but significant increase in use of private sources of care among children in poorest-quintile households.





In most African MCH priority countries (11 of 15), there was no significant change between surveys in the percentage of poorest-quintile children for whom care was sought from a private provider for diarrhea. In both Malawi and Ethiopia, the percentage increased while in Tanzania and Nigeria, the percentage decreased (see Figure 40).

In two African countries, Mali and DR Congo, there was a significant change in wealth equity between surveys. In Mali, the level of wealth equity improved significantly, while in DR Congo the advantage among the wealthiest-quintile children grew.





Note: Due to low levels of private care seeking in African countries, the figure ranges from 0 to 50 percent coverage, rather than 0 to 100 percent coverage.

3.4. Country Case Studies: Have Child Health Interventions Helped?

To what extent can we attribute the observed trends in care seeking to intervention programs? Have community-based and other child health programs had a measureable impact on care seeking behavior? Since we cannot directly address these questions with cross-sectional data, we analyzed DHS data for ecological evidence of programmatic influence on care seeking. In this section we present two examples of subnational programs implemented during the study period. With DHS data, we identified the geographic areas covered and not covered by these programs, and compared changes in care seeking over time.

3.4.1. Diarrhea treatment in Nepal

In 2004, WHO and UNICEF revised their guidelines for the treatment of diarrhea in children under age 5 to include the use of zinc supplementation for 10-14 days, along with an updated ORS with reduced levels of glucose and salt (WHO 2005). Between 2005 and 2010, USAID funded the Social Marketing Plus for Diarrheal Disease Control: Point of Use Water Disinfection and Zinc Treatment (POUZN) project, which was implemented by Abt Associates in partnership with Population Services International (PSI). A central goal of this project was mobilizing the private sector to expand the use of zinc with ORS in the treatment of diarrhea in children. The POUZN project in Nepal began in January 2007 and was expanded to 30 of 75 districts by the project's end in September 2008 (Wang and MacDonald 2009).

The POUZN project identified and partnered with local manufacturers to ensure the availability of goodquality, affordable zinc tablets and to facilitate their distribution through private-sector channels. The POUZN project in Nepal used training materials, developed in partnership with the Ministry of Health and PSI, to train nearly 6,000 licensed private care providers across the 30 project districts and more than 2,000 public-sector care providers and volunteers in the three Kathmandu Valley districts. Training providers is believed to have an important impact on caregivers' behavior and children's treatment, since providers are often relied upon for treatment advice. The program also used multiple communication channels such as a national television campaign, which began in 2008, and a radio mass-media campaign, which began in 2007, to increase awareness of zinc as the correct treatment for diarrhea and to promote the use of zinc and ORS. More details of the project can be found in Wang and MacDonald (2009).

We analyzed the 2006 and 2011 Nepal DHS surveys to evaluate how trends in care seeking for children's diarrhea in districts covered by the POUZN project compared with trends in care seeking in non-project districts. More specifically, we examined five indicators of care seeking: whether care was sought from any provider, any public provider, or any private provider, and whether the child received zinc or ORS. We compared absolute changes during the period in care seeking behavior between project districts and non-project districts (difference in differences). We then fitted logit regression models to test if the changes between the two groups were different after controlling for maternal, child, and household characteristics.

In Nepal, care seeking for diarrhea from any source increased significantly from 51 percent to 62 percent between the 2006 and 2011 surveys. There was also a significant increase in care seeking from any private source, from 6 percent to 15 percent. When we disaggregated the data to compare the trend in districts covered by the POUZN project with the trend in the remaining districts of Nepal, we found that the trends between 2006 and 2011 appeared similar across the two groups for all five indicators of interest (see Figures 41- 45). Both groups showed significant increases in the coverage of care seeking from private sources (see Figures 41 and 42). The increase in the use of ORS was not statistically significant in POUZN districts, but was significant in non-POUZN districts. Zinc use increased similarly and significantly in both groups.

Figure 41. Percentage of children with recent diarrhea for whom care was sought from a private source, Nepal 2006 and 2011 DHS



Note: A Solid line indicates a statistically significant change in coverage between surveys; a dotted line indicates no change.

Figure 43. Percentage of children with recent diarrhea for whom care was sought from any source, Nepal 2006 and 2011 DHS



Note: A Solid line indicates a statistically significant change in coverage between surveys; a dotted line indicates no change.

Figure 45. Percentage of children with recent diarrhea who were given zinc, Nepal 2006 and 2011 DHS



Note: A Solid line indicates a statistically significant change in coverage between surveys; a dotted line indicates no change. Due to low levels of zinc use, the figure ranges from 0 to 50 percent coverage, rather than 0 to 100 percent coverage. In the 2006 survey there was no use of zinc in POUZN districts. In order to test the significance of the change in zinc coverage between surveys in POUZN districts, we replaced the zeroes with an arbitrary small number, 0.001. This way we were able to perform a conservative statistical test.

Figure 42. Percentage of children with recent diarrhea for whom care was sought from a public source, Nepal 2006 and 2011 DHS



Note: A Solid line indicates a statistically significant change in coverage between surveys; a dotted line indicates no change.

Figure 44. Percentage of children with recent diarrhea who were treated with ORS, Nepal 2006 and 2011 DHS



Note: A Solid line indicates a statistically significant change in coverage between surveys; a dotted line indicates no change. Due to low levels of ORS use, the figure ranges from 0 to 50 percent coverage, rather than 0 to 100 percent coverage.

For the five indicators, we found no evidence that the improvement in coverage was greater in districts covered by POUZN than in non-project districts (see Table 4).

	Non	-POUZN Dist	ricts	PC	UZN Distri	cts	Difference in the differences		
	2006 DHS N=305	2011 DHS N=318	Change	2006 DHS N=328	2011 DHS N=383	Change			
	%	%	%	%	%	%	%	Sig.	
Any public care sought	21.8	25.3	3.5	19.6	22.9	3.3	-0.2		
Any private care sought	3.3	9.6	6.3	9.4	19.4	10.0	3.7		
Any care sought	47.0	57.9	10.9	54.1	65.6	11.5	0.6		
Child was given ORS	25.5	37.2	11.7	32.9	40.6	7.7	-4.0		
Child was given zinc	0.8	6.6	5.8	0.0	5.8	5.8	0.0		

Table 4. Care seeking for diarrhea for POUZN and non-POUZN districts in Nepal, 2006 and 2011Nepal DHS

Note: * indicates p<.05; ** indicates p<.01; *** indicates p<.001.

As shown in Table 5, after adjusting for background characteristics of the child, household, and mother, we found no evidence that the improvement in care seeking for diarrhea was greater in project districts.

Table 5. Odds ratios for care seeking for children with recent diarrhea in POUZN Project Districts vs. non-project districts after adjusting for maternal, child, and household characteristics, Nepal 2006 and 2011 DHS

Outcome variable	Unadjusted OR	95% CI	Adjusted OR	95% CI
Any public care sought	1.012	0.462 - 2.217	0.937	0.431 - 2.036
Any private care sought	0.737	0.242 - 2.238	1.203	0.381 - 3.797
Any care sought	1.045	0.529 - 2.063	1.274	0.642 - 2.528
Child was given ORS	0.806	0.413 - 1.572	0.824	0.417 - 1.628
Child was given zinc	n/a		n/a	
Observations	1,3	38	1,33	38

Note: * indicates p<.05; ** indicates p<.01; *** indicates p<.001. The adjusted model controls for place of residence, household wealth quintile, maternal age, maternal education, the mother's exposure to media , child's age, and the sex of child, as well as main effects for survey year and intervention coverage. Since at the time of the 2006 survey there was no zinc use in POUZN districts, the logit regression did not produce a coefficient that could be tested for significance. Using methods not shown, we were able to perform an approximate test of significance, and found no evidence that the increase in zinc use was greater in POUZN districts. Instead, POUZN districts had a lower increase in zinc use compared with non-POUZN districts. The difference was small but statistically significant.

Despite countrywide improvements in levels of care seeking, the two most recent DHS did not provide evidence that increases in project districts were greater than those in non-project districts. There are several possible explanations for this null finding. The first is related to the timing of the endline survey. Fieldwork in 2011 occurred several years after the end of the POUZN project in September 2008. According to a 2008 household survey conducted by the POUZN project, which was representative of 26 of the 30 POUZN districts, 15 percent of children with diarrhea in the past two weeks were treated with zinc (Wang and MacDonald 2009). According to the 2011 DHS, just 6 percent of children with diarrhea in the past two weeks in project districts were treated with zinc. It is possible that program effects on zinc use and diarrhea treatment peaked during and immediately after the project, but waned before the 2011 DHS. In addition, the discrepancy in zinc coverage between the 2008 POUZN survey and the 2011 DHS could be the result of differences in survey methodologies. In the POUZN project questionnaire, a visual aid was used to assist with the correct identification and classification of diarrhea treatments, while the DHS questionnaire asks the respondent to list all diarrhea treatments given to the child but provides no visual aids or direct questions about zinc. If the 2011 DHS survey underestimated zinc use in Nepal, this could dampen the observed intervention effect (MacDonald 2015). In addition, it is possible that using district as a proxy for program coverage was not appropriate. Many of the behavioral change components of POUZN relied on media channels, although only 34 percent of caregivers of children with recent diarrhea interviewed in the 2011 DHS reported watching television at least once a week, 33 percent reported listening to the radio at least once a week, and 52 percent reported either watching television or listening to the radio at least once a week. It is possible that the program had a measurable impact on caregivers who were exposed to the program messaging but that this group represented only a small percentage of the DHS sample. The fact that the POUZN television programs and some radio programs were broadcast on national stations could have potentially diluted the differential between the 30 primary project districts and the remaining non-covered districts. In addition, POUZN was one of many child health initiatives underway between 2006 and 2011 in various regions of Nepal. The POUZN project and other programs operating across other districts could have each had a measurable impact, but these effects are difficult to isolate.

3.4.2. Malaria communities program in Liberia

Through the Malaria Communities Program (MCP), the President's Malaria Initiative (PMI) awarded small grants to local organizations in 12 countries to implement 20 projects⁵ on malaria prevention and treatment (USAID). One such organization, *EQUIP Liberia*, was awarded an MCP grant to work in two Liberian counties, Nimba and Sinoe. In these counties, the *EQUIP* project piloted integrated community case management (iCCM), trained more than 200 general Community Health Volunteers (gCHVs) on iCCM, and used behavior change communication with radio drama programs and household visits to share messages about malaria prevention and control, generate demand, and increase care seeking (Prosnitz 2015). In addition to increasing the demand for care seeking, *EQUIP* was committed to ensuring that care for childhood illnesses was accessible, available, and affordable. The *EQUIP*'s health system support was heavily focused on the public sector. In 2008, *EQUIP* supported 15 Ministry of Health (MOH)/public clinics in the project counties. From 2009 to 2012, *EQUIP* supported 21 MOH/public health facilities and two private health facilities, and ensured that these facilities were fully functional with the required staff, medical services, and drug supplies (Suomie 2015).

Since the *EQUIP* MCP project commenced in 2008 and ended in 2011, the 2007 Liberia DHS survey and 2011 Liberia Malaria Indicator Survey (LMIS)⁶ were well-timed to provide baseline and endline information on coverage of care seeking for children's fever. With these data we evaluated how trends in care seeking in counties covered by the *EQUIP* project compared with trends in non-project counties. In particular, we examined the percentage of children for whom care was sought outside the home for fever—from a public provider, private provider, and any provider.

As Figures 46-48 show, care seeking patterns in non-EQUIP counties closely mirrored the overall national patterns, while EQUIP counties deviated from this national pattern. The level of care seeking from public sources appeared to increase in EQUIP counties (marginally significantly, p=0.06). The level of care seeking from public sources decreased between 2007 and 2011 in non-EQUIP areas and in Liberia as a whole (statistically-significant in non-EQUIP areas only) (see Figure 46).

⁵ Note on the process used to select *EQUIP Liberia* as an example case study: To select an example case study from among the 20 PMI-funded local MCP projects, we first eliminated 13 projects that did not have both (1) geographically identifiable project areas, and (2) DHS survey data available as of April 2015 that were appropriately timed to provide baseline and endline data on coverage of care seeking. The remaining seven projects included one in Ethiopia, two in Liberia, one in Senegal, and three in Uganda. Three of these seven projects were eliminated because the number of fever cases in intervention areas was not sufficient to conduct the analysis. In two of the three projects—one in Uganda and one in Liberia—we found no evidence of an association between program coverage and the rate of change in care seeking for fever. This case study highlights the third remaining project for which findings suggest potential impact—*EQUIP Liberia*.

⁶ While the report relies primarily on the two most recent Liberia DHS surveys (2007 and 2013), the case study uses the 2007 DHS and the 2011 MIS since the case study is specific to malaria care seeking, and 2011 is better timed to provide endline coverage information.

Figure 46. Percentage of children with recent fever for whom care was sought from a public source, Liberia 2007 DHS and 2011 MIS



Note: A Solid line indicates a statistically significant change in coverage between surveys; a dotted line indicates no change.

The level of care seeking from private sources, in contrast, decreased in *EQUIP*-counties but increased in non-*EQUIP* counties, with non-*EQUIP* areas again closely mirroring the national trend (see Figure 47).





Note: A Solid line indicates a statistically significant change in coverage between surveys; a dotted line indicates no change.

Despite changes in the public-private mix of care seeking, the overall level of any care seeking for fever did not change between 2007 and 2011 in the counties covered by *EQUIP*, non-program counties, or Liberia as a whole (see Figure 48).

Figure 48. Percentage of children with recent fever for whom care was sought from any source, Liberia 2007 DHS and 2011 MIS



Note: A Solid line indicates a statistically significant change in coverage between surveys; a dotted line indicates no change.

Table 6 summarizes the trends in care seeking coverage in project and non-project areas between 2007 and 2011. As shown, the difference in the percentage point change between project and non-project areas was statistically significant for care seeking from both public and private sources.

Table 6. Care seeking for recent fever within EQUIP and non-EQUIP counties, Liberia 2007 DHS and 2011 MIS

		Non-EQUIP			EQUIP	Difference in		
	2007 LDHS	2011 LMIS	Change	2007 LDHS	2011 LMIS	Change	the differences	Sig.
	%	%		%	%			
Any public care sought	39.5	30.3	-9.2	21.4	43.1	21.7	30.9	**
Any private care sought	17.8	25.1	7.3	37.1	14.2	-22.9	-30.2	**
Any care sought	74.6	77.7	3.1	82.7	74.7	-8.0	-11.1	

Note: * indicates p<.05; ** indicates p<.01; *** indicates p<.001.

The observed coverage trends could have been affected by differing socio-demographic characteristics of children and caregivers in project and non-project areas, as well as by changes in these characteristics between the two surveys. In *EQUIP* project areas, for example, caregivers had more education according to the 2011 survey compared with the 2007 survey, and the percentage of children in households in the poorest wealth quintile in *EQUIP* project areas was lower in 2011 than in 2007 (see Appendix A12). We developed three logit regression models to assess the odds that care was sought from any public facility, private facility, and any source outside the home. We controlled for these and other socio-demographic characteristics of the mother, child, and household.

Results show that the increase in care seeking from public facilities between 2007 and 2011 in Liberia was significantly greater in *EQUIP* project areas compared with the increase in areas with no *EQUIP* presence, after adjusting for socio-demographic characteristics (the adjusted OR for the additional increase associated with project counties: OR=3.6, p<0.05, see Table 7). Conversely, the decline in care seeking from private facilities in *EQUIP* project areas was significantly more rapid than the decline in areas with no *EQUIP* presence (the adjusted OR for additional decline associated with project counties: OR=0.14, p<0.001). Overall, the slight decline in care seeking from any source in *EQUIP* project areas was significantly different from the slight increase in areas with no *EQUIP* presence (the adjusted OR for additional decline associated or of the adjusted OR for additional decline associated with project areas was significantly different from the slight increase in areas with no *EQUIP* presence (the adjusted OR for additional decline associated with project areas was significantly different from the slight increase in areas with no *EQUIP* presence (the adjusted OR for additional decline associated with project areas was significantly different from the slight increase in areas with no *EQUIP* presence (the adjusted OR for additional decline associated with project counties: OR=0.39, p<0.05).

Table 7. Odds ratios for care seeking for children with recent fever in EQUIP project districts vs. non-project districts after adjusting for maternal, child, and household characteristics, Liberia 2007 DHS and 2011 MIS

Outcome variable	Unadjusted OR		95% CI	Adjusted OR		95% CI
Any public care sought	4.16	**	1.43 - 12.15	3.55	*	1.27 - 10.14
Any private care sought	0.18	**	0.06 - 0.58	0.14	***	0.04 - 0.44
Any care sought	0.52		0.26 - 1.03	0.39	*	0.19 - 0.81
Observations	3,	290			3,290	

Note: * indicates p<.05; ** indicates p<.01; *** indicates p<.001. The adjusted model controls for place of residence, household wealth quintile, maternal age, maternal education, child's age, and the sex of child, as well as main effects for survey year and intervention coverage.

Given the content of *EQUIP*'s MCP program in two counties of Liberia, we would expect the program to have a positive effect on levels of care seeking. In particular, since *EQUIP* activities were heavily focused on the public sector, we would expect the program to raise levels of care seeking from public sources and this is what we found. While levels of care seeking from any source did not improve in *EQUIP* project districts between 2007 and 2011, there appears to have been a shift from the use of private providers to the use of public providers. The *EQUIP* program coverage was significantly associated with increased levels of care seeking from public sources between surveys. This shift is plausible, given that the gCHVs and other community health volunteers were trained to create awareness and to refer mothers and caregivers to public facilities where services were available and free of charge, in contrast to private facilities, which charged fees (Suomie 2015). While the observed patterns could be explained by external factors such as urbanization, health system expansion, or other programs implemented during the same period, the results provide some evidence that *EQUIP's* community-based malaria control program had a positive impact on care seeking from public sources in two counties in Liberia.

3.5. Appropriateness of Care

In this section we investigate the appropriateness of the care received by children when they were taken to a health provider for care.

3.5.1. Appropriateness of care for fever

Standard malaria case management protocols include universal testing of fever cases before treatment with recommended first-line antimalarials, which are typically ACT. Several indicators are necessary to measure implementation of these policies. First, the percentage of children under age 5 with fever who receive appropriate malaria diagnostic tests is a measure of the extent to which universal diagnosis is being implemented. Second, the proportion of children whose treatment correctly follows diagnostic test results (the percentage with positive malaria tests who receive appropriate antimalarial treatment, and the inverse, the percentage of children with negative malaria diagnostic test results who do not receive antimalarials) is necessary for monitoring the implementation of policies.

Due to the limitation of household surveys, these indicators cannot be measured directly with DHS data. Instead, three proxy measures are used. First, the percentage of children who had blood taken from a finger or heel among children under age 5 with fever in the last two weeks is used as a proxy for diagnostic testing for malaria, with the assumption that blood taken from young children with fever will be used for this purpose. The second household survey indicator measures the percentage of children under age 5 with recent fever who received ACT or first-line antimalarials among all children who received any antimalarials. This indicator assumes that a malaria diagnosis was made correctly and measures the extent to which treatment is occurring according to policy. Assuming that all of the reported fever cases that are reported and diagnosed as malaria are uncomplicated cases, this indicator would

ideally be 100 percent if treatment policies were being properly implemented. A similar, third indicator is necessary when using data from older surveys, i.e., before ACT was recommended or widely available, or in countries in which ACT is not the recommended first-line antimalarial treatment. In this case, the first-line antimalarial medication is used instead of ACT in the indicator. These household survey indicators do not permit monitoring and evaluation of all factors in the case management setting. It is not possible with current DHS/MIS data to assess the extent to which treatment is implemented according to a diagnostic result, since diagnostic results are not measured or recorded in the surveys.

The percentage of children with recent fever who had a finger or heel stick varied widely across the 12 MCH priority countries endemic for malaria and with data available (see Table 8a). In Pakistan, only 4 percent of children with recent fever were reported to have had a finger or heel stick. This proportion did not vary significantly depending on source of care, whether public, private, or any care. Among the 11 MCH priority countries in sub-Saharan Africa with data for this indicator, the percentage of children with recent fever for whom a finger/heel stick was reported among those who received care from any source ranged from 13 percent in Nigeria 2013 to 61 percent in Zambia 2013. Among children who received care from public sources, the range was from 17 percent in Tanzania 2010 to 66 percent in Liberia 2013. Among children who received care at private facilities, the percentage reporting finger/heel sticks ranged from 17 percent in Senegal 2010-11 to 79 percent in Rwanda 2010. It should be noted that sample sizes are quite small for some of the estimates of private care. In most surveys, the percentage of children with recent fever receiving finger/heel sticks is lower among those receiving care from any source compared with those who sought care from public facilities or private sources. This is likely because other sources of care included in the any care estimates, e.g., markets, shops, and traditional healers, are unlikely to have diagnostic capacity and are therefore unlikely to take blood samples from children.

In Uganda 2011, finger/heel sticks were more commonly done in children seeking care in public facilities than in private facilities. In contrast, in Malawi 2010, Tanzania 2010, Nigeria 2013, and Rwanda 2010, children seeking care at private facilities were more likely to have finger/heel sticks than those attending public facilities. This comparison could not be assessed in Mozambique 2011 or Mali 2012-13 due to the small number of children with fever seeking care at private facilities.

		Pu	blic			Pri	vate		Any source				
	%	LB	UB	Ν	%	LB	UB	Ν	%	LB	UB	Ν	
Asia													
Pakistan 2012-13	4.4	2.4	8.1	370	4.6	3.6	5.7	2,940	4.4	3.5	5.4	3,404	
Africa													
Uganda 2011	40.2	35.2	45.4	1,092	25.5	22.2	29.1	1,453	29.6	26.7	32.8	2,583	
Liberia 2013	65.5	60.7	70.0	709	65.1	54.9	74.2	288	50.7	46.1	55.3	1,368	
Malawi 2010	19.9	17.9	21.9	3,149	38.7	33.1	44.6	930	21.8	19.7	24.0	4,524	
Tanzania 2010	17.0	13.5	21.1	921	45.7	32.6	59.3	119	16.6	13.3	20.4	1,382	
Nigeria 2013	21.5	18.1	25.3	935	33.3	25.9	41.6	207	13.1	11.4	15.0	2,685	
Zambia 2013-14	64.1	60.8	67.2	1,797	67.0	53.3	78.3	118	61.1	58.0	64.2	2,009	
Mozambique 2011	46.3	42.1	50.6	850	*			6	43.8	39.2	48.5	912	
DR Congo 2013-14	37.8	33.4	42.5	1,429	36.1	29.2	43.7	576	28.3	25.5	31.1	2,943	
Senegal 2010-11	18.3	14.7	22.7	960	16.9	8.8	29.9	117	15.5	12.6	19.0	1,321	
Mali 2012-13	26.9	20.9	33.9	214	*			21	17.7	13.9	22.2	407	
Rwanda 2010	42.0	37.6	46.6	553	(78.7)	62.9	88.9	29	38.2	34.3	42.3	688	

Table 8a. Among children under age 5 with recent fever, the percentage who had a finger or heel stick for malaria testing, by source of care, USAID MCH priority countries

Note: This table includes all surveys with information regarding whether the child had a finger or heel stick. Figures in parentheses are based on 25-49 unweighted cases. An asterisk indicates that a figure is based on fewer than 25 unweighted cases and has been suppressed. LB and UB refer to the lower and upper bounds of the 95% confidence interval.

Table 8b shows the percentage of children who received ACT when care was sought for fever and an antimalarial was taken for treatment. Again, this is a proxy for appropriate treatment that assumes a diagnosis was properly done. Data to calculate this indicator were available in 24 surveys from 16 MCH priority countries. A large range in appropriate treatment was evident across these surveys. Among children seeking care from any source, less than 10 percent in six surveys received appropriate antimalarial treatment. In contrast, seven surveys showed appropriate antimalarial treatment in over half of children with fever, and in three surveys (Rwanda 2010, Zambia 2013-14, and Malawi 2010) coverage of appropriate antimalarial treatment was over 80 percent.

Appropriate antimalarial treatment with ACT was more commonly reported among children for whom care was sought from public facilities than private sources in Uganda (both the 2006 and 2011 surveys), Malawi 2010, and Tanzania 2010.

Table 8b. Among children under age 5 with recent fever, the percentage who received Artemisinin-
based Combination Therapy (ACT) among children who received any antimalarial, by source of
care, USAID MCH priority countries

.

-

_ ..

		Pul	olic			Priv	ate			Any source				
	%	LB	UB	Ν	%	LB	UB	Ν	%	LB	UB	Ν		
Asia														
Indonesia 2012	(34.9)	14.0	63.9	16	(42.5)	22.8	65.0	18	33.8	19.2	52.3	39		
Pakistan 2012-13	(32.3)	13.9	58.5	13	18.2	11.0	28.7	116	18.8	11.7	28.7	130		
Africa														
Uganda 2006	10.1	7.3	13.9	714	2.7	1.7	4.4	999	5.2	3.8	7.1	1,804		
Uganda 2011	76.5	72.2	80.3	855	61.4	55.3	67.1	971	67.9	63.8	71.7	1,816		
Liberia 2007	18.3	13.1	24.9	425	10.8	6.3	17.9	263	15.0	11.3	19.6	856		
Liberia 2013	42.3	35.6	49.2	471	45.4	33.0	58.5	203	43.7	37.7	49.9	882		
Malawi 2010	89.7	87.8	91.4	1,942	68.9	62.7	74.4	564	84.9	82.7	86.9	2,511		
Tanzania 2010	74.3	69.6	78.5	660	33.7	21.8	48.2	92	63.9	58.1	69.2	931		
Nigeria 2008	8.8	6.3	12.2	508	8.1	3.9	15.8	177	7.5	5.8	9.6	1,094		
Nigeria 2013	20.6	16.5	25.4	464	15.7	9.2	25.5	105	19.1	16.3	22.3	1,060		
Zambia 2007	30.7	24.1	38.3	317	(21.1)	10.4	38.1	41	29.2	23.0	36.2	375		
Zambia 2013-14	91.4	88.7	93.5	886	87.1	76.0	93.5	72	91.2	88.7	93.2	975		
Ghana 2008	55.0	44.1	65.5	120	(51.5)	33.7	68.9	38	54.0	45.3	62.5	206		
Kenya 2008-9	39.4	31.1	48.5	190	(46.9)	27.4	67.4	41	38.0	30.5	46.1	254		
Mozambique 2011	62.9	54.8	70.3	374	*			0	62.1	54.3	69.3	389		
DR Congo 2007	3.2	1.4	7.0	280	2.5	1.1	5.6	208	2.4	1.3	4.3	607		
DR Congo 2013-14	28.3	22.0	35.5	723	14.4	8.6	23.1	251	22.2	17.9	27.2	1,177		
Senegal 2010-11	39.9	27.8	53.3	154	*			5	39.8	28.8	51.8	189		
Mali 2006	0.8	0.2	3.3	347	(4.0)	0.7	21.1	39	0.8	0.2	2.5	536		
Mali 2012-13	21.1	13.8	31.0	104	*			12	21.5	15.0	29.7	145		
Rwanda 2010	96.8	91.7	98.8	136	*			5	96.3	91.4	98.4	143		
Madagascar 2008-9	8.5	3.3	20.0	84	(1.1)	0.2	8.2	32	5.6	2.3	13.3	134		
Ethiopia 2005	0.0			75	(0.1)	0.0	0.9	32	0.0	0.0	0.2	120		
Ethiopia 2011	36.7	17.1	61.9	25	(14.3)	2.1	57.0	11	32.0	17.3	51.4	39		

Note: This table includes all surveys with information regarding whether the child was treated with ACTs. Figures in parentheses are based on 25-49 unweighted cases. An asterisk indicates that a figure is based on fewer than 25 unweighted cases and has been suppressed. LB and UB refer to the lower and upper bounds of the 95% confidence interval.

Table 8c shows the percentage of children who received first-line antimalarials when care was sought for fever and an antimalarial was taken for treatment. When interpreting trends in this indicator, it is important to note that the recommended first-line antimalarial changed in most countries over the time period included in this study. In some countries the recommended antimalarial was not yet widely available at the time of the survey. Data to calculate this indicator were available from 37 surveys from 18 countries. Among children with recent fever for whom care was sought outside the home, a large range in treatment with first-line antimalarials was observed. In five surveys—Uganda 2006, Nigeria 2008, DR Congo 2007, Madagascar 2008-9, and Ethiopia 2005—less than 10 percent of children who received antimalarials were treated with recommended first-line medications. More than 90 percent first-line

treatment was observed in Zambia 2013-14, Ghana 2003, Rwanda 2010, Madagascar 2004, and Haiti 2012.

In Uganda 2006 and 2011, Malawi 2005 and 2010, and Tanzania 2004-5 and 2010, appropriate antimalarial treatment was more commonly reported among children for whom care was sought from public facilities compared to private sources.

		Pub	olic			Priv	/ate			Any S	Source	
	%	LB	UB	Ν	%	LB	UB	Ν	%	LB	UB	Ν
Asia												
Indonesia 2007	(92.1)	78.0	97.5	19	*			7	93.8	84.5	97.7	37
Indonesia 2012	(34.9)	14.0	63.9	16	(42.5)	22.8	65.0	18	33.8	19.2	52.3	39
Pakistan 2006-7	8.0	1.9	28.7	12	17.2	9.6	29.0	69	15.7	9.0	26.1	82
Pakistan 2012-13	32.3	13.9	58.5	13	18.2	11	28.7	116	18.8	11.7	28.7	130
India 2005-6	40.2	28.1	53.5	122	28.9	22.1	36.8	449	29.2	23.1	36.1	615
Africa												
Uganda 2006	10.1	7.3	13.9	714	2.7	1.7	4.4	999	5.2	3.8	7.1	1.804
Uganda 2011	76.5	72.2	80.3	855	61.4	55.3	67.1	971	67.9	63.8	71.7	1.816
Liberia 2007	18.3	13.1	24.9	425	10.8	6.3	17.9	263	15.0	11.3	19.6	856
Liberia 2013	42.3	35.6	49.2	471	45.4	33.0	58.5	203	43.7	37.7	49.9	882
Malawi 2005	84.5	80.8	87.5	710	71.2	62.2	78.7	131	81.5	78.3	84.4	946
Malawi 2010	89.7	87.8	91.4	1.942	68.9	62.7	74.4	564	84.9	82.7	86.9	2.511
Tanzania 2004-5	49.2	44.5	54.0	687	28.6	21.4	37.1	177	41.5	37.4	45.6	1,077
Tanzania 2010	74.3	69.6	78.5	660	33.7	21.8	48.2	92	63.9	58.1	69.2	931
Nigeria 2008	8.8	6.3	12.2	508	8.1	3.9	15.8	177	7.5	5.8	9.6	1,094
Nigeria 2013	20.6	16.5	25.4	464	15.7	9.2	25.5	105	19.1	16.3	22.3	1,060
Zambia 2007	30.7	24.1	38.3	317	(21.1)	10.4	38.1	41	29.2	23.0	36.2	375
Zambia 2013-14	91.4	88.7	93.5	886	87.1	76.0	93.5	72	91.2	88.7	93.2	975
Ghana 2003	94.6	90.7	96.9	217	(88.9)	70.3	96.5	26	93.2	89.5	95.7	350
Ghana 2008	55	44.1	65.5	120	(51.5)	33.7	68.9	38	54.0	45.3	62.5	206
Kenya 2003	44.9	37.1	52.9	267	40.5	31.8	49.8	142	42.4	36.8	48.2	512
Kenya 2008-9	39.4	31.1	48.5	190	(46.9)	27.4	67.4	41	38.0	30.5	46.1	254
Mozambique 2004	100.0			52	*			10	100.0			153
Mozambique 2011	62.9	54.8	70.3	374	*			0	62.1	54.3	69.3	389
DR Congo 2007	3.2	1.4	7.0	280	2.5	1.1	5.6	208	2.4	1.3	4.3	607
DR Congo 2013-14	28.3	22	35.5	723	14.4	8.6	23.1	251	22.2	17.9	27.2	1,177
Senegal 2005	56.2	50.5	61.7	503	62.2	43.6	77.8	112	59.1	53.1	64.9	664
Senegal 2010-11	39.9	27.8	53.3	154	*			5	39.8	28.8	51.8	189
Mali 2006	64.1	57.1	70.6	347	53.9	35.4	71.4	39	65.1	59.1	70.6	536
Mali 2012-13	21.1	13.8	31.0	104	34.4	10.8	69.5	12	21.5	15.0	29.7	145
Rwanda 2005	46.4	37.6	55.5	142	48.3	20.0	77.7	19	47.9	40.3	55.7	238
Rwanda 2010	96.8	91.7	98.8	136	*			5	96.3	91.4	98.4	143
Madagascar 2004	98.6	95.2	99.6	164	93.6	84.1	97.6	66	97.4	94.6	98.8	252
Madagascar 2008-9	8.5	3.3	20.0	84	1.1	0.2	8.2	32	5.6	2.3	13.3	134
Ethiopia 2005	0.0			75	(0.1)	0.0	0.9	32	0.0	0.0	0.2	120
Ethiopia 2011	36.7	17.1	61.9	25	(14.3)	2.1	57	11	32.0	17.3	51.4	39
LAC												
Haiti 2005-6	*			18	(80.0)	61.6	90.9	42	76.4	62.8	86.1	60
Haiti 2012	*			9	(91.2)	75.0	97.3	24	(92.3)	80.5	97.2	34

Table 8c. Among children under age 5 with recent fever, the percentage who received first-line antimalarial treatment among children who received any antimalarial, by source of care, USAID MCH priority countries

Note: This table includes all surveys with information on whether the child was treated with a first-line antimalarial drug, based on the country's national malaria policy at the time of the survey. Figures in parentheses are based on 25-49 unweighted cases. An asterisk indicates that a figure is based on fewer than 25 unweighted cases and has been suppressed. LB and UB refer to the lower and upper bounds of the 95% confidence interval.

3.5.2. Appropriateness of care for diarrhea

Oral rehydration solution (ORS) has been a key component of treatment for children's diarrhea. Given the proven effectiveness of using ORS with zinc supplementation, the new WHO and UNICEF guidelines for diarrhea treatment recommend the use of a new ORS formula, along with zinc supplementation for 10-14 days, for the treatment of diarrhea among children under age 5 (WHO 2005). The guidelines also specify that antibiotics should be given only to children with bloody diarrhea. In this section, we examine the use of ORS and the use of both ORS and zinc, as well as the inappropriate use of antibiotics among children for whom care was sought for diarrhea.

Table 9a presents the percentage of children who received ORS when care was sought for diarrhea, by the source of care. In Asia, Bangladesh had the highest use of ORS—in the 2011 survey, 80 percent of children for whom any care was sought outside the home for diarrhea received ORS. The coverage in other Asian countries, in the most recent survey in each country, ranged from 45 percent to 55 percent, except in India, where the most recent survey in 2005-06 showed that one-third of children received ORS. Large variations in ORS coverage exist in Africa, from 37 percent in Malawi 2010 to 83 percent in Kenya 2008-09 and Zambia 2013. In 11 of 14 priority countries in Africa, ORS coverage was 50 percent or higher. The exceptions are Madagascar 2008-09 at 37 percent, Senegal 2010-11 at 38 percent, and Nigeria 2013 at 41 percent. Fairly high levels of use of ORS were reported in Kenya 2008-09, Malawi 2010, and Zambia 2013, at 80 percent or higher. Receipt of ORS significantly increased between the two most recent surveys in only four countries (Kenya, Mali, Nigeria, and Rwanda), from 17 percentage points in Kenya to 26 percentage points in Rwanda. While most countries observed an increasing trend in the use of ORS, Tanzania experienced a considerable decrease, from 72 percent in 2004-05 to 58 percent in 2010. In Haiti, about two-thirds of children with diarrhea for whom any care was sought received ORS.

i ubic Filvate		Any source				
% LB UB N % LB UB	B N	%	LB	UB	Ν	
Asia						
Indonesia 2007 62.9 56.2 69.2 443 46.7 41.1 52.	.4 725	42.2	38.4	46.1	1,614	
Indonesia 2012 60.4 54.6 65.9 553 48.8 44.3 53.	.3 1,036	46.4	43.1	49.7	1,875	
Pakistan 2006-7 65.7 55.3 74.8 92 53.1 47.7 58.	.4 615	52.5	47.9	57.0	759	
Pakistan 2012-13 52.5 43.0 61.9 238 46.0 41.7 50.	.4 1,637	45.8	41.9	49.7	1,897	
Bangladesh 2007 85.8 68.8 94.3 55 83.9 71.2 91.	.7 60	83.1	77.8	87.3	403	
Bangladesh 2011 (84.1) 68.9 92.6 43 80.0 71.6 86.	.5 160	80.3	74.2	85.3	295	
India 2005-6 44.8 39.9 49.8 667 33.8 31.1 36.	.6 2,181	32.6	30.3	34.9	3,285	
Nepal 2006 60.9 51.5 69.6 129 (49.5) 30.9 68.	.2 40	44.7	37.5	52.0	316	
Nepal 2011 64.7 54.5 73.8 171 57.8 43.8 70.	.6 106	54.7	48.2	61.0	441	
Africa						
Uganda 2006 64.9 60.0 69.5 605 44.2 39.9 48.	.5 838	48.7	45.4	52.0	1,547	
Uganda 2011 67.2 62.3 71.8 558 44.9 40.2 49.	.8 762	52.4	48.4	56.4	1,353	
Liberia 2007 72.7 65.6 78.9 299 73.5 63.2 81.	.7 207	62.5	56.9	67.9	794	
Liberia 2013 80.2 75.6 84.0 472 67.3 57.1 76.	.2 159	69.8	65.9	73.4	977	
Malawi 205 87.3 84.3 89.8 629 87.1 80.1 91.	.9 165	77.6	74.6	80.4	1,252	
Malawi 2010 83.6 81.3 85.7 1,623 79.2 73.3 84.	.0 384	80.0	77.6	82.2	2,257	
Tanzania 2004-5 84.6 79.7 88.4 393 67.5 52.8 79.	.5 79	72.3	67.5	76.6	619	
Tanzania 2010 63.3 63.3 63.3 491 (59.9) 38.8 77.	.8 49	57.5	52.3	62.5	708	
Nigeria 2008 51.9 46.6 57.1 595 41.0 33.6 48.	.8 219	33.8	30.6	37.1	1,630	
Nigeria 2013 61.6 57.1 65.9 715 57.2 46.2 67.	.5 132	41.2	38.0	44.4	2,104	
Zambia 2007 85.6 81.6 88.8 480 88.4 79.1 93.	.9 62	79.7	75.3	83.4	595	
Zambia 2013-14 85.1 82.7 87.2 1,268 83.1 70.5 91.	.6 69	82.6	80.1	84.9	1,394	
Ghana 2003 67.5 57.9 75.8 112 * n/a n/	/a 18	51.8	45.1	58.4	255	
Ghana 2008 69.9 62.0 76.8 193 (69.0) 48.7 83.	.9 32	56.9	51.6	62.1	344	
Kenya 2003 65.5 56.2 73.8 179 51.0 40.4 61.	.5 85	53.3	46.8	59.7	334	
Kenya 2008-9 88.2 83.2 91.9 351 80.1 66.8 89.	.0 95	83.3	79.0	86.9	547	
Mozambique 2004 77.9 73.2 82.0 636 * n/a n/	/a 16	70.6	65.7	75.1	738	
Mozambique 2011 77.3 72.9 81.3 693 * n/a n/	/a 12	71.8	67.0	76.2	770	
DR Congo 2007 54.7 46.1 63.1 368 23.5 13.7 37.	.3 75	47.9	40.7	55.2	497	
DR Congo 2013-14 64.0 58.5 69.2 834 57.1 49.3 64.	.5 289	52.4	48.4	56.4	1,659	
Senegal 2005 49.1 43.4 54.8 377 (54.2) 38.7 68.	.9 57	30.7	26.4	35.3	734	
Senegal 2010-11 47.2 42.1 52.3 718 (37.9) 22.2 56.	.6 64	38.2	34.1	42.4	7,071	
Mali 2006 49.7 39.5 59.9 271 (52.4) 31.6 72.	.5 27	30.2	23.7	37.7	509	
Mali 2012-13 69.1 61.2 76.0 216 (64.3) 43.7 80.	.8 21	50.2	44.0	56.4	446	
Rwanda 2005 43.5 34.8 52.5 133 * n/a n/	/a 23	24.1	19.2	29.7	323	
Rwanda 2010 65.0 60.0 69.8 403 * n/a n/	/a 19	51.0	46.3	55.6	564	
Madagascar 2004 32.5 22.4 44.6 119 19.4 9.4 35.	.9 63	23.7	16.8	32.3	218	
Madagascar 2009 44.3 36.9 52.0 259 35.9 24.1 49.	.8 92	37.1	30.6	44.2	404	
Ethiopia 2005 65.5 58.8 71.7 342 37.2 21.3 56.	.5 63	57.4	51.1	63.4	467	
Ethiopia 2011 62.5 55.0 69.4 357 60.6 47.7 72.	.1 131	57.9	51.6	63.9	527	
LAC						
Haiti 2005-6 78.5 70.0 85.1 164 73.7 65.5 80.	.5 224	69.2	63.4	74.5	505	
Haiti 2012 81.7 74.5 87.2 209 73.6 66.8 79.	.4 276	72.4	67.7	76.8	583	

Table 9a. Among children under age 5 with recent diarrhea for whom care was sought, the percentage who received ORS, by source of care, USAID MCH priority countries

Figures in parentheses are based on 25-49 unweighted cases. An asterisk indicates that a figure is based on fewer than 25 unweighted cases and has been suppressed. LB and UB refer to the lower and upper bounds of the 95% confidence interval. n/a= data not available.

In comparisons of public and private providers, there were no significant differences in the provision of ORS in any of the priority countries except Indonesia 2012 and Uganda 2011. Both surveys showed that a significantly higher percentage of children with diarrhea were given ORS in the public sector than in the private sector.

Table 9b shows the percentage of children who received both ORS and zinc when care was sought for diarrhea. In 18 older surveys, data were not available for this indicator because these surveys did not collect information on the use of zinc. Globally, receipt of both zinc and ORS remained at very low levels. Among 18 MCH priority countries with data available, coverage was below 5 percent in 16 of the countries, and many had coverage below 1 percent. Notably, in Bangladesh a considerable percentage of

children for whom care was sought outside the home received both ORS and zinc, at 28 percent in the 2007 DHS survey and 40 percent in the 2011 survey. Nepal is the other country that had higher use of both ORS and zinc than other MCH priority countries. According to the 2011 DHS survey, 8 percent of children for whom care was sought in Nepal received both ORS and zinc.

		Pu	ıbic			Priv	vate		Any source				
	%	LB	UB	Ν	%	LB	UB	Ν	%	LB	UB	Ν	
Asia													
Indonesia 2012	1.5	0.5	4.1	553	0.3	0.1	0.7	1,036	0.6	0.3	1.3	1,875	
Pakistan 2012-13	4.6	1.1	17.7	238	1.0	0.4	2.7	1,637	1.0	0.4	2.4	1,897	
Bangladesh 2007	29.7	16.9	46.6	55	39.9	28.2	52.8	60	27.6	22.1	33.8	403	
Bangladesh 2011	(41.5)	27.2	57.3	43	43.1	34.6	52.0	160	39.7	33.5	46.3	295	
India 2005-6	0.6	0.2	2.0	667	0.3	0.1	0.8	2,181	0.3	0.1	0.7	3,285	
Nepal 2011	10.2	6.1	16.6	171	13.1	5.6	27.6	106	7.8	5.0	11.9	441	
Africa													
Uganda 2006	0.3	0.0	2.1	605	0.6	0.2	1.9	838	0.5	0.2	1.2	1.547	
Uganda 2011	2.1	1.1	4.1	558	1.3	0.7	2.5	762	1.5	0.9	2.5	1,353	
Liberia 2007	0.0	n/a	n/a	299	1.4	0.3	6.1	207	0.5	0.2	1.8	794	
Liberia 2013	3.0	1.6	5.7	472	6.0	2.3	14.8	159	3.5	2.1	5.6	977	
Malawi 2010	0.2	0.1	0.5	1,623	0.0	n/a	n/a	384	0.2	0.1	0.5	2,257	
Tanzania 2010	5.3	3.1	9.1	491	(3.2)	0.4	19.7	49	4.4	2.7	7.2	708	
Nigeria 2008	0.7	0.3	1.8	595	0.2	0.0	1.5	219	0.4	0.2	0.9	1,630	
Nigeria 2013	4.2	2.4	7.2	715	2.5	0.7	8.2	132	1.8	1.1	2.9	2,104	
Ghana 2008	1.7	0.5	5.7	193	(5.1)	0.7	28.8	32	1.5	0.5	4.1	344	
Kenya 2008-9	0.1	0.0	0.8	351	1.2	0.2	8.5	95	0.3	0.1	1.3	547	
Congo DR 2013-14	4.2	2.7	6.5	834	2.4	0.8	6.7	289	2.8	1.9	4.1	1,659	
Senegal 2010-11	0.2	0.1	0.7	718	(1.1)	0.1	7.5	64	0.2	0.1	0.6	1,071	
Mali 2012-13	2.9	1.3	6.4	216	(0.0)	n/a	n/a	21	2.0	1.0	3.9	446	
Madagascar 2008-9	4.0	1.6	9.5	259	0.0	n/a	n/a	92	2.5	1.0	6.1	404	
Ethiopia 2005	0.5	0.1	3.3	342	0.0	n/a	n/a	63	0.4	0.0	2.4	467	
Ethiopia 2011	0.2	0.0	1.0	357	0.4	0.1	2.9	131	0.1	0.0	0.6	527	
LAC													
Haiti 2012	0.0	n/a	n/a	209	0.5	0.1	2.1	276	0.2	0.1	1.0	583	

Table 9b. Among children under age 5 with recent diarrhea for whom care was sought, the percentage who received ORS and zinc, by source of care, USAID MCH priority countries

Note: This table includes all surveys with complete information on whether the child was given ORS and or zinc for their diarrhea. Figures in parentheses are based on 25-49 unweighted cases. An asterisk indicates that a figure is based on fewer than 25 unweighted cases and has been suppressed. LB and UB refer to the lower and upper bounds of the 95% confidence interval. LB and UB refer to the lower and upper bounds of the 95% confidence interval. n/a=data not available

Antibiotics should only be given to children with bloody diarrhea. We examined the use of antibiotics among children with non-bloody diarrhea to assess the extent to which inappropriate care was provided. The older surveys in 11 countries and both surveys in Bangladesh did not ask mothers about use of antibiotics for their children with diarrhea. Overall, a considerable proportion of children were given antibiotics although they did not have bloody diarrhea. Such inappropriate care was most commonly reported in Tanzania, where almost two-thirds of children for whom care was sought from any source for non-bloody diarrhea were given antibiotics, based on the Tanzania 2012-13 DHS survey. In a few other countries such as Pakistan, Nigeria, Ghana, Mozambique, Senegal, and DR Congo, over one-third of children were given such inappropriate treatment. In countries with data available from both surveys, the change between surveys in the use of antibiotics for children with non-bloody diarrhea was only significant in Zambia, where it increased from 25 percent in 2007 to 37 percent in 2013. The prevalence of inappropriate use of antibiotics was similar between private and public providers.

	Pubic					Priv	vate			Any source			
	%	LB	UB	Ν	%	LB	UB	Ν	%	LB	UB	Ν	
Asia													
Indonesia 2012	15.5	11.6	20.3	546	18.2	15.1	21.8	1,025	15.0	12.9	17.4	1,857	
Pakistan 2012-13	42.6	33.4	52.3	208	40.2	35.6	44.9	1,444	40.2	36.0	44.5	1,670	
India 2005-6	21.5	17.6	26.1	598	22.3	19.4	25.4	1,959	20.8	18.4	23.5	2,933	
Nepal 2006	11.8	6.2	21.4	99	(19.2)	7.4	41.4	30	14.3	9.4	21.0	247	
Nepal 2011	14.6	8.5	23.8	144	23.1	13.2	37.2	86	18.9	14.2	24.7	369	
Africa													
Uganda 2006	29.6	24.6	35.1	448	36.9	31.9	42.2	647	32.4	28.6	36.5	1,181	
Uganda 2011	34.8	28.5	41.6	457	40.5	35.5	45.6	610	38.1	34.1	42.3	1,097	
Liberia 2007	17.9	12.9	24.4	216	16.0	9.2	26.4	156	13.2	10.0	17.4	591	
Liberia 2013	16.1	10.8	23.4	353	24.3	16.0	35.2	134	15.0	11.5	19.4	779	
Malawi 2010	24.9	22.1	27.9	1,387	34.1	25.8	43.5	340	24.5	22.0	27.3	1,936	
Tanzania 2010	66.0	60.0	71.5	416	(66.1)	48.0	80.4	42	65.3	60.3	70.0	594	
Nigeria 2008	51.4	45.8	56.8	471	48.6	40.0	57.3	167	43.5	39.8	47.3	1,275	
Nigeria 2013	51.1	45.9	56.3	578	61.4	49.4	72.2	99	42.7	39.5	45.9	1,708	
Zambia 2007	25.8	21.4	30.8	417	30.9	18.8	46.3	54	24.9	21.0	29.3	509	
Zambia 2013-14	37.5	33.8	41.3	1,041	38.6	24.8	54.5	61	37.2	33.8	40.7	1,149	
Ghana 2008	40.3	31.8	49.4	151	*	n/a	n/a	23	41.6	35.5	47.9	277	
Kenya 2008-9	25.2	19.1	32.4	269	21.3	11.0	37.0	83	21.1	16.4	26.7	440	
Mozambique 2011	42.2	37.0	47.6	586	*	n/a	n/a	12	39.4	34.6	44.4	652	
DR Congo 2007	44.3	35.6	53.4	368	6.8	2.0	20.1	75	40.7	32.9	49.0	497	
DR Congo 2013-14	33.7	27.2	40.9	649	41.5	33.2	50.3	229	36.1	32.5	39.9	1,315	
Senegal 2010-11	45.6	39.5	51.9	628	(35.6)	20.9	53.5	56	37.4	33.0	42.0	933	
Mali 2012-13	31.6	23.8	40.7	155	*	n/a	n/a	17	19.4	14.9	24.9	335	
Rwanda 2010	20.4	16.0	25.6	317	*	n/a	n/a	15.0	16.7	13.3	20.7	448	
Madagascar 2009	35.2	28.5	42.6	222	32.1	20.5	46.5	79	32.0	26.4	38.1	347	
Ethiopia 2005	30.1	21.0	41.1	201	(24.7)	11.3	45.7	39	29.1	21.7	37.9	272	
Ethiopia 2011	22.6	16.2	30.6	260	26.9	15.7	41.9	104	24.4	18.6	31.3	396	
LAC													
Haiti 2005-6	30.2	20.5	42.1	122	19.4	12.5	29.0	170	22.4	16.7	29.4	391	
Haiti 2012	18.2	12.1	26.4	186	17.9	12.5	24.8	250	16.1	12.6	20.5	522	

Table 9c. Among children under age 5 with recent non-bloody diarrhea for whom care was sought, the percentage who received antibiotics, by source of care, USAID MCH priority countries

Note: This table includes all surveys with complete information on whether the child's diarrhea was bloody, and whether the child was given antibiotics for their diarrhea. Figures in parentheses are based on 25-49 unweighted cases. An asterisk indicates that a figure is based on fewer than 25 unweighted cases and has been suppressed. LB and UB refer to the lower and upper bounds of the 95% confidence interval.

n/a= data not available

4. Discussion and Conclusions

This follow-up study to Hodgins, Pullum, and Dougherty (2013) examined levels and trends in care seeking for children who have experienced recent fever, symptoms of ARI, or diarrhea across MCH priority countries. Key findings and interpretation of current levels of care seeking, recent trends in care seeking and equity of care seeking, and appropriateness of care are summarized below.

4.1. Levels of Care Seeking

Overall, current levels of care seeking among children with recent illness vary widely across the 21 priority countries, from nearly 90 percent in the Indonesia 2012 survey to 33 percent in Ethiopia 2011. In three countries—Ethiopia, Madagascar, and Haiti—less than half of children under age 5 with recent illness received care from any source.

Consistent with Hodgins, Pullum, and Dougherty (2013), our results show that care seeking from public sources is predominant in African MCH priority countries while care seeking from private sources is predominant in Asian MCH priority countries. This pattern is similar across the three types of illness. The regional differential is likely due in part to differences in history, development trajectories, and economy. In South Asia, global recessions in the 1970s and 1980s constrained government spending in health care, and fostered the growth of the private sector (Baru 2003). Private sector growth in South Asia, particularly in the 1970s and 1980s, was driven largely by multilateral donor organizations, which were influenced by the World Bank and IMF's structural adjustment policies that encouraged privatization, and by the pharmaceutical industry (Baru 2003). The observed difference in use of the private health sector in Asia and Africa could also be related to the relatively larger size of the middle class in Asian MCH priority countries compared with African MCH priority countries. The middle class typically supplies both the private sector workforce and the clientele, which enable private health sector growth (Baru 2003).

A few countries are worth highlighting for their mix of care sources. Uganda is the only sub-Saharan African country in our study with a heavy reliance on private sources of care to treat children's illness. Use of private sources of care in Uganda is highest among children in wealthiest-quintile households, although the private sector is an important source of care among children in all wealth quintiles and in both urban and rural areas. In Uganda's public health sector, mismanagement of funds, lack of resources and commodities, low salaries for healthcare workers, poorly maintained infrastructure, and overall poor service delivery have driven the need for and growth of private health care (Soderlund, Mendoza-Arana, and Goudge 2003). In a study of three rural districts in Uganda, Konde-Lule and colleagues found that private providers far outnumbered public providers, and that a majority of individuals in the community chose to see private providers when seeking care (Konde-Lule et al. 2010). Proximity to the source of care was the most common reason for choosing a private provider, while the perceived skill of the provider and cost were other important factors. It is important to note that while public services are officially free, many health workers in Ugandan public facilities charge informal fees (Konde-Lule et al. 2010).

Nigeria is unique among MCH priority countries for its high reliance on pharmacies as the sole source of care for children's fever, symptoms of ARI, and diarrhea. Care was sought from a pharmacy for over one-third of children with fever and for nearly one-third of children with symptoms of ARI and diarrhea (35 percent, 32 percent, and 32 percent, respectively). In Nigeria, according to current Ministry of Health policy, for-profit drug retailers and patent and proprietary medicine vendors are eligible to become community-based resource persons who can be trained and certified to deliver iCCM. However, current regulations also prohibit these vendors from selling antibiotics. A recent census of patent and proprietary

medicine vendors conducted in two Nigerian states (Kogi and Kwara) found that levels of knowledge of the most effective treatment for malaria, pneumonia, and diarrhea among vendors are low (Treleaven et al. 2015). More than two-thirds of vendors correctly named the most effective treatment for malaria, less than one-third named the most effective treatment for diarrhea, and virtually no vendors named the most effective treatment for pneumonia (Treleaven et al. 2015). Given the importance of for-profit drug retailers, patent medicine vendors, and propriety medicine vendors as sources of care for fever, symptoms of ARI, and diarrhea, additional training on treating childhood illnesses could have a substantial impact on child survival and health in Nigeria and in other settings where reliance on pharmacies and shops is high.

Mali's use of other sources of care for childhood illnesses is noteworthy. As Appendix Tables A1-6 illustrate, the most common other sources of care in Mali are markets or informal shops and non-allopathic sources. The importance of informal shops and traditional healers in Mali is well documented (Ellis et al. 2007). In a qualitative study of household management of diarrhea, Ellis et al. (2007) conducted in-depth, semi-structured interviews with parents, community health workers, and traditional healers in the Sikasso region. Ellis et al. found that treatment of an episode of diarrhea typically began in the home with traditional medicines and/or antibiotics, which could be purchased from vendors in the village or market. If initial treatments did not help the child, parents would often seek care from a community health worker, community health center, or traditional healer. Traditional healers were often consulted for their knowledge of preparing more powerful or complicated traditional medicines, the ingredients for which could often be collected around the village or purchased inexpensively at the market.

Despite major emphasis in recent years on community case management and care provision by community health workers, only a small percentage of care—3 percent or less for each illness in all countries except Rwanda and Indonesia—is being sought from this source, according to the most recent DHS data (see Appendix Tables A1-6 for detailed results). This finding is consistent with other recent studies that report low use of community health workers (Geldsetzer et al. 2014; Hodgins, Pullum, and Dougherty 2013). In a systematic literature review of studies on care seeking across low- and middle-income countries, Geldsetzer and colleagues (2014) report that a median of only 1.3 percent of caregivers use community health workers for malaria, 4.2 percent for pneumonia, and 5.4 percent for diarrhea. Caregivers have identified the perceived low status of community health workers within the community and a lack of supplies and medications as the reasons families do not use their services (Geldsetzer et al. 2014). While community case management continues to be adopted, rolled out and scaled up as a major child survival strategy, particularly in Africa, this finding suggests that to have widespread impact, program efforts may need to strengthen linkages between community health workers, communities, and health facilities, and consider new or additional ways to reach the most remote children.

When interpreting these findings, it is also important to recall that integrated community case management is an extension of the health system service delivery strategy. It is also a foray into treatment of community-based and sometimes community-owned health promotion strategies. It fundamentally remains a medium-term strategy for reaching the hardest-to-reach children, strengthening community health, and providing a two-way linkage of treatment and referral with the rest of the health system, while strengthening the larger health system and more equitably extending access to services. The iCCM algorithms require referrals to health facilities for newborns⁷ and complicated cases. A child may still die when a referral is not completed. Integrated community case management is essential to save lives of the hardest-to-reach children, but is only part of the continuum of care. Overall health system strengthening should remain a priority as iCCM is strengthened and expanded as the lowest level of care.

⁷ Some countries, such as Malawi, are piloting integration of newborn care packages in iCCM.
4.2. Recent Trends in Care Seeking

The majority of countries studied did not show significant improvements between the two most recent DHS surveys in the level of care seeking for fever or for symptoms of ARI from any source, private sources, or public sources. Care seeking for diarrhea, however, showed more widespread improvement; 13 of 20 countries showed a statistically significant increase in care seeking from any source for diarrhea, while no country showed a decrease in coverage. These findings are consistent with Bennett and colleagues (2015), who reported a significant increase in care seeking for diarrhea between 2000 and 2013 in Western Africa, Eastern Africa, Southeast Asia, and Western Asia in an analysis of 248 DHS surveys. The researchers found significant (p<.05) regional increases in care seeking for fever only in Western Africa, and no significant regional increases in care seeking for symptoms of ARI.

The greater gains in care seeking for children's diarrhea could be driven in part by the fact that levels of care seeking were initially lower for diarrhea than the other childhood illnesses. Other studies have found that lower baseline levels of child health intervention coverage were associated with greater annual improvements (Boschi-Pinto, Bahl, and Martines 2009). However, the greater gains in care seeking for diarrhea could also be driven in part by the initiation and scale-up of programs that introduced zinc into diarrhea case management during the study period. These programs (such as SHOPS in Ghana, Nigeria, Uganda, and Kenya, and POUZN in Nepal) were often accompanied by behavioral change campaigns focused on the care and treatment for children's diarrhea. Our Nepal case study did not find ecological evidence of an effect of POUZN on care seeking in project districts, but we offered several explanations that could account for our inability to detect a true program effect (see Section 3.3.1).

The lack of increase in care seeking for fever over the study period could have several explanations. Fever in children is a symptom of illness known to instill fear in caregivers and prompt action (Sakai et al. 2012). Thus, constant rates of care seeking for fever are not surprising. Because the decision to seek care is based on perception of risk, it is also possible that care seeking for fever would be seen as less urgent because malaria prevalence has declined drastically in some of the MCH priority countries included in this analysis. If care seeking for fever expanded to previously marginalized populations, overall increases might not occur because care seeking declined among non-marginalized groups. Patterns of care seeking for fever also depend on the source of care. Focusing on care seeking from any source can obscure important shifts in use of public versus private sources of care, as in the Liberia case study. Similarly, sources of care could include pharmacies, markets, shops, and traditional healers. All sources of care may not provide equal quality of care or have accessibility to the necessary resources for appropriate case management. Thus, overall increases in care seeking for fever do not necessarily translate into improved access to appropriate care.

The study identified distinct patterns in recent trends between the two survey periods in care seeking from public versus private sources. For all three illnesses, the use of public sources of care either remained the same or increased between the two periods; there were no decreases. The trend in use of private sources of care was mixed. For fever and diarrhea, some countries, primarily in Asia, experienced an increase in the level of care seeking from private sources, while others, all in sub-Saharan Africa, experienced a decrease in the level of care seeking from private sources. Given the focus on IMCI, iCCM, and community-based programs in recent years, and the reality that public sources of care are often free, it may not be surprising that the expansion of care seeking in African countries has been concentrated in the public sector. Ideally, growth in these programs would lead to an overall increase in care seeking rather than a transfer of care seeking from private to public sources, as observed in the Liberia case study. Additional research should identify factors that contribute to decreases in use of the private sector in African MCH priority countries and investigate reasons why, in the study countries within Africa, increased care seeking has been predominantly in the public sector.

There is wide agreement that in order to make gains in child survival, child health programs must reach children who are hardest to reach, i.e., those who are poor and live in remote areas. With this in mind, we examined trends within two vulnerable populations: children in poorest-wealth quintile households and children in rural households. The patterns within these populations roughly followed the national patterns. In most cases, the change in coverage of care seeking between surveys was not significantly different between children in the poorest and the wealthiest households, or between rural and urban children. Thus, despite general agreement that child health programs should focus specifically on these vulnerable children in order to make gains in child survival, we found only limited evidence that increases in care seeking were concentrated in these vulnerable populations. Noteworthy exceptions include the rapid expansion of care seeking from private sources for children's fever in Bangladesh, which was disproportionately concentrated in poorest-quintile households, and which narrowed the equity gap; and the disproportionate concentration of the expansion of care seeking from private sources for care seeking from private sources for diarrhea among poorest-quintile households in Indonesia.

With case studies in Nepal and Liberia, we attempted to identify ecological evidence of the impact of programs by examining temporal trends in care seeking separately for areas covered and not covered by two USAID health initiatives. In Liberia our results show that the increase in care seeking from public facilities between 2007 and 2011 was significantly greater in Liberian counties covered by the PMI-funded *EQUIP* project compared with the increase in areas with no *EQUIP* presence, after adjusting for socio-demographic characteristics. However, overall levels of care seeking from any source did not improve in *EQUIP* project districts between 2007 and 2011; rather, there appears to have been a shift from the use of private providers to the use of public providers. In Nepal, despite countrywide improvements in levels of care seeking for diarrhea between the 2006 and 2011 DHS surveys, we did not find evidence that increases in districts covered by the POUZN project were greater than those in non-project districts. We discussed potential reasons for this null finding in the case study.

4.3. Appropriateness of Care

Levels and trends in coverage of care seeking are meaningful only if the sources of care consistently provide children and caregivers with appropriate diagnoses, advice, and treatment. Despite the widespread increase in coverage of care seeking for diarrhea, there has not been a parallel increase in coverage of appropriate treatment. Treatment with ORS increased significantly in just four of the 20 countries, coverage of treatment with both ORS and zinc remains under 5 percent in 16 of the 18 countries with data available, and no country showed an improvement (reduction) in inappropriate use of antibiotics to treat non-bloody diarrhea. Other studies have also observed the limited improvement in diarrhea case management over time (Boschi-Pinto, Bahl, and Martines 2009; Geldsetzer et al. 2014; UNICEF and WHO 2009). Geldsetzer and colleagues (2014) report that studies on trends in the use of oral rehydration therapy showed a constant level of ORS use over time, with a median of 31 percent before 1990, 35 percent from 1990 to 1999, and 36 percent from 2000 to 2010. Similarly, Boschi-Pinto and colleagues (2009) found that 17 of 29 African and Asian countries showed no significant annual improvement in ORS use for diarrhea between roughly 1990 and 2006 (Boschi-Pinto, Bahl, and Martines 2009).

Major barriers to the provision of zinc include its scarcity in health facilities and in some countries, the absence of national policies that support the use of zinc for routine diarrhea case management (Gill et al. 2013). For example, while 75 percent of patent and proprietary medicine vendors (PPMVs) in two Nigerian states (Kogi and Kwara) were stocked with ORS, according to a recent census, less than 3 percent were stocked with zinc (Treleaven et al. 2015). Other barriers to ORS and zinc treatment include counterproductive incentives for health workers to offer antibiotics over zinc or ORS for children's diarrhea; inefficiencies in procurement, production, and distribution of ORS and zinc; lack of government policies or incentives for private sector investment in supply chain management systems; lack of support

for locally produced zinc or oral rehydration solution; and low demand for these treatments (Gill et al. 2013).

Turning to indicators of appropriate care for fever, we find that in most surveys the percentage of children with recent fever receiving finger/heel sticks is lower among those receiving care from any source than those seeking care from public or private sources. This is likely because the other sources of care included in the estimates, e.g., markets, shops, and traditional healers, are unlikely to have diagnostic capacity and therefore are unlikely to take blood samples from children. The range in coverage of finger/heel sticks among children with fever in the MCH priority countries with available data is not surprising because universal test and treatment policies have been adopted and implemented at different rates across these countries. Access to commodities necessary for implementation of these policies such as microscopy or RDT is not equal across countries. In Uganda, the one African MCH priority country with high levels of care seeking from private sources for childhood illness, children with fever seeking care at private facilities were significantly less likely to receive a finger/heel stick than children for whom care was sought at public facilities. The inverse was true in several other African countries. Public facilities had higher rates of providing finger/heel sticks than did private facilities. Interpretation of these results is challenging without additional information. It is possible that the necessary diagnostic capacity is lacking in public facilities in these countries.

Appropriateness of antimalarial treatment, either with ACT in more recent surveys or with the first-line antimalarial in older surveys, also revealed a large range of values across MCH priority countries. These results indicate varied levels of access to essential medications but do not provide reasons for successes or failures in provision of appropriate antimalarial treatment. Surveys in several countries showed very high use of appropriate antimalarials among those who received any antimalarial—85 percent in Malawi (2010), 91 percentin Zambia (2013-14), and 96 percent in Rwanda (2010). These countries could be studied in order to identify the predictors of appropriate care. Are ACTs more available and affordable in these countries than elsewhere? Are behavior change and communications (BCC) programs superior? Are drug supplies better regulated?

In three countries (Malawi, Uganda, and Tanzania), appropriate treatment with ACT or other first-line antimalarials was significantly higher when care was sought from public than private sources. Many malaria-endemic countries have implemented subsidies to encourage appropriate use of ACT, which may only be available at public health facilities. Uganda and Tanzania were both a focus of the Affordable Medicines Facility-Malaria Program implemented from 2010-12. This program aimed to improve access to ACT by increasing availability, particularly through private outlets, and decreasing the price of ACT through subsidies. In these two countries, public sources of care seem to be linked to more appropriate use of antimalarials when compared with private sources.

Another important consideration when interpreting these results is that the national scale is not always the most relevant level at which to assess malaria indicators. In some settings, risk of malaria transmission varies substantially throughout the country or by season, and this range in risk is difficult to account for with household survey data. Patterns of care seeking for fever may be influenced by different factors in settings that have high malaria transmission risk than in those with lower risk, where fevers are likely to have causes other than malaria.

We know that in order to save lives, children need to receive ACT for malaria, antibiotics for pneumonia, and ORS and zinc for diarrhea. Yet coverage of these proven interventions remains far too low. In order to receive the correct treatment, children first must receive appropriate diagnosis, care, and counseling from a qualified provider. Our results show that the percentage of children with diarrhea, fever, and symptoms of ARI who reach the health system remains low in many high-mortality settings. Our results also provide information about where caregivers are taking their sick children. At the country level, we

hope these results will inform strategies for improving case management for childhood illness and directing resources and attention towards preferred sources of care. The results would most useful when interpreted within the landscape of child health interventions and programming, and with national childhood illness management goals in mind. Complementary studies with other data sources such as health management information system (HMIS) data, health facility data such as Service Provision Assessments (SPA), and qualitative research are needed to fill in critical gaps in knowledge about the health system, household context, and caregivers' motivations for seeking care and selecting particular sources of care.

References

Abt. Associates. n.d. *Strengthening health outcomes through the private sector (shops)*. Abt. Associates. Available at http://abtassociates.com/projects/2011/strengthening-health-outcomes-through-the-private.aspx.

Baru, R.V. 2003. "Privatisation of health services: A South Asian perspective." *Economic and Political Weekly* 38 (42):4433-4437.

Bennett, A., T. Eisele, J. Keating, and J. Yukich. 2015. *Global trends in care seeking and access to diagnosis and reatment of childhood illnesses*. DHS Working Papers. Rockville, MD: ICF International. Available at https://www.dhsprogram.com/pubs/pdf/WP116/WP116.pdf.

Boschi-Pinto, C., R. Bahl, and J. Martines. 2009. "Limited progress in increasing coverage of neonatal and child-health interventions in Africa and Asia." *J Health Popul Nutr* 27 (6):755-62.

Cellule de Planification et de Statistique (CPS/SSDSPF), Institut National de la Statistique (INSTAT/MPATP), INFO-STAT, and ICF International. 2014. *Enquête démographique et de santé au Mali 2012-2013*. Rockville, Maryland, USA: CPS, INSTAT, INFO-STAT, and ICF International.

Cellule de Planification et de Statistique du Ministère de la Santé (CPS/MS), d.l.I.e.d.C.D.M. Direction Nationale de la Statistique et de l'Informatique du Ministère de l'Économie, and Macro International Inc. 2007. *Enquête démographique et de santé du Mali 2006*. Calverton, Maryland, USA: CPS/DNSI et Macro International Inc.

Ellis, A.A., P. Winch, Z. Daou, K.E. Gilroy, and E. Swedberg. 2007. "Home management of childhood diarrhoea in southern Mali—implications for the introduction of zinc treatment." *Social Science & Medicine* 64 (3):701-712.

Fernandez, A., J. Mondkar, and S. Mathai. 2003. "Urban slum-specific issues in neonatal survival." *Indian Pediatr* 40 (12):1161-6.

Geldsetzer, P., T.C. Williams, A. Kirolos, S. Mitchell, L.A. Ratcliffe, M.K. Kohli-Lynch, E.J.L. Bischoff, S. Cameron, and H. Campbell. 2014. "The recognition of and care seeking behaviour for childhood illness in developing countries: A systematic review." *PLoS ONE* 9 (4):e93427.

Gill, C.J., M. Young, K. Schroder, L. Carvajal-Velez, M. McNabb, S. Aboubaker, S. Qazi, and Z.A. Bhutta. 2013. "Bottlenecks, barriers, and solutions: Results from multicountry consultations focused on reduction of childhood pneumonia and diarrhoea deaths." *The Lancet* 381 (9876):1487-1498.

Hanson, K., L. Gilson, C. Goodman, A. Mills, R. Smith, R. Feachem, N.S. Feachem, T.P. Koehlmoos, and H. Kinlaw. 2008. "Is private health care the answer to the health problems of the world's poor?" *PLoS Med* 5 (11):e233.

Hazir, T., K. Begum, S. el Arifeen, A.M. Khan, M.H. Huque, N. Kazmi, S. Roy, S. Abbasi, Q.S.-u. Rahman, E. Theodoratou, M.S. Khorshed, K.M. Rahman, S. Bari, M.M.I. Kaiser, S.K. Saha, A.S.M.N.U. Ahmed, I. Rudan, J. Bryce, S.A. Qazi, and H. Campbell. 2013. "Measuring coverage in mnch: A prospective validation study in Pakistan and Bangladesh on measuring correct treatment of childhood pneumonia." *PLoS Med* 10 (5):e1001422.

Hodgins, S., T. Pullum, and L. Dougherty. 2013. "Understanding where parents take their sick children and why it matters: A multi-country analysis." *Global Health: Science and Practice* 1 (3):328-356.

International Finance Corporation, World Bank Group. 2008. "The business of health in Africa: Partnering with the private sector to improve people's lives."

Konde-Lule, J., S.N. Gitta, A. Lindfors, S. Okuonzi, V.O. Onama, and B.C. Forsberg. 2010. "Private and public health care in rural areas of Uganda." *BMC Int Health Hum Rights* 10:29.

Lagomarsino, G., S. Nachuk, and S.S. Kundra. 2009. *Public stewardship of private providers in mixed health systems: Synthesis report from the Rockefeller Foundation—sponsored initiative on the role of the private sector in health systems.* Washington DC: Results for Development Institute.

Liu, L., S. Oza, D. Hogan, J. Perin, I. Rudan, J.E. Lawn, S. Cousens, C. Mathers, and R.E. Black. 2015. "Global, regional, and national causes of child mortality in 2000–13, with projections to inform post-2015 priorities: An updated systematic analysis." *The Lancet* 385 (9966):430-440.

MacDonald, V. 2015. Personal communication.

MEASURE Evaluation, MEASURE DHS, President's Malaria Initiative, Roll Back Malaria Partnership, UNICEF, and WHO. 2013. *Household survey indicators for malaria control.*

Mutisya, M., B. Orindi, J. Emina, E. Zulu, and Y. Ye. 2010. "Is mortality among under-five children in Nairobi slums seasonal?" *Trop Med Int Health* 15 (1):132-9.

Prosnitz, D. 2015. Personal communication.

Sakai, R., A. Okumura, E. Marui, S. Niijima, and T. Shimizu. 2012. "Does fever phobia cross borders? The case of Japan." *Pediatrics International* 54 (1):39-44.

Soderlund, N., P. Mendoza-Arana, and J. Goudge. 2003. *The new public/private mix in health: Exploring the changing landscape*. Geneva: Global Forum for Helath Research.

Suomie, R.T. 2015. "Personal communication."

Treleaven, E., J. Liu, L.M. Prach, and C. Isiguzo. 2015. "Management of paediatric illnesses by patent and proprietary medicine vendors in nigeria." *Malar J* 14:232.

UNICEF. 2012. Pneumonia and diarrhoea: Tackling the deadliest diseases for the world's poorest children. New York, New York: UNICEF. Available at http://www.unicef.org/eapro/Pneumonia_and_Diarrhoea_ Report_2012.pdf.

UNICEF. 2013. Committing to child survival: A promise renewed progress report. Available at http://www.unicef.org/lac/Committing_to_Child_Survival_APR_9_Sept_2013.pdf.

UNICEF, and WHO. 2009. *Diarrhoea: Why children are still dying and what can be done*. Available at http://www.unicef.org/media/files/Final_Diarrhoea_Report_October_2009_final.pdf.

UNICEF, WHO, World Bank, and UN-DESA Population Division. 2014. Levels and trends in child mortality 2014. New York: United Nations Children's Fund.

USAID. *Malaria communities program*. Available at http://www.mchip.net/node/48.

USAID. 2009. Usaid awards five-year grant strengthening health outcomes through private sector (shops) Available at http://www.usaid.gov/content/usaid-awards-five-year-grant-strengthening-health-outcomes-through-private-sector-shops.

USAID. 2013. Global health programs progress report to congress fy 2012. Available at http://pdf.usaid.gov/pdf_docs/pdacx520.pdf.

Wang, W., and V. MacDonald. 2009. *Introducing zinc through the private sector for the treatment of childhood diarrhea: Results from a population-based survey in Nepal.* Bethesda, MD: The Social Marketing Plus for Diarrheal Disease Control: Point-of-Use Water Disinfection and Zinc Treatment (POUZN) Project, Abt Associates Inc. Available at http://www.shopsproject.org/sites/default/files/resources/5375_file_POUZN_Research_Report_FINAL_Jan2010.pdf.

White, P., and L. Levin. 2006. *The potential of private sector midwives in reaching millennium development goals.* Bethesda, MD: Abt Associates Inc.

WHO. 2005. Diarrhea treatment guidelines- including new recommendations for the use of ORS and zinc supplementation for clinic-based healthcare workers: Who/Unicef joint statement. Geneva: WHO.

WHO. 2014. Integrated management of childhood illness chart booklet. Available at http://apps.who.int/iris/bitstream/10665/104772/16/9789241506823_Chartbook_eng.pdf.

WHO. 2015. *Guidelines for the treatment of malaria: Third edition*. WHO. Available at http://apps.who.int/iris/bitstream/10665/162441/1/9789241549127_eng.pdf?ua=1.

WHO, and UNICEF. 2004. *Joint statement on the clinical management of acute diarrhoea*. Available at http://www.unicef.org/publications/files/ENAcute_Diarrhoea_reprint.pdf.

WHO, and UNICEF. 2012. Who/unicef joint statement on integrated community case management (ICCM) -- an equity-focused strategy to improve access to essential treatment services for children. Available at http://www.unicef.org/health/files/iCCM_Joint_Statement_2012.pdf.

WHO, and UNICEF. 2013. Ending preventable child deaths from pneumonia and diarrhoea by 2025: The integrated global action plan for pneumonia and diarrhoea (GAPPD).

Appendix

Figure A1. Comparison of care seeking from public versus private facilities for fever, USAID MCH priority countries

Figure A2. Comparison of care seeking from public versus private facilities for symptoms of ARI, USAID MCH priority countries

Figure A3. Comparison of care seeking from public versus private facilities for diarrhea, USAID MCH priority countries



NCH priority countries
2
USAID
residence,
of
place
ð
fever
P
care f
q
. Sources
Ā
Table,

							D	isaggrega	ated Sourc	tes of Car	e1					Summo	ary Categorie Rep	es used thro	ignout	
	Place of		Public	Public	Drivate	CHW	CHW-	Reli- diolle-	Dhar.		Market/ Informal	Non-		Phar- macv	Shon			Phar- macv		Anv
Survey	residence	z	Hospital	HF	Clinic(ian)	Public	Private	NGO	macy	Shop	Shop	pathic	Other	Only	Only	Public	Private	Only	Other	Care ³
Bangladesh 2007	Urban	434	4.1	7.9	24.0	0.0	0.0	1.3	24.9	0.0	0.0	9.9	5.5	23.9	0.0	12.0	25.2	23.9	15.3	74.8
Bangladesh 2007	Rural	1751	1.5	6.8	12.1	0.0	0.0	0.5	23.1	1.0	0.0	23.6	4.9	22.8	1.0	8.3	12.6	22.8	29.4	71.4
Bangladesh 2007	All	2185	2.0	0.7 r r	14.5	0.0	0.0	0.7	23.4	0.8	0.0	20.9 0.7	5.0	23.0	0.8	9.0	15.1	23.0	26.6 2 1	72.0
Bangladesh 2011 Dangladesh 2011	Durbali	0470	с, с Г. Г.	1.1	44.5 4 7 6	0.0	0.3	0.D	19.8 21.1	0.0	0.0	2.1 A E	0.5 2 0	01 101	0.0	0.0	45.3	C.81	у	/0.3 74.5
Bandadesh 2011 Bandadesh 2011	All	3064	. c	7.0 0.2	42.0		- 0	с. с	20.8	0.0	0.0	0.4 C K	с. С	10.01		0.0 0	43.1	10.01	1.0	C.+1
	Urhan	950	7.4 7.4	0.7	73.7	0.0	7 0 V	0.0	20.0 10 F	0.0	0.0	1.2	0.0 7 4	17.6	0.0	0.0 21 4	0.04	17.6	4.5	67.8
Condo DR 2007	Rural	1519	L.C	074 B	7.17	0.0	000	0.0	00	0.0	0.0	C-1	F-3	0.0	00	27.3	16.0	0.0	11	0. 10 F7 A
Condo DR 2007	All	2469	4.5	0.12 20.9	13.3	0.0	7.6	0.0	,., 13.6	0.0	0.0	30	2.3	7.4 17.4	0.8	25.0	20.8	17.4	1.4	615
Condo DR 2013-14	Urhan	1579	0.5	16 F	17.9	0.0	0.0	0.0	211	0.0	0.0	1.0	5.2 1 C	19.7	0.0	20.0	17.9	19.7	3.4	50.7
Condo DR 2013-14	Rural	3434	1.9	30.5	8.6	0.1	0.0	0.0	14.5	0.3	0.5	3.4	0.9	13.4	0.3	32.4	8.6	13.4	5.1	58.5
Congo DR 2013-14	All	5013	2.6	26.1	11.5	0.1	0.0	0.0	16.6	0.2	0.4	2.7	1.3	15.2	0.2	28.5	11.5	15.2	4.6	58.7
Ethiopia 2005	Urban	121	10.6	19.1	13.2	0.6	0.0	2.5	3.3	0.0	0.3	0.0	0.1	0.8	0.0	30.3	15.7	0.8	0.3	46.4
Ethiopia 2005	Rural	1765	3.9	8.7	2.2	0.4	0.0	0.5	1.5	0.0	0.3	0.4	0.0	1.0	0.0	13.1	2.7	1.0	0.7	17.2
Ethiopia 2005	AII	1886	4.4	9.4	2.9	0.4	0.0	0.6	1.6	0.0	0.3	0.4	0.0	1.0	0.0	14.2	3.5	1.0	0.7	19.1
Ethiopia 2011	Urban	226	4.3	19.1	16.0	0.0	0.0	1.0	3.8	0.0	0.0	0.0	0.0	3.4	0.0	22.2	16.4	3.4	0.0	41.2
Ethiopia 2011	Rural	1659	0.7	15.6	6.2	0.0	0.0	0.7	0.9	0.7	0.0	0.5	0.0	9.0	0.7	16.0	6.7	0.6	1.2	24.2
Ethiopia 2011	AII	1885	1.1	16.1	7.4	0.0	0.0	0.7	1.2	0.6	0.0	0.4	0.0	0.9	0.6	16.8	7.9	0.9	1.1	26.2
Ghana 2003	Urban	250	34.4	10.4	10.9	9.0	0.0	0.0	17.7	0.5	0.0	0.5	1.0	16.2	0.0	45.4	10.9	16.2	2.0	73.6
Ghana 2003	Rural	460	20.8	17.0	4.9	0.1	0.0	0.0	26.5	0.5	0.0	1.5	4.0	25.6	0.5	36.9	4.9	25.6	6.0	72.6
Ghana 2003	AII	710	25.6	14.7	7.0	0.3	0.0	0.0	23.4	0.5	0.0	1.2	3.0	22.3	0.3	39.9	7.0	22.3	4.6	73.0
Ghana 2008	Urban	197	33.8	8.1	18.5	0.0	0.0	0.0	21.4	0.0	1.5	0.4	0.5	19.6	0.0	41.6	18.5	19.6	2.3	81.5
Ghana 2008	Rural	347	16.1	24.5	4.9	0.0	0.0	0.3	10.5	1.4	2.9	0.3	3.4	10.0	1.4	40.5	5.2	10.0	8.1	63.7
Ghana 2008	AII	544	22.5	18.6	9.8	0.0	0.0	0.2	14.5	0.9	2.4	0.4	2.3	13.5	0.9	40.9	10.0	13.5	6.0	70.1
Haiti 2005-6	Urban	466	7.7	9.6	18.4	0.0	0.0	5.1	3.9	2.1	1.9	2.5	5.9	3.9	2.1	17.3	23.4	3.9	10.4	49.8
Haiti 2005-6	Rural	1020	1.1	11.9	13.8	0.0	0.0	8.6	1.2	1.5	0.4	2.4	3.2	1.1	1.4	12.9	22.4	1.1	6.8	41.4
Haiti 2005-6	All	1486	3.1	11.2	15.3	0.0	0.0	7.5	2.1	1.7	0.9	2.4	4.1	2.0	1.6	14.3	22.7	2.0	7.9	44.0
Haiti 2012	Urban	611	8.9	6.7	23.7	0.0	0.2	8.5	2.0	0.7	0.6	0.1	3.9	1.2	0.6	15.4	31.7	1.2	5.3	51.5
Haiti 2012	Rural	1124	3.9	10.1	15.0	0.0	0.3	9.9	0.4	1.5	1.7	0.9	5.8	0.2	1.5	13.9	25.1	0.2	8.7	45.8
Haiti 2012	All	1735	5.6	8.9	18.0	0.0	0.3	9.4	0.9	1.2	1.3	0.6	5.1	0.5	1.1	14.4	27.4	0.5	7.5	47.8
India 2005-6	Urban	1918	8.1	4.5	65.3	0.0	0.0	0.3	3.2	0.5	0.0	3.1	1.2	2.8	0.5	12.5	65.7	2.8	4.6	83.0
India 2005-6	kural	5934	3.8	9.8	53.0	0.0	0.0	0.4	6.4	1.0	0.0	3.4	1.8	9.0	0.9	13.5	53.4	0.9	6.1	76.6
India 2005-6	All	7027	4.9	8.5 2.5	56.0	0.0	0.0	0.3	5.6	0.9	0.0		1.6	5.2	0.8	13.2	56.4	5.2	5.7	78.1
Indonesia 2007	Dural	1000	0.7 C.7	0.02	41.3	0.0	7.7 1 - 1	0	1.21	9.0 1 E E	0.0	0.4 7	0.1	0.11	0.0 F ¥ F	21.1 DE D	4/.4	0.11	1.11	8.26
Indonesia 2007	All	5033	0 C	1 10	20.3 2.7.1	0.0	1.01	4	0./	1 2.0	0.0	2.1 1 F	0.7	1.1	14./	25.U	42.3 44.5	1.1	0.71	0.70
Indonesia 2007	LIrhan		1.2	24.1 25.7	1.22. I 16. 2	0.0	C'I I	7.1	9.4 15.0	2.61	0.0	c:	2.U	0.0	2.0	0.02	44.0 501	0.0 12 A	C.01 7.4	0.06
Indonesia 2012	Rural	2,630	4 t 1 R	21 B	33.F	0.0	20.0	0.0	D.C.	00	0.0	2.1 7 C	0.0	L.2	9.0 9.0	23.0	52.1 52.2	1.2	11.3	1.0%
Indonesia 2012	All	5086	- -	23.6	39.6	0.0	13.4	0.0	11.1	7.0	0.0	2.0	1.9	9.5	0 0 2	25.2	52.2	6.5	10.7	89.6
Kenva 2003	Urban	423	13.3	15.9	21.2	0.0	0.2	3.3	17.1	5.1	0.0	0.7	1.3	15.5	4.9	29.2	24.7	15.5	7.1	75.2
Kenya 2003	Rural	1833	5.1	24.3	13.2	0.0	0.7	2.8	14.2	7.8	0.0	0.9	1.5	13.0	7.4	29.0	16.6	13.0	10.3	6.99
Kenya 2003	All	2255	9.9	22.7	14.7	0.0	0.6	2.9	14.7	7.3	0.0	0.9	1.5	13.5	6.9	29.0	18.1	13.5	9.7	68.4
Kenya 2008-9	Urban	223	23.8	17.7	9.0	0.0	0.1	3.6	8.4	2.5	0.0	0.3	0.0	8.4	2.4	40.6	12.2	8.4	2.8	63.0
Kenya 2008-9	Rural	1079	<i>T.</i> 9	29.4	7.6	0.0	0.1	2.0	7.7	6.7	0.0	0.2	0.8	T.T	5.9	38.7	9.8	T.T	7.6	62.2
Kenya 2008-9	AII	1302	12.1	27.4	7.9	0.0	0.1	2.3	7.8	6.0	0.0	0.2	0.7	7.8	5.3	39.0	10.2	7.8	6.8	62.3
Liberia 2007	Urban	450	16.6	29.5	22.7	0.0	0.0	0.0	14.2	2.4	0.0	2.0	2.3	10.4	2.3	46.0	22.7	10.4	6.3	80.9
Liberia 2007	Rural	1127	5.7	26.2	21.2	0.0	0.0	0.0	7.9	7.1	0.0	8.8	6.8	7.4	6.8	31.8	21.2	7.4	20.6	74.4
																			(Co	ntinued)

led
Continu
1
4
p

1	Anut	Any Care³	76.3	82.0	76.8	79.2	61.8	40.0	43.9	63.3	44.7	47.4	72.3	72.9	72.8	71.9	52.6	57.4	70.8	44.2	49.1	70.8	56.0	60.3	74.0	58.4	62.6 ,, <u>,</u> ,	00.U	- 90. - 1	4.4C	70.5	71.5	73.9	68.1	69.5	74.2	73.8	73.9	83.3	80.2	81.2 2- 2	85.U	80.7	0.28 U.28	<i>11.2</i> 58.1	(Continued)
Inuginut		Other	16.5	5.4	16.7	11.5	2.3	5.6	5.0	0.3	5.8	5.0	4.1	9.8	0.6	15.8	24.5	22.3	12.5	19.5	18.2	4.7	9.2	7.9	1.4	5.6	4.5	3.U	2.U	1.0	2.0	2.0	4.6	8.7	T.T	3.2	10.1	7.7	5.1	4.8	4.9	1.9	2.9	2.0 7 4 1	14.7 17.6	
eport ²	Phar-	Only	8.3	15.2	7.9	11.3	1.0	0.9	0.9	1.1	0.5	0.6	0.0	0.0	0.0	10.6	0.7	3.2	9.8	2.4	3.7	1.3	0.2	0.5	0.8	0.1	0.3	23.I	C: #7	24.3 7 A F	24.7	28.3	28.8	26.6	27.1	35.5	35.4	35.4	0.5	0.7	0.7	0.0	0.4	0.0	15.5 15.5	
ialy catego R		Private	21.6	25.3	9.4	16.7	29.6	8.3	12.1	39.7	9.1	13.6	17.0	14.7	15.0	6.1	2.8	3.6	7.4	1.5	2.6	1.9	2.0	2.0	1.5	0.0	0.4	0.12	7.7	24.6	20.0 22.3	23.6	12.6	8.6	9.6	9.0	3.9	5.7	70.0	64.9	66.5 	12.8	70.0	/ U.X	13.8	
		Public	35.8	36.6	44.8	41.0	30.3	25.5	26.3	23.6	30.3	29.3	53.1	50.3	50.7	40.5	25.5	29.2	41.5	22.2	25.7	63.3	45.0	50.3	71.1	53.7	58.4	8.61	23.1	1.0.0	18.9	18.9	28.6	25.3	26.2	27.5	24.8	25.7	9.1	10.7	10.2	10.4	0.0 0.0	α.Υ 1 - C	31.5 23.6	
	Chon	only	5.5	2.1	2.2	2.2	1.6	2.9	2.7	0.3	4.1	3.5	3.1	7.7	7.1	0.0	2.4	1.8	0.0	0.9	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	4 C	0.0	0.1	2.8	6.2	5.4	0.0	3.6	2.4	1.3	2.7	2.2	1.4	1.6	0. -	0.4 1.9	
	Phar-	Only	8.3	15.2	7.9	11.3	1.0	0.9	0.9	1.1	0.5	0.6	0.0	0.0	0.0	10.6	0.7	3.2	9.8	2.4	3.7	1.3	0.2	0.5	0.8	0.1	0.3	23.I	C.42	24.3 24.5	28.7	28.3	28.8	26.6	27.1	35.5	35.4	35.4	0.5	0.7	0.7	0.6	0.4	C.U	15.5	
		Other	5.5	0.1	0.7	0.4	0.3	1.2	1.1	0.0	0.1	0.0	0.7	0.9	0.9	0.9	2.2	1.9	1.8	2.6	2.5	2.5	3.4	3.1	0.5	0.7	0.0	0.2	0.0	U.U 1 A	t —	1.1	0.9	0.9	0.9	1.0	0.5	0.6	0.5	0.2	0.3	0.4	0.3	0.5 •	9.7 7.0	
	-non-	ano- pathic	6.9	0.9	2.3	1.7	0.3	1.5	1.3	0.0	1.6	1.4	0.0	0.6	0.5	12.4	12.4	12.4	5.4	9.5	8.7	1.4	3.3	2.7	1.0	3.0	2.5	7.0 7	4	0.1	C.0 7 U	0.7	0.9	1.3	1.2	1.9	4.6	3.7	3.6	2.0	2.5	0.2	0.9	0./ • •	4.9 6.5	
re¹	Market/	Shop	0.0	2.3	11.7	7.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	8.5	7.0	6.3	8.3	8.0	0.8	2.7	2.1	0.0	2.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.6	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0	
ces of Ca		Shop	5.7	2.1	2.3	2.2	1.6	2.9	2.7	0.3	4.2	3.7	3.3	8.3	7.7	0.0	2.4	1.8	0.0	0.9	0.8	0.0	0.0	0.0	0.0	0.0	0.0	7.0	0.0	0.0	0.0	0.1	2.8	6.5	5.6	0.0	3.6	2.4	1.3	2.7	2.3	1.4	1.7	0. - 7	1.7	
ated Sour	Dhar	rnar- macy	9.7	16.5	9.0	12.5	1.0	0.9	0.9	1.4	0.5	0.6	0.0	0.0	0.0	11.3	0.9	3.5	10.7	2.4	3.9	1.4	0.2	0.6	2.0	0.2	0.7	21.3	20.0	2.02 27.2	0.12	29.6	30.0	27.7	28.3	37.1	35.9	36.4	0.5	0.8	0.7	0.6	0.5	C.D	15.7 15.7	
Disaggreg	Reli-	oeo Blous-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	9.9	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.1	0.9	0.0	0.0	0.0	+ – تک	- , Ω L	c.1	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.U	0.0 0	
	MID	Private	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.9	0.8	0.0	0.1	0.1	1.3	2.2	2.0	0.3	1.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.9	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0	
		Public	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	1.2	4.0			3.Z	7.7	0.0	1.9	0.8	0.6	0.6	0.7	0.4	0.5	0.7	0.3	0.4	0.0	0.2	0.2	0.7 0.7	
	Driveto	Private Clinic(ian)	21.6	25.3	9.4	16.7	29.6	8.3	12.1	39.3	8.2	12.7	12.6	4.8	5.8	4.8	0.6	1.7	7.1	0.5	1.7	1.6	0.9	1.1	1.5	0.0	0.4	20.3		26.0	20.00 7 1 7	23.0	12.1	7.8	8.8	9.0	3.9	5.7	70.0	64.9	66.5 	12.8	70.0	/ U. Ø	13.8 2.2	
	Public	HF	27.1	22.4	35.5	29.5	17.9	24.4	23.2	15.9	27.8	26.0	23.5	38.6	36.7	36.6	24.9	27.8	39.8	22.2	25.4	51.2	41.9	44.6	0.2	1-1	0.8	4.1	10.1	0.01 F 7	1.0 14 9	14.1	9.7	15.6	14.1	10.8	14.7	13.3	0.7	1.9	1.5	0.0	1.2	U. I . C	23.5 21.5	
	Dublic	Hospital	8.8	14.3	9.1	11.5	12.3	1.1	3.1	T.T	2.5	3.3	29.6	10.9	13.3	4.1	0.6	1.5	2.4	0.0	0.5	12.7	2.8	5.7	6.69	49.1	54.6	8.Cl	5.4 7	9.C	0.21	3.2	18.6	9.4	11.7	16.2	9.7	12.0	7.7	8.7	8.4	9.6	6.9 1	1.1	1.5	
		z	1577	793	935	1728	214	986	1201	164	952	1116	786	5428	6214	558	1680	2238	154	676	830	/31	1778	2509	388	1069	145/	24L	000	070	869	096	987	2981	3968	1262	2370	3632	791	////	7100	1198	2454	4 100 000	207 1757	
	Place of	residence	AII	Urban	Rural	AII	Urban	Rural	All	Urban	Rural	AII	Urban	Rural	All	Urban	Rural	All	Urban	Rural	AII	Urban	Rural	All	Urban	Rural	All	Durol	Kulal All	Lirhan	Rural	AII	Urban	Rural	AII	Urban	Rural	All	Urban	Kural	All	Urban	KUral	All Liboo	Uruan Rural	
		Survey	Liberia 2007	Liberia 2013	Liberia 2013	Liberia 2013	Madagascar 2003-4	Madagascar 2003-4	Madagascar 2003-4	Madagascar 2008-9	Madagascar 2008-9	Madagascar 2008-9	Malawi 2010	Malawi 2010	Malawi 2010 ⁴	Mali 2006	Mali 2006	Mali 2006	Mali 2012-13	Mali 2012-13	Mali 2012-13	Mozambique 2003	Mozambique 2003	Mozambique 2003	Mozambique 2011	Mozambique 2011	Mozambique 2011	Nepal 2006	Nepal 2000	Nepal 2010	Nenal 2011	Nepal 2011	Nigeria 2008	Nigeria 2008	Nigeria 2008	Nigeria 2013	Nigeria 2013	Nigeria 2013	Pakistan 2006-7	Pakistan 2006-7	Pakistan 2006-7	Pakistan 2012-13	Pakistan 2012-13	Pakistan ZU 1Z- 13	Rwanda 2005 Rwanda 2005	

-
0
- Th
Ψ
~
2
-
4
~
-
0
~
()
-
1
Т
١.
۱ ۲
- - -
A1
A1
e A1
e A1
le A1
ble A1
able A1
able A1
Fable A1

							Γ	Jisaggreg	ated Soun	ces of Car	re1					Summa	ry Categori Rep	ies used thra oort²	ughout	
	Dlace of			Public				Reli-			Market/	Non-		Phar-	ī			Phar-		
Survey	residence	z	Hospital	HF	Private Clinic(ian)	CHW- Public	CHW- Private	gious-	rnar- macy	Shop	Shop	allo- pathic	Other	macy Only	only	Public	Private	macy Only	Other	Any Care³
Rwanda 2005	AII	2046	2.4	21.7	3.8	0.6	0.0	0.0	16.1	1.8	0.0	6.3	9.5	16.0	1.8	24.7	3.8	16.0	17.2	60.8
Rwanda 2010	Urban	172	2.6	27.9	12.7	13.5	0:0	0.0	8.1	0.0	0.0	0.9	1.2	7.3	0.0	44.0	12.7	7.3	2.1	65.3
Rwanda 2010	Rural	1183	1.5	24.9	0.5	15.9	0.0	0.1	2.8	0.0	0.0	1.4	4.0	2.6	0.0	40.3	0.6	2.6	5.3	48.7
Rwanda 2010	AII	1355	1.6	25.3	2.1	15.6	0:0	0.1	3.4	0.0	0.0	1.3	3.6	3.2	0.0	40.8	2.1	3.2	4.9	50.8
Senegal 2005	Urban	1097	5.3	33.9	13.2	0.8	0.0	2.9	10.6	2.5	0.0	1.9	0.1	9.8	1.9	39.4	16.2	9.8	4.2	67.3
Senegal 2005	Rural	1794	1.0	31.1	7.1	0.4	0.3	0.9	2.0	6.8	0.0	2.7	0.3	2.0	6.7	32.5	8.3	2.0	9.9	51.0
Senegal 2005	AII	2891	2.7	32.2	9.4	9.0	0.2	1.7	5.3	5.2	0.0	2.4	0.2	5.0	4.8	35.2	11.3	5.0	7.7	57.2
Senegal 2010-11	Urban	1211	12.1	30.4	6.6	1.1	0.5	0.0	8.9	0.2	0.4	1.3	3.1	8.3	0.2	43.6	7.1	8.3	5.0	62.1
Senegal 2010-11	Rural	1252	3.0	30.6	1.3	0.9	1.1	0.0	2.8	1.7	0.5	3.1	1.5	2.7	1.7	34.5	2.5	2.7	6.5	45.5
Senegal 2010-11	AII	2463	7.5	30.5	3.9	1.0	0.8	0.0	5.8	1.0	0.4	2.2	2.3	5.5	1.0	39.0	4.7	5.5	5.8	53.7
Tanzania 2004-5	Urban	351	22.5	33.8	18.3	0.0	0:0	4.6	15.1	0.0	0.0	0.0	0.0	15.1	0.0	55.9	23.0	15.1	0.0	92.8
Tanzania 2004-5	Rural	1598	4.7	42.8	5.7	0.2	0:0	5.4	23.7	0.0	0.0	0.0	2.1	22.2	0.0	47.4	11.0	22.2	2.1	82.0
Tanzania 2004-5	AII	1949	7.9	41.2	8.0	0.1	0.0	5.2	22.1	0.0	0.0	0.0	1.7	20.9	0.0	48.9	13.2	20.9	1.7	83.9
Tanzania 2010	Urban	454	18.6	32.0	16.6	0.0	0:0	0.0	14.6	0.0	0.0	0.0	1.5	12.2	0.0	50.2	16.6	12.2	1.5	79.8
Tanzania 2010	Rural	1300	2.4	51.6	3.1	0.0	0.0	0.3	23.0	0.0	0.0	0.0	0.7	21.4	0.0	53.3	3.4	21.4	0.7	78.4
Tanzania 2010	AII	1754	6.6	46.6	6.6	0.0	0.0	0.2	20.8	0.0	0.0	0.0	0.9	19.0	0.0	52.5	6.8	19.0	0.9	78.8
Uganda 2006	Urban	218	21.3	10.7	44.5	2.5	0.0	0.0	8.6	0.0	0.0	0.0	0.0	8.3	0.0	34.5	44.5	8.3	0.0	85.1
Uganda 2006	Rural	2919	4.5	23.7	45.0	2.9	2.0	0.0	6.8	1.4	0.0	0.7	0.8	6.3	1.2	30.7	46.8	6.3	3.0	83.0
Uganda 2006	AII	3138	5.6	22.8	44.9	2.9	1.9	0.0	6.9	1.3	0.0	0.7	0.8	6.4	1.1	30.9	46.6	6.4	2.8	83.2
Uganda 2011	Urban	330	12.1	16.0	62.2	0.2	1.7	0.0	3.5	0.9	0.2	0.0	1.8	3.3	0.9	28.3	63.6	3.3	2.9	92.7
Uganda 2011	Rural	2712	4.8	31.5	45.1	0.9	0.7	0.0	1.6	2.8	0.1	0.3	0.7	1.3	2.5	36.8	45.8	1.3	4.0	84.0
Uganda 2011	AII	3042	5.6	29.8	47.0	0.8	0.8	0.0	1.8	2.6	0.1	0.3	0.8	1.5	2.3	35.9	47.8	1.5	3.9	84.9
Zambia 2007	Urban	276	8.9	54.4	1.7	0.0	0.4	0.6	3.1	4.4	0.0	0.0	0.3	1.3	4.0	63.1	2.7	1.3	4.6	71.1
Zambia 2007	Rural	768	3.0	49.9	1.0	0.0	1.9	6.8	1.4	5.4	0.0	1.6	1.5	1.3	4.9	52.5	9.7	1.3	8.5	70.6
Zambia 2007	AII	1044	4.6	51.1	1.2	0.0	1.5	5.2	1.9	5.1	0.0	1.1	1.2	1.3	4.7	55.3	7.8	1.3	7.5	70.7
Zambia 2013	Urban	802	8.6	62.1	5.0	0.4	0.0	1.1	1.5	2.2	0.3	0.0	0.4	1.3	1.9	70.6	6.1	1.3	2.9	79.4
Zambia 2013	Rural	1853	2.9	59.9	0.1	4.0	0.3	3.3	0.7	3.0	0.0	1.0	0.6	0.5	2.4	66.5	3.7	0.5	4.5	74.0
Zambia 2013	AII	2655	4.6	60.5	1.6	2.9	0.2	2.6	0.9	2.7	0.1	0.7	0.5	0.7	2.2	67.7	4.4	0.7	4.0	75.7
Figures in parenthese.	s are based on 25-4	9 unweight	ed cases. A	Vn asterisk	indicates that	a figure is	based on f	ewer than.	25 unweigh	Ited cases 6	and has bee	1 suppres	sed. Children	for whom ca	re was sough	ht from multip	ole sources	contribute t	o each sourc	e's total, so
the total percentage m	lay exceed the percu	entage of c	hildren who	received ¿	any care.					1			:	:						
¹ The following DIsage	regated Sources of	Care cate(jories incluc	te multiple	standard resp des anv other	source optic	ons: Public	Peripheral	Health Fact	ility (HF) Inc Auding a friv	cludes: healt	h center, t or othor	iealth post, n	nobile clinic, t	or other publi	c sources of	care; Prival	te Clinic or (Clinician inclu	ides private

⁴ The public stiller, other private sources: and Other includes any other source of care sought outside the home, including a friend, relative, or other.
² The Public sources is the Public Hospital, Public Peripheral HF, and Public CHW disaggregated sources of care categories; the Private summary category combines the Public Hospital, Public Peripheral HF, and Public CHW disaggregated sources of care categories; the Private summary category combines the Public Hospital, Public Peripheral HF, and Public CHW disaggregated sources of care categories; the Private summary category combines the Public Hospital, Public Peripheral HF, and Public Pharmacy): Pharmacy Only includes children for whom care was sought only from a pharmacy; and the Other summary category combines the Shop, MarkeUnformal Shop, Non-Allopathic, and Other categories of care categories).
³ Any Care: includes children who received care form any source outside the home (including all disaggregated table. Respondents in the 2004 survey were asked what things were done in response to their child's fever. Responses included: gave medicine from home, gave medicine without prescription, taken to government health center, mission health center, consulted a taditional healer, consulted a tredit sponging, herbs at home, other, or nothing.

	Any Care³	85.9 87.6	87.3 01 A	79.9	82.0 72.6	55.3	61.4	61.4 50 Б	59.3	47.3	18.9 20.2	20.3 50.2	27.2	29.3	5.11	70.7	(62.6)	66.4 45.1	39.5	37.4	37.9 51.0	43.0	46.3	81.6 7.77	75.5	94.0	90.5 01 0	9.06	90.6	90.6 2 A	67.0	69.8	78.7 68.7	70.4	83.1	/8.4 70.5	9.9Z	71.0	73.3	52.0	54.2 ntinued)
oughout	Other	10.3 26.7	24.4 A 0	6.6	6.1 4.0	7.9	6.5	3.5	0.7	1.3	0.4	0.1	0.9	0.8 7 c	2 8 C	3.5	(2.8)	7.2 5.6	0.0 6.7	8.8	8.3	7.8	7.7	3.7	5.4	9.7	20.2 16.2	0.0	13.7	11.6 6.0	0.7 8.7	8.4	0.3	5.7	1.7	/.11 0 2	4.0 4	15.2	10.5	5.9	5.1 (Col
es used thro oort ²	Phar- macy Only	20.6 29.7	28.4	19.9	20.1 25.0	10.3	15.5	19.9 0.2	12.3	0.4	1.4	 	1.4	1.5	24.6	24.1	(10.1)	9.6 0.0	9.0 1.2	0.2	0.4	0.9	1.2	3.3	7.C	14.2	8.2 10.5	11.1	4.9	7.6 15 0	12.7	13.2	13.2 8.7	9.5	8.5 0.5	9.9	24.1	5.7	13.3 0 E	2.1	8.1
iry Categori Rep	Private	30.6 25.7	26.4 58.4	44.8	47.3 23.5	15.1	18.1	17.2	9.7	16.7	2.7	3.4 28.1	5.6	7.6 E E	0.0 10	5.8	(15.4)	4.3 c o	0.2 21.0	21.5	21.4 24 F	22.0	26.6	65.0 r 4 0	56.5	49.9	42.5 45.4	4.0.4 53.4	54.7	54.1 26.0	20.0 16.5	18.2	20.0 11 1	12.6	16.4	17.6	23.9	9.6	15.5 26.4	10.3	13.2
Summe	Public	26.1 9.1	11.5 11 5	12.1	12.0 23.4	26.0	25.1	21.6 26.7	32.1	29.5	14.8 15 E	13.5	19.9	19.8 40 E	34.2	38.4	(37.7)	45.4	42.7 13.2	9.6	10.4	14.5	13.2	13.4	12.3 12.3	25.1	24.6 24.0	24.0 29.7	25.2	27.2	30.6	31.7	47.3 44.1	44.6	57.6	41.8 45.5	40.0 25.5	42.7	35.6	33.7	34.5
	Shop Only	0.0	0.0	0.0	0.0	1.3	0.9	0.0	0.3	0.0	0.1	0.1	0.6	0.5	0.0	0.0	(0.0)	1.1	0.0	1.6	1.2	2.1	0.9	0.0	0.9	7.1	15.1 12.1	2.4	7.7	5.4	5.2 6.3	5.7	0.0 4 8	4.0	0.8	4.6 7 C). 0.8	2.3	1.7	2.5	2.2
	Phar- macy Only	20.6 29.7	28.4 21.0	19.9	20.1 25.0	10.3	15.5	19.9 0.2	12.3	0.4	1.4	3.3 2.3	1.4	1.5	24.6	24.1	(10.1)	9.6 0.0	9.0 1.2	0.2	0.4	0.9	1.2	3.3	2.c 8.4	14.2	8.2 10.5	11.1	4.9	7.6 15 0	12.7	13.2	13.2 8.7	9.5	8.5 0	9.9	7.0 24.1	5.7	13.3 0 E	2.1	8.1
	Other	3.2	3.9	1.0	1.0	1.9	1.7	1.4	0.0	0.1	0.0	0.0	0.0	0.0	5.1 1.0	1.9	(2.8)	1.7	2.5	4.8	4.3 5		5.6	0.7	0. 4.	1.0	3.3 2	4.0	2.7	3.2	0.5	0.7	0.0	0.8	0.8	3.9	2.2	0.4	0.2	1.6	1.4
	Non- allo- athic C	7.1	20.5 3 3	5.6	5.1 2.5	4.9	4.0	2.1 5.0	4.9	0.0	0.3	0.0	0.3	0.2	1.7	1.2	(0.0)	1.2	0.0 2.8	3.0	3.0	0.7	0.4	3.3	3.2 3.2	0.4	2.2 1 F	1.9	3.3	2.7	1.8	1.8	0.0	0.7	0.1	3.5	7.7 0.0	1.2	0.7	1.9	1.6
	formal a Shop p	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.2	0.0	0.0	0.0	0.0	0.0	0.0	(0.0)	3.2	2.0 1.4	0.6	0.8	+ C	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.0	7.4	0.0	0.0
of Care ¹	Shop	0.0	0.0	0.0	0.0	1.3	0.9	0.0	0.3	0.0	0.1	0.1	0.6	0.5	0.0	0.4	(0.0)	1.1	0.0	1.6	1.2 1 p	10	1.3	0.0	1.2 0.9	8.3	15.8	3.1	9.1	6.5 2.6	ы. 6.5	6.0 0.3	0.3 5.3	4.4	0.8	5.0	1.6	2.5	2.2	2.5	2.2
ed Sources	Phar- macy	20.6 30.7	29.3 21.0	22.4	22.2 27 2	11.4	17.0	22.7 0.6	7.0 13.3	0.5	1.8	1.0 3.7	1.6	1.8 77.0	25.9	25.0	10.7)	10.6	1.2	0.2	0.4	0.9	1.3	4.0 7	5.4 Σ.4	14.9	8.6	13.1	6.6	9.5 10.1	14.1	14.9	13.5 8.7	9.5	8.9	10.3	7.7 24.9	5.8	13.7	2.1	1.8
Disaggregat	Reli- gious- NGO	1.8	0.3	0.3	0.3	0.0	0.0	0.0	0.0	3.6	0.9	1.7	0.9	0.0		0.0	(0.0)	0.0	0.0 4.7	8.9	7.9	8.3	8.1	0.1	0.2 0.2	0.6	1.8	1.4 0.0	0.0	0.0	3.4	3.6	9.7 2.0	3.3 2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	CHW- Private	0.0	0.0	0.0	0.2 8 c	8.4	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	(0.0)	0.0	0.0	0.0	0.0	0.5	0.6	0.0	0.0	4.9	15.8 11 7	7.6	18.7	13.8	0.8	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	CHW- Public	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.0	0.0	0.0	0.0	0.0	(0.0)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0
	Private Slinic(ian)	28.8 25.7	26.1 57 1	44.8	47.0 20.7	6.9	11.8	17.2	9.7	13.1	1.9	2.4 28.1	5.2	7.2 E E	0.0 10	5.8	(15.4)	4.3	0.2 16.6	12.6	13.5 26.2	13.2	18.0	64.9 52.0	56.3	44.5	25.7 22.0	32.7 46.0	36.2	40.5	22.0 12.3	13.9	12.1 9.1	9.6	16.4	17.6	23.9	9.6	15.5 25 A	10.3	13.2
	Public Periph HF 0	17.5 8.3	9.6 6.8	0 00 0	8.4 14.6	23.6	20.4	17.0 35.1	30.0	21.9	10.8	11.4	19.3	18.9 12.5	13.3	13.1	(3.2)	31.7	21.7 10.4	7.9	8.5 7	6.6	8.3	4.8	C.8	22.1	22.6 77 A	22.4 28.3	22.4	25.0 20.0	24.2	23.5	29.8 33.3	32.7	42.7	33.8 25.0	53.9 14.0	34.3	25.9 22.7	30.2	28.8
	Public Hospital	8.6 1.0	2.1	3.3	3.6 0 0	2.6	4.8	4.6 1 2	2.2	7.6	3.7	5.7 5.7	1.0	1.4 25.0	20.3	26.3	(35.6)	14.1 21.7	2.9	1.6	1.9	4.6	5.1	9.0 2 Г	5.5 4.8	3.4	2.1	2.0 1.3	3.2	2.3	6.9	8.7	19.8 11.6	13.0	14.8 2.0	0.8	7.0 11.4	8.4	9.6 1E 2	3.4	p./
	z	40 237	277 80	397	486 435	801	1237	317 016	1133	64	1205	69	703	773	236	335	53	97 150	126	420	546 228	586	924	691 777	2307 3058	686	1103	1/09 366	467	833	849	1023	346 71	416	104	336	440 164	232	396 04	409	505
	Place of residence	Urban Rural	All Hrhan	Rural	All Hrhan	Rural	AII	Urban Dural	All	Urban	Rural	Urban	Rural	All	Rural	All	Urban	Rural	Urban	Rural	All	Rural	All	Urban	All	Urban	Rural	Urban	Rural	All	Rural	AII	Urban Rural	All	Urban	Kural	Urhan	Rural	All	Rural	All
	Survey	Bangladesh 2007 Bangladesh 2007	Bangladesh 2007 Bandadesh 2011	Bangladesh 2011	Bangladesh 2011 Conco DR 2007	Congo DR 2007	Congo DR 2007	Congo DR 2013-14	Congo DR 2013-14	Ethiopia 2005	Ethiopia 2005	Ethiopia 2011	Ethiopia 2011	Ethiopia 2011	Ghana 2003	Ghana 2003	Ghana 2008	Ghana 2008 Chana 2008	Haiti 2005-6	Haiti 2005-6	Haiti 2005-6	Haiti 2012	Haiti 2012	India 2005-6	India 2005-6	Indonesia 2007	Indonesia 2007	Indonesia 2012	Indonesia 2012	Indonesia 2012 Vonve 2002	Kenya 2003	Kenya 2003	Kenya 2008-9 Kenya 2008-9	Kenya 2008-9	Liberia 2007	Liberia 2007	Liberia 2007	Liberia 2013	Liberia 2013	Madagascar 2003-4	Madagascar 2003-4

Table A2. Sources of care for symptoms of ARI by place of residence, USAID MCH priority countries

δ
Ō
5
3
2
2
5
N.
S.
Т
ו ק
A2
le A2
ble A2
able A2

	Any Care³	60.9 47.2	49.3	00.0 69.1	68.9 67.6	77.5	76.1	55.5	59.1 (60.7)	56.9	57.4 65.9	62.3	63.6 68.0	49.6	55.1 71.9	65.2	00.0 89.3	76.7 78.0	76.8	00.7 68.8	79.5 75.8	76.8	88.5 81.3	83.3 86.7	82.2 83.5	75.5	01.9 64.1	83.5 57.8	62.1 68.7	54.6 54.6	0.69	49.8 59.9	86.5 86.1 86.2	ntinued)
oughout	Other	0.0 7.7	6.5 10.2	34.0	32.8 2.0	8.0	7.2	22.1	18.6 (0.7)	(7:2) 30.3	27.6 4.8	0.3 0.3	7.0 3.9	4.8	4.5 0.3	2.0	8.1 0.0	3.0	7.1	9.8	3.7 14 9	11.8	4.9	4.6 0.2	2.0 1.5	17.5	21.5	1.9 9.5	8.2 4 9	6.7 6.7	1.3	5.8	0.3 2.3	ŝ
ies used thr oort²	Phar- macy Only	1.0 0.8	0.0	0.0	0.0	0.0	0.0	0.4	2.9 (13.0)	3.2	4.5 1.6	0.3	0.8 1.4	0.0	0.4 17.9	22.9	22.3 20.3	28.1 27.3	37.7	20.3 29.2	31.9 31.9	31.9	0.0	0.4 0.3	0.6	18.3	15.9	5.8 3.2	3.6 7.7	3.5	7.2	4.7	13.6 22.4 21.0	
ary Categori Rei	Private	36.5 10.8	14.7	0.2 8.0	7.8 13.8	18.2	17.6 8.0	1.2	3.0 (10.5)	0.4	1.7 2.0	1.8	0.0 0.0	0.0	0.0 39.3	14.5	35.5	25.1 26.1	9.1	8.7 8.7	12.6 3.7	5.8 2.8	/0.3 67.4	6.69 77.6	71.4 73.1	14.6	3.9	21.0 0.0	3.5 17.8	6.9	8.9	5.8 5.8	18.1 10.8 12.0	
Summa	Public	25.2 30.1	29.4	40.0 27.9	29.0 54.4	54.5	54.5 42.0	32.4	35.2 (27 0)	24.6	25.0 58.0	52.3	54.4 64.4	47.0	52.3 15.8	28.2	20.7 33.5	24.1 25.1	24.4	23.2	35.1 26.7	29.0	9.9 9.7	9.7 9.4	9.4 0.4	26.7	24.1 24.1	54.8 45.1	46.7 41 1	38.9	51.7	44.2	56.0 51.4 52.1	
	Shop Only	0.0 5.3	4.5	10.0 29.8	28.7 0.6	5.0	4.8	1.3	1.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	6.9	0.0	4.3	1.2 2.2	1.9 0.1	1.7	0.6	2.3	0.0	0.0	3.8 3.8	0.0	c.1 7.0	0.0	:
	Phar- macy Only	1.0 0.8	0.9	0.0	0.0	0.0	0.0	0.4	2.9 (13.0)	3.2	4.5 1.6	0.3	0.8 1.4	0.0	0.4 17.9	22.9	22.3 20.3	28.1 27.3	37.7	20.3 29.2	31.9 31.9	31.9	0.0 0.5	0.4 0.3	0.6	18.3	15.9	5.8 3.2	3.6 7.7	3.5 7	7.2	4.7	13.6 22.4 21.0	
	Other	0.0 0.2	0.1 0.E	1.0	0.0	0.8	0.7	2.0	1.7	(J. C) 3.8	3.8 1.7	2.6	2.3 2.2	0.8	1.2 0.0	0.0	0.0	1.3	0.5	0.2	1.7 0.5	0.8	0.3 0.2	0.2 0.1	0.1	13.2	11.8	1.9 8.7	7.5 0.1	1.1	0.5	3.0 1.7	0.3 2.3 2.0	
	Non- allo- pathic	0.0 1.8	1.5	2.0 3.2	3.1 0.0	1.0	0.9 5.5	11.3	9.8 (2.2)	9.5	9.4 2.5	2.7	2.6 1.8	4.0	8.8 0.0	1.5	0.0	1.7	2.8	1.9 2.1	2.0 5.8	4.8	3.4 2.1	2.5 0.0	0.2	3.7	7.5	0.0 1.2	1.0 2.6	1.9	6.0 1.8 1.0	0.1 3.3	0.0	
	Market/ Informal Shop	0.0 0.0	0.0	0.0	0.0	0.0	0.0 3.6	8.1	9.9 (0.0)	(0.0) 18.6	16.2 0.6	3.0	2.1 0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 0.4	0.0	
es of Care ¹	Shop	0.0 5.7	4.8	30.3	29.2 2.0	6.1	5.5	1.3	1.0	1.1	0.0	0.0	0.0	0.0	0.0	0.6	c:0 0:0	0.0	3.9	8.7 7.5	0.0	4.5	1.2 2.2	1.9 0.1	1.7	1.2	2.4	0.0	0.0	3.8	0.0	C.1 7.0	0.0	
jated Sourc	Phar- macy	1.0 0.8	0.0	0.0	0.0	0.1	0.0	0.6	3.4 (12.0)	3.7	4.8	0.3	0.8 1.4	0.0	0.4 20.6	25.6	25.0 26.2	30.9 30.4	38.8	30.1	33.8 37.5	32.8	0.0	0.4 0.3	0.8	18.5	10.01	5.8 3.2	3.6 9.8	3.6	7.6	5.0	14.4 23.3 21.8	
Disaggrei	Reli- gious- NGO	0.0 0.0	0.0	4.9	4.8 3.0	10.5	9.5	0.0	0.0	0.0	0.0	1.3	0.0 0.0	0.0	0.0 1.3	3.3	3. I 0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2 1.2	0.0	0.0 0.0	4.6 6.3 6.0	
	CHW- Private	1.3 0.8	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.8	0.0	
	CHW- Dublic	0.0 0.0	0.0	0.0 0.6	0.5	1.6	1.4	0.0	0.0	0.0	0.0	0.5	0.3 1.8	3.0	2.6 0.0	1.9	0.9	2.6 2.4	0.0	0.9	0.0	0.1	0.0	0.2 0.0	0.4	0.5	0.5	9.8 13.6	13.0 1 9	0.5	2.1	0.9 1.6	0.0	
	Private Clinic(ian	35.2 10.0	13.9	3.0	2.9 10.8	8. 1.0 0.0	8.5	0.7	2.4 (10.5)	0.4	1.7 1.8	0.5	1.0 0.0	0.0	0.0 37.9	11.3	14.4 35.5	23.6 24.8	9.1	8.5 8	12.6 3.2	1 00 r	/0.3 67.4	6.9 77.6	71.4 73.1	14.6	3.9	21.0 0.0	3.5 15.2	5.2 0 0	9°.5°	5.0	13.4 4.7 6.1	
	Public Periph HF	17.6 28.7	27.0	14.7 22.3	21.6 20.5	40.2	37.5 28.6	30.0 31.6	33.4 (27.0)	24.6	25.0 41.3	47.7	45.4 0.0	0.4	0.3 5.0	22.1	20.1 4.5	20.1 18.6	6.4	13.3 11.6	10.9 15.8	14.4	1.7	1.5 0.0	1.0	20.8	21.2 21.2	41.8 33.9	35.2 33.0	36.5 36.5	36.9	31.9 34.5	31.3 46.8 44.2	
	Public Hospital	7.5 1.9	2.8 75.0	5.1	6.8 33.0	14.1	16.8 A 7	0.8	1.9 (3.0)	0.0	0.5 17.3	4.2	9.0 64.4	44.0	50.2 10.9	7.9	8.3 28.2	2.3 4 9	18.0	8.0 10.9	24.2 10.8	14.5	0.0	8.0 9.3	8.1 8.4	5.4	2.5	3.2 1.1	1.5	1.9	13.5	8.5 0.5	24.7 5.2 8.4	
	z	52 292	345 152	1688	1840 168	1053	1221	518	706 20	138	158 335	583	919 50	115	166 33	244	211	215 238	172	61 c	154 411	565	323 854	1178 478	1273 1751	211	1332	54 269	322 580	690 690	310	589	108 540 648	
	Place of residence	Urban Rural	All	Rural	All LIrhan	Rural	All	Rural	All Hrhan	Rural	All Urban	Rural	All Urban	Rural	All Urban	Rural	All Urban	Rural All	Urban	All	Urban Rural	All	Urban Rural	All Urban	Rural All	Urban	All	Urban Rural	All LIrhan	Rural	Urban	All	Urban Rural All	
	Survey	Madagascar 2008-9 Madagascar 2008-9	Madagascar 2008-9	Malawi 2004 Malawi 2004	Malawi 2004 Malawi 2010	Malawi 2010	Malawi 2010 Mali 2006	Mali 2006	Mali 2006 Mali 2012_13	Mali 2012-13	Mali 2012-13 Mozambique 2003	Mozambique 2003	Mozambique 2003 Mozambique 2011	Mozambique 2011	Mozambique 2011 Nepal 2006	Nepal 2006	Nepal 2016 Nepal 2011	Nepal 2011 Nepal 2011	Nigeria 2008	Nigeria 2008 Nigeria 2008	Nigeria 2013 Nineria 2013	Nigeria 2013	Pakistan 2006-7 Pakistan 2006-7	Pakistan 2006-7 Pakistan 2012-13	Pakistan 2012-13 Pakistan 2012-13	Rwanda 2005	Rwanda 2005	Rwanda 2010 Rwanda 2010	Rwanda 2010 Seneral 2005	Senegal 2005 Senegal 2005	Senegal 2010-11	Senegal 2010-11 Senegal 2010-11	Tanzania 2004-5 Tanzania 2004-5 Tanzania 2004-5	

0
ā
-
3
5
-2
4
5
~
0
1
U.
1
I.
। ন
ו ק
₹2
A2
e A2
le A2
ole A2
ble A2
able A2
Fable A2. –

								Disagarea	ated Source	es of Care ¹	+					Summa	iry Categorié Rep	es used throu ort ²	ighout	
				Public				Reli-			Market/	-Non-		Phar-			-	Phar-		
	Place of		Public	Periph	Private	CHW-	CHW-	gious-	Phar-		Informal	allo-		macy	Shop			macy		Any
Survey	residence	z	Hospital	ΗF	Clinic(ian)	Public	Private	NGO	macy	Shop	Shop	pathic	Other	Only	Only	Public	Private	Only	Other	Care ³
Tanzania 2010	Urban	85	24.6	46.5	11.3	0.0	0.0	0.0	10.0	0.0	0.0	0.0	2.5	4.3	0.0	70.0	11.3	4.3	2.5	85.1
Tanzania 2010	Rural	247	6.1	51.4	4.3	0.0	0.0	0.0	17.8	0.0	0.0	0.0	1.4	16.2	0.0	56.5	4.3	16.2	1.4	9.77
Tanzania 2010	AII	332	10.8	50.1	6.1	0.0	0.0	0.0	15.8	0.0	0.0	0.0	1.6	13.1	0.0	0.09	6.1	13.1	1.6	7.97
Uganda 2006	Urban	93	18.3	5.6	45.1	1.5	0.0	0.0	9.8	0.0	0.0	0.2	0.0	9.0	0.0	25.4	45.1	0.6	0.2	77.5
Uganda 2006	Rural	1016	5.3	26.7	42.0	1.9	1.6	0.0	8.1	1.4	0.0	1.2	1.2	7.1	1.0	33.6	43.3	7.1	3.8	83.4
Uganda 2006	AII	1109	6.3	24.9	42.2	1.9	1.5	0.0	8.3	1.2	0.0	1.1	1.1	7.2	0.9	32.9	43.4	7.2	3.5	82.9
Uganda 2011	Urban	141	12.5	16.3	54.6	0.0	3.0	0.0	3.7	3.4	0.0	0.3	3.4	3.3	3.4	28.3	57.0	3.3	6.8	89.9
Uganda 2011	Rural	<i>LL</i> 6	4.2	28.6	49.2	0.7	0.7	0.0	1.5	1.5	0.1	0.6	1.0	1.5	1.1	32.9	49.9	1.5	3.2	82.4
Uganda 2011	AII	1118	5.2	27.0	49.9	9.0	1.0	0.0	1.7	1.8	0.1	0.6	1.3	1.7	1.4	32.3	50.8	1.7	3.7	83.4
Zambia 2007	Urban	95	9.6	57.1	0.7	0.0	0.0	0.0	7.7	2.1	0.0	0.4	0.0	3.3	1.9	66.2	0.7	3.3	2.5	72.5
Zambia 2007	Rural	209	5.4	54.3	1.4	0.0	1.1	8.0	2.1	2.5	0.0	3.4	0.9	1.9	1.9	58.6	10.5	1.9	6.9	74.9
Zambia 2007	AII	304	6.7	55.1	1.2	0.0	0.8	5.5	3.9	2.4	0.0	2.5	0.6	2.3	1.9	61.0	7.5	2.3	5.5	74.2
Zambia 2013	Urban	136	10.6	64.3	4.7	0.0	0.0	2.5	0.9	4.0	1.7	0.0	0.0	0.9	4.0	74.3	7.2	0.9	5.7	84.8
Zambia 2013	Rural	333	3.1	59.1	0.3	2.2	0.2	1.7	0.3	1.4	0.5	0.8	1.1	0.0	1.4	63.7	2.3	0.0	3.7	69.3
Zambia 2013	AII	469	5.3	60.6	1.6	1.6	0.2	2.0	0.4	2.1	0.8	9.0	0.8	0.2	2.1	66.8	3.7	0.2	4.3	73.8
Finitres in narentheses	are hased on 25-49 ur	heinhten	rases An a	sterisk indi	irates that a fir	TILLE is has	and on fewe	r than 25 II	mweinhten .	rases and	has heen si	Innressed	Children for	whom care	was sought f	From multiple	P SOLITCPS C	nutribute to e	ach source's	total so

Figures in parentheses are based on 25-49 unweighted cases. An asterisk indicates that a ligure is based on tewer man 25 unweighted cases and nas been suppressed. Chindren for whom care was sought intrimupe sources outrices outr

rity countries
H prio
ID MC
e, USA
residenc
place of
iarrhea by
care for c
Sources of
Table A3.

	Any Care ³	70.4 70.4 71.5 71.5 72.5 74.9 75.6 75.6 75.6 75.6 75.6 75.6 75.6 86.1 75.6 86.3 75.6 86.3 75.6 86.3 75.6 86.3 75.6 86.1 77.2 86.1 77.2 86.1 77.2 86.1 77.2 86.1 77.2 86.1 77.2 86.1 77.2 86.1 77.2 87.3 87.3 87.3 87.3 87.3 87.3 87.3 87.3	ntinued)
oughout	Other	197 197 286 286 286 286 287 287 287 287 287 287 287 287 287 287	(Co
es used thr ort²	Phar- macy Only	269 269 269 269 269 269 269 209 209 209 209 209 209 209 209 209 20	
/ Categorie Repo	Private	19.0 19.4 19.4 10.4 10.4 11.0 11.4 11.4 11.4 11.4 11	
Summany	Public	11 3 9 8 9 9 9 9 9 9 9 9 9 9 9 9 1	
	Shop Only	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
	Phar- macy Only	2245 2245 2245 2245 2245 2245 2245 2245	
	Other	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
	Non-allo- pathic	$\begin{array}{c} 256\\ 256\\ 1\\ 1\\ 1\\ 2\\ 2\\ 2\\ 2\\ 2\\ 2\\ 2\\ 2\\ 2\\ 2\\ 2\\ 2\\ 2\\$	
	Market/ Informal Shop	$\begin{smallmatrix} 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.0$	
es of Care ¹	Shop	$\begin{array}{c} 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 $	
gated Sourc	Phar- macy	252 251 251 251 252 252 252 252 252 252	
Disaggrei	Reli- gious- NGO	$\begin{array}{c} 2\\ 2\\ 2\\ 2\\ 2\\ 2\\ 2\\ 2\\ 2\\ 2\\ 2\\ 2\\ 2\\ $	
	CHW- Private	$\begin{smallmatrix} & 0 \\ & $	
	CHW- Public		
	Private Clinic(ian)	10.1 10.1	
	Public Periph HF	7.7 7.7 8.8 8.8 8.8 8.8 8.8 8.8 8.5 7.7 7.7 7.8 8.8 8.5 6.5 7.7 7.7 7.8 8.8 8.5 6.5 7.7 7.7 7.8 8.5 6.5 7.7 7.7 7.8 8.5 8.5 6.5 7.7 7.7 7.8 8.5 8.5 6.5 7.7 7.7 7.8 8.5 8.5 6.5 7.7 7.7 7.8 8.5 8.5 7.7 7.7 7.7 7.8 8.5 8.5 6.5 7.7 7.7 7.7 7.8 8.5 8.5 7.7 7.7 7.7 7.8 8.5 8.5 7.7 7.7 7.7 7.8 8.5 8.5 7.7 7.7 7.8 8.5 8.5 7.7 7.7 7.8 8.5 8.5 8.5 7.7 7.7 7.8 8.5 7.7 7.7 7.8 8.5 8.5 8.5 7.7 7.7 7.7 7.8 8.5 8.5 7.7 7.7 7.8 8.5 7.7 7.7 7.8 8.5 8.5 8.5 7.7 7.7 7.7 7.7 7.8 8.5 8.5 8.5 7.7 7.7 7.8 8.5 8.5 7.7 7.7 7.7 7.7 7.7 7.8 8.5 8.5 8.5 8.5 8.5 8.5 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7	
	Public Hospital	22 21 22 22 22 23 23 24 25 25 25 25 25 25 25 25 25 25 25 25 25	
	z	122 122 559 559 559 559 559 559 559 559 559 559 559 559 559 559 559 313 313 313 313 313 1313 152 351 1325 1326 1327 1328 152 3540 35540 35541 12125 3541 12126 3541 3541 3541 3541 3541 3541 3541 3541 3541 3541 3541 3541 3541 3541	
	Place of residence	Urban Urban Rurban Rurban Rurban Rurban Rurban Rurban Rurban Rurban Rurban Rurban Rurban Rurban Rurban Rurban All Burban Rurban Rurban All Burban Rurban Rurban All Burban Rurban Rurban All Burban Rurban All Burban Rurban Rurban All Burban R	
	Survey	Bangladesh 2007 Bangladesh 2007 Bangladesh 2011 Bangladesh 2011 Bangladesh 2011 Bangladesh 2011 Congo DR 2007 Congo DR 2007 Congo DR 2013-14 Congo DR 2013-14 Congo DR 2013-14 Congo DR 2013-14 Congo DR 2013-14 Ethiopia 2005 Ethiopia 2005 Ethiopia 2003 Ghana 2008 Ghana 2003 Ghana 2008 Ghana 2008 Ghana 2003 Ghana 2003 Gh	

~
ž
Ψ
3
2
Ť
2
0
~
0
_
Ĩ
Ĩ.
ັ ເ
4 3. −
A3
e A3
le A3
ble A3
able A3
Table A3

	Anv	Care ³	57.1 37.7	40.7	49.5	57.5	63.0	72.9	C.17 2.17	27.9	30.7	02.50 51.4	53.7	57.5	54.7 55.6	71.2	60.7	63.9 54.7	50.1	50.6	68.8 61.4	62.1	69.69	62.8	04.4 70.3	71.2	70.9	68.9	70.5	75.2	76.4	33.7	29.3	48.2	50.0 49.8	36.1	32.6 32.0	48.2	47.2 47.7	ntinued)
oughout		Other	6.2 5.5	5.6	10.8	23.1	8.6	10.6	10.9	13.7	13.2	20.8 24 1	23.4	3.2	8.1 6.5	3.2	7.3	0. - 2	1.5	2.0	0.7	2.1	6.9	14.0	3.7	15.3	11.5 ° 7	6.0 6.0	6.8 1	1.3	1.4	8.2	9.9 8.9	7.2	0.0L	13.3	14.1 13 p	8.6	12.4 10.7	(Co
es used thr ont²	Phar- macv	Only	1.2	0.4	0.0	0.0	0:0	0.0	0.0	0.0	0.0	7.7 7.5	3.5	1.4	0.0	1.2	0.1	0.4 21.6	22.0	21.9	24.9 21.8	22.1	23.0	20.3	21.0 31.8	32.1	32.0	0.0	0.3	0.0	0.6	9.6 9.7	0.4 6.8	7.9		1.9	0.2	5.4	1.0 2.9	
ry Categorie Rep		Private	23.5 6.7	9.3	5.5	0.1 7.6	7.6	13.0	12.2	0.8	1.6	4.8 1 9	2.5	0.6	1.5 2 C	1.1	0.9	15.4	5.1	6.4	28.5 13.5	14.9	12.5	7.4	8.0 7.5	3.0	4.4 45.4	54.9	58.2	64.1	65.9	5.2	2.0	4.9	1.2	5.1	1.2	4.4 4.4	1.7 2.9	
Summa		Public	27.6 25.9	26.1	33.2	20.4 28.9	49.6	51.7	47 LC	13.5	16.3	31.0 24.5	26.0	52.5	45.6 47 9	65.8	53.9	5/.5 13.2	21.7	20.7	14.9 24.0	24.0	28.2	22.1 22.1	23.5 27.8	22.3	24.1 7.0	9.0	8.7	10.4	9.6	11.1	12.1	28.6	36.6 35.6	16.9	17.7 A. 71	30.7	32.9 32.0	
	Shop	Only	0.4 1 9	1.6	10.8	16.3	4.6	6.7	0.0 0 0	2.2	1.9	0.3 1 1	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	4.5	10.0	8.7 0.2	4.2	2.9	3.2	2.5	0.8	0.8	0.5	0.6	0.0	0.1	3.3	4.8	4.2 1.2	3.1 2.3	
	Phar- macv	Only	1.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7 2.6	3.5	1.4	0.0	1.2	0.1	0.4 21.6	22.0	21.9	24.9 21.8	22.1	23.0	20.3	21.0 31.8	32.1	32.0	0.0	0.3	0.0	0.6	9.6 4.4	0.4 6.8	7.9		1.9	0.2	5.4	1.0 2.9	
		Other	5.0 1.9	2.4	0.0	4 1. 1.3	2.5	1.5	1.7	3.6	3.2	2.1 2.4	2.4	1.6	1.3	0.6	0.4	0.0	0.0	0.0	0.0	1.1	1.2	1.8	0.1 1.0	0.9	0.9	0.3	0.3	0.2	0.1	4.7	4.1 4.1	3.0	9.7 0 L	9.6	8.4 9.9	3.5	2.9 3.1	
	on-allo-	pathic	0.8 1.9	1.7	0.0	4.4	0.7	2.1	7.6	7.9	7.8	11.7	11.3	1.3	5.0 3.8	2.4	5.8	4.8 ק	1.5	2.0	0.7	0.6	0.9	2.0	1.7 2.4	8.0	6.2 7 2	2.7	4.1	0.2	0.4	3.1	4.4	4.2	2.5	0.7	1.4	3.2	4.5 3.9	
	Market/ nformal N	Shop	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.5	0.6	7.7 111	10.3	0.3	1.8	0.2	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.5	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 1.3	2.2 1.8	
es of Care ¹		Shop	0.4 1 9	1.6	10.8	17.4 16.7	5.3	7.0	0.0 0 0	2.2	1.9	0.3 1 1	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	4.7	10.4	0.2 0.2	4.2	2.9	3.2	2.6	0.0	0.8	0.5	0.0 0.6	0.0	0.1	3.7	4.8 7.7	1.2	3.1 2.3	
jated Sourc	Phar-	macy	3.2 0.4	0.8	0.0	0.0 0.0	0.0	0.0	0.0	0.0	0.0	5.1 7.1	3.8	1.4	0.0	1.9	0.3	0.8 23.4	24.7	24.6	26.0 22.4	22.7	23.8	21.0 21.7	21.7 33.0	32.7	32.8	0.0	0.3	0.0	0.7	9.6 6 E	0.9 6.9	7.9	3.1	2.0	0.2	5.9	1.0 3.2	
Disaggreç	Reli- dious-	NGO	0.0	0.0	0.9	9.6 4.6	4.1	8.5	6.7 0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.9	1.5	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.9	0.0	0.0	
	CHW-	Private	0.0	0.5	0.0	6:0 4:0	0.0	0.3	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6 0.6	
	CHW-	Public	0.0	0.0	0.0	2.3	0.0	3.6	3.U 0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.4	0.9	3.2	2.5 0.3	4.1	3.6	0.7	2.7	0.7	0.6	0.0	0.2	0.3	0.5	0.4	0.4	0.3	0.0	0.4	6.1	13.9 12.9	0.6	0.2	0.1	0.5 0.3	
	Private	Clinic(ian)	23.5	8.8	4.6 0,7	2.5	3.4	4.5	4.3 0.7	0.8	1.6	4.8 0.3	1.2	0.6	1.2	1.1	0.9	0.1	4.2	4.9	28.5 13.4	14.8	11.9	5.9	7.5	3.0	4.4 65.6	54.9	58.2	64.1	65.9	5.2	2.0	4.9	1.2	3.9	0.3	3.8	1.1 2.3	
	Public Periph	HF	24.0 24.0	24.0	15.3	20.4	25.1	39.7 27 E	37.5 25.1	13.5	15.8	20./ 24.5	25.0	38.0	41.1 40.1	0.2	0.4	0.4 4 0	16.2	14.7 2.2	3.8 10 0	18.4	10.5	13.3	12.0 12.0	14.2	13.5	1.9	1.6	1.9	1.4	8.7	10.5	24.0	23.4 23.5	14.7	16.6 15.0	21.2	29.5 25.9	
	Public	Hospital	3.6	2.2	17.9	4.0 6.2	24.5	9.4 11 4	3.4	0.1	0.7	4.4 0.0	1.0	14.6	4.3	64.7	50.3	54.7 9.2	3.8	4.4	10.8 2 1	2.9	17.2	8.3 9.3	10.4 15.5	8.0	10.4	6.7	6.8 1 2	8.1	7.8	2.4	1.1	0.8	1.0	1.8	0.9	10.1	3.0 6.1	
		z	151 841	993	234	2177	467	2691 2150	325	1334	1660	1/1	832	440	887 1328	366	839	1205	548	623	65 616	711	608	1922	233U 958	2008	2966 275	732	1058	1764	2482	145 06.0	1103	140	992 1132	801	1367 2168	2 100 978	1268 2246	
	Place of	residence	Urban Rural	All	Urban	All	Urban	Rural	All Lirhan	Rural	All	Urban Rural	All	Urban	Rural All	Urban	Rural	All Lirhan	Rural	AII	Urban Dural	All	Urban	Rural	All Urban	Rural	All	Rural	All	Rural	AII	Urban	All	Urban	Kural All	Urban	Rural	Urban	Rural All	
		Survey	Madagascar 2008-9 Madagascar 2008-9	Madagascar 2008-9	Malawi 2004	Malawi 2004 Malawi 2004	Malawi 2010	Malawi 2010	Mali 2006 Mali 2006	Mali 2006	Mali 2006	Mali 2012-13 Mali 2012-13	Mali 2012-13	Mozambique 2003	Mozambique 2003 Mozambidue 2003	Mozambique 2011	Mozambique 2011	Mozambique 2011 Nenal 2006	Nepal 2006	Nepal 2006	Nepal 2011	Nepal 2011	Nigeria 2008	Nigeria 2008	Nigeria 2013 Nigeria 2013	Nigeria 2013	Nigeria 2013 Dakietan 2006 7	Pakistan 2006-7	Pakistan 2006-7	Pakistan 2012-13	Pakistan 2012-13	Rwanda 2005	Rwanda 2005	Rwanda 2010	Rwanda 2010 Rwanda 2010	Senegal 2005	Senegal 2005	Senegal 2010-11	Senegal 2010-11 Senegal 2010-11	

~
Ŷ
B
-
2
2
-
÷
2
~
U.
C٦
~
Т
I.
۱ ش
၊ က
4 3. −
A3
9 A3
le A3
ole A3
ble A3
able A3
Table A3

		Any	r Care ³	57.9	62.3	61.6	63.5	63.9	63.8	75.8	78.6	78.4	74.3	77.0	76.6	59.7	68.0	65.3	66.5	70.0	68.7	e's total, so the
throughou		_	Othe	0.0	2.1	1.7	0.2	2.0	1.6	3.3	5.6	5.4	1.2	3.9	3.6	2.6	10.3	7.8	2.0	5.4	4.1	each sourd
ories used eport²	Phar	macy	Only	11.4	13.4	13.1	12.3	14.8	14.2	5.4	4.3	4.4	2.9	1.0	1.3	2.1	0.1	0.7	1.1	0.4	0.7	itribute to
ary Catego R			Private	12.2	7.1	7.9	12.3	1.8	4.4	41.0	42.6	42.4	48.2	42.3	43.1	3.4	8.4	6.8	4.6	2.7	3.4	ources cor
Summa			Public	34.3	40.1	39.2	39.1	46.0	44.3	28.7	30.9	30.7	25.1	32.6	31.6	53.7	52.3	52.7	59.8	64.0	62.4	m multiple so
		Shop	Only	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.6	1.5	1.4	1.7	2.1	1.9	0.9	0.9	0.9	is sought fro
	Phar-	macy	Only	11.4	13.4	13.1	12.3	14.8	14.2	5.4	4.3	4.4	2.9	1.0	1.3	2.1	0.1	0.7	1.1	0.4	0.7	nom care wa
			Other	0.0	2.1	1.7	0.2	2.0	1.6	0.6	0.8	0.8	0.4	1.1	1.0	0.6	2.4	1.8	0.3	1.4	1.0	hildren for wh
		Non-allo-	pathic	0.0	0.0	0.0	0.0	0.0	0.0	2.7	4.1	4.0	0.1	1.0	0.9	0.3	6.5	4.5	0.2	2.8	1.8	pressed. Ch
1	Market/	Informal	Shop	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	is been sup
ces of Care			Shop	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.6	1.7	1.6	1.7	2.1	1.9	1.5	1.3	1.4	ases and ha
egated Sour		Phar-	macy	12.9	14.3	14.1	14.0	15.5	15.1	5.4	4.5	4.5	3.4	1.3	1.6	2.4	0.5	1.1	1.1	0.4	0.7	weighted ca
Disaggr	Reli-	gious-	NGO	3.1	3.3	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	3.5	0.7	1.9	1.5	than 25 ur
		CHW-	Private	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	1.7	0.7	0.8	0.1	2.1	1.5	0.0	0.4	0.3	d on fewer
		CHW-	Public	0.0	0.4	0.3	0.0	0.0	0.0	0.0	0.7	0.7	0.1	0.7	0.7	0.0	0.0	0.0	0.1	2.4	1.5	Ire is base
		Private	Clinic(ian)	9.2	3.8	4.6	12.3	1.8	4.4	41.0	41.9	41.9	46.5	41.7	42.3	3.3	1.2	1.8	3.9	0.3	1.7	es that a figu
	Public	Periph	ΗF	18.0	36.3	33.5	29.7	44.3	40.6	11.9	25.9	24.7	14.1	28.0	26.1	46.9	50.8	49.5	53.0	59.3	56.9	erisk indical
		Public	Hospital	16.4	3.4	5.4	10.3	1.9	4.0	16.8	4.5	5.6	10.9	4.4	5.2	6.8	1.5	3.2	6.9	2.6	4.2	ses. An aste
			z	156	848	1004	276	833	1109	172	1802	1974	237	1528	1766	291	619	911	772	1258	2030	veighted cas
		Place of	residence	Urban	Rural	AII	Urban	Rural	AII	Urban	Rural	AII	Urban	Rural	AII	Urban	Rural	AII	Urban	Rural	AII	are based on 25-49 unw
			Survey	Tanzania 2004-5	Tanzania 2004-5	Tanzania 2004-5	Tanzania 2010	Tanzania 2010	Tanzania 2010	Uganda 2006	Uganda 2006	Uganda 2006	Uganda 2011	Uganda 2011	Uganda 2011	Zambia 2007	Zambia 2007	Zambia 2007	Zambia 2013-14	Zambia 2013-14	Zambia 2013-14	Figures in parentheses a

In the precentage may exceed the percentage of children who received any care.
1 The following Disaggregated Sources of Care categories include multiple standard response options: Public Peripheral Health Facility (HF) includes: health center, health post, mobile clinic, or other public sector care. Private Clinic or Clinician includes private hospital, doct, nurse, mobile clinic, other private sector; and Other includes and and response options: Public Peripheral Health Facility (HF) includes: health center, health post, mobile clinic, or other public sector care. Private Clinic or Clinician includes private hospital, doct, nurse, mobile clinic, other private sector; and Other includes and other includes and the Public Peripheral HF, and Public CHW disaggregated sources of care categories; the Private summary category combines the Private Clinic or Clinician, Private CHW, and Religious or NGO Facility of saggregated sources of care categories; the Private summary category combines the Private Clinic, Private CHW, and Religious or NGO Facility other disaggregated sources of care categories; the Private does *not* include pharmacy); Pharmacy Only includes children for whom care was sought only from a pharmacy; and the Other summary category combines the Shop, Marke/Informal Shop, Non-Allopathc, and Other disaggregated sources of care categories.

priority countries
ЮH
USAID N
wealth,
plo
y househ
fever k
for
i care
S O
Source
A4.
Table

itinued
- Con
A4.
Table

	Any	Care ³	36.0	59.9 EA 1		57.8	47.8	71.2	76.2	6.61	81.2	86.9	1.8.1	6.28 7 CO	03.0	94.1	94.0	90.8	85.8	90.7	0.06	0.06	72.3	0.78 64.0	64.1 66.1	- 00	9 0Z	73.4	68.4	64.1	58.5	66.4	6.00	62.3	63.2	73.8	82.7	80.6	83.2	73.7	78.1	80.3	86.7	80.2	20.6	38.2 38.2	37.8	53.8 40.5	ou.o 43.9
oort ²		er	~ ~ ~		0 4	. 9	Ð	7		2.2	~~ ·			γC	0 0	24	· ~	3	-	6	4	ω,		~ 0	r 0			0 10	7	5	0	0	r 0		0,0	4	œ	6 1			, œ	4	6	<u>-</u> г	0 4	- œ	2	6 0	» O
ghout Rej	Ŀ,	Oth	n ioo	~ 0	i co	i rri	7.	9.		с, с	ni •	4 L		20. 10	- L	źœ	ġ.	16.	20.	10.	10.	، ت	n ç	<u>.</u>	11 .		0	ġ.	9.	10.	.6	4 1	d c	i vo	20.	24.	16.	<u> </u>	ο, ²	<u>ο</u> α	14	12.	č	;		- · ·	4.	c	ים כ
sed throu	Pharmac	Only	0.0	0.0	0.8	0.8	0.5	5.5	6.0 2	5.3	5.2	3.0	2.Z	0.0	7.8	10.4	12.8	8.6	5.4	9.6	10.9	11.4	L. L	C.4 0 1 1	13.0	13.0	10.01	13.2	13.5	3.6	8.9	12.3	5.7 5.2	7.8	4.1	8.9	6.3	10.5	12.9	0.5 7.4	C L	7.7	21.6	17.9	5. L I	0.0	2.5	2.4	c.u 6.0
ategories u		Private	16.5 25 3	1.02	32.4	36.2	27.4	49.0	51.6	54./	63.3	/0.9	50.4	2.42 70.0	48.0	51.5	62.1	44.5	35.0	49.1	55.7	57.6	69.1 ۲.7.7	52.2 15.0	15.5 15.5	15.0	15.7	29.6	18.1	6.2	8.4	11.0	13.8 12.4	10.2	21.5	18.5	22.7	22.7	24.4	21.0 7.5	7.5	12.3	30.6	39.9	10.1	3.6	6.8	20.2	33.4 12.1
mmary Cá		ublic	12.8	0.0 1 4 1	18.3	18.2	14.4	12.4	13.6	16./	12.6	8. c	13.2	0.02	C L0	7.6	16.7	25.8	33.7	29.2	22.0	23.8	14.3	7.02	0.19	012	34 1	25.7	0.92	t6.1	34.8	8.68	52.4 20.1	1.7	20.7	32.1	13.8	42.1	42.7 or o	50.0 13.7	2.03	18.8	30.6	22.3	0.14	+.+.	24.3	29.5	0.12
- Su			·	·	·	·	· ·	·						•••										•••						7	(-)		., (,		(.)	7	7				. 1	(.)						
	y Shop	Only	1.2	9.0 2 0	0.4	0.0	1.1	0.7	1.6	1.0	0.2	0.3	0.8	0.71	11 3	9.9	4.2	12.3	12.8	5.5	6.3	1.7	с. 20. с	5.7 А.Б.	0.0	4.0 7 0	0.7	4.6	6.9	7.4	9.9	°. ⊓	۰. د د	4 C	3.3	6.0	8.2	5.2	4.0	0.0		4.4	0.5	0.0	7.7	0.0 2.5	0.8	0.3	0.U 7 C
	Pharmac	Only	0.0	0.0	0.8	0.8	0.5	5.5	6.0 7	5.3	5.2	0. L	2.C	0.0	7.8	10.4	12.8	8.6	5.4	9.6	10.9	11.4	L. L	0.7 0.41	13.0	13.0	12.0	13.2	13.5	3.6	8.9	12.3	4.7 2.7	C-D 2 8 7	4.1	8.9	6.3	10.5	12.9	0.5 7 4	C.L	T.T	21.6	17.9	0.1	0.0	2.5	2.4	0.0 0
		her	ω, •	4. L	. 0	i vi	. .	0.	دن، 1	(ە نى	ь. ·	ە ە	<i>ب</i> د	- a	<u>,</u> –	6	0.	œ.	.5	0.	دن، ا	ن م	י כ	j a	. 0	r. ~	0.	<u>.</u> 5	6.	4.	o, c		, r-	L.	9.	0.	Ľ.	ى ب	C. ⊉	t 	: r:	0.	•	4. C	ы roi	.2	ن ن	7 L
	Ę	athic O	9.0		+ ·C	.0	.6 5	2	1 2	0,0		4 c		л in 2 - 0,	. c	- 0	0 . 0 . 0	5 2	4 2	4	2	- 5 - 5	0,0	0, -			. C	7 1	9 1	3	1				7 10	1 7	2	9	7 1	5 C	; [, [2	1 0	00	, u	. œ	.1 2	0,0	2 F
	No No	allop;	0,		- C	0	0	4	κi α	، زر	_	ີດ	vic	- ر	- 0	o c	0	-	ć	2	2	0	00	νc	- i			0	0	0	0	00		o c	6	13.	2	0	~ `	n o		0	-	0,		- 7	-		-
re¹	Market	Shop	2.4	0.3	- 9 O	0.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0	0.0 13.1	9.6	7.7	2.3	0.0	4.0	0.0	0.0	0.0	0.0
ces of Ca	i	/ Shop	1.2	0.4 2 1	90	0.0	1.2	0.7	1.8	0.1	0.2	0.3	9.0 1	20.4 15 0	12.6	7.4	5.1	13.2	14.1	7.0	6.9	2.8	7.7	0.1	0.0	7.0 7.0	0.7	4.8	7.3	9.2	7.0	3.7	2 ° C	0.9	4.0	6.1	8.4	5.3	4.0	/ .c	2 6	4.4	0.5	0.0	7.7	0.0 2.5	0.8	0.3	0.5 7 7
rated Sour	i	Pharmacy	0.0	0.0 1 c	1.7	0.8	0.9	5.7	6.7	۲. /	5.6	3.6	0.0	0.0 0	08	11.3	13.4	9.4	6.4	10.6	12.2	13.9	13.6	11.1	14.3	0.41 24.2	13.7	14.3	14.7	3.7	8.9	12.3	4.5 2.6	0.0	4.5	8.9	8.4	11.5	18.3	7.8	0. LC 0. LCC	9.8	23.1	18.7 12.7	0.7	0.3	2.5	2.4	0.0 0
Disaggreç	eligious-	NGO	7.5	10.01	0.01 C L	9.1	9.4	0.2	0.3	0.2	0.8	0.3	0.3	2.3 1 1	9.0	0.7	11	1.2	0.0	0.0	0.0	0.0	0.0	0.0	- + - - 1		1.5 1 0	3.5	2.9	0.9	1.7	1.9	4.I 2 2	0.5 2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HW- Re	ivate	0.1			0.0	0.3	0.C	0.0	0.0	0.0	0.0	0.0	5.0 A A	о С	2.4	2.2	1.5	6.0	9.0	3.8	2.4	0.7	3.4 7.5	0.1	0.1	1 1 1	0.2	9.C	0.0	0.5	0.2	0.0	10	0.0	0.0	0.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	
	с Н	ublic Pr	0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0	0.0	100	0.0	0.0	0.0	- 0	0.0	0.0	0.0	
	ate CI	:(ian) Pu	6, •	4, -			0	œ	ς, ι	ا بہ	<u>ب</u> ب	ە ە		4, -	- 4		6	. .	5	0.	9	0,0	~ ند ا	оu	, r-		+ r-	6	Ľ	cr,	7	6, 4	оu	יס	<u>ب</u>	μ	Ľ		4.	o rc	, rc	i m	9	о; r		0	œ,	Ci *	4, -
	h c Pri	Clinic	ω ;	71 00	3 5	27	18	48	51	54 5	29 F	2 ì	8 f	13	97 7	88	28	32	19	34	42	46	59 50	95 01	1 1	1 1	1 22	25	14	5	9	00 C	ь (21	18	22	22	24	17		12	30	39	0	- ~	9	3 20	с С
	Publi Perip	al HF	11.2	10.4	0.1 8	7.7	8.9	9.9	9.5	d.01 2)	0.7	3.7	0.0	23./ 28.0	20.02 25.8	25.9	13.8	24.1	32.3	27.5	20.0	22.3	12.6	23.0 22.0	0.22 0.22	0.72	7.72	15.6	22.7	36.4	28.3	29.6	10.0 21.5	21.12	17.5	26.4	32.4	29.7	30.3	33.1	39.7	36.8	19.5	6.1 20.1	24.D	28.4	22.8	22.4	73.7
	Public	Hospit	1.5	7.7 7.7	10.3	11.0	5.6	2.6	4.1	6.4 0	6.2 ,	0. 1	4.4	 	- (- ; r_	2.4	3.6	2.1	1.7	1.7	2.1	1.8	<u>, v</u>	8. - V	0.4 7	- a	0.0	10.1	6.6	10.3	6.9	10.2	10.1	12.1	3.3	5.7	11.4	12.9	12.3	000	10.5	12.0	11.1	16.2 11 F	0.11	0.6	1.5	7.1	3.1 3.1
	;	z	376	389 266	372	231	1735	1904	1861	1569	1445	701/4	708/	1035	1102	101	705	5033	1150	1057	1023	1033	824	0800	505	C00	393	412	2255	353	228	252	010	1302	309	393	336	339	200	1/61	397	345	306	220	30.4	221	249	171	1201
	Wealth	Quintile	Poorest	Middlo	Wealthier	Wealthiest	AII	Poorest	Poorer	Middle	Wealthier	Wealthiest	All	Poorest	Middle	Wealthier	Wealthiest	AII	Poorest	Poorer	Middle	Wealthier	Wealthiest	All Dooroet	Ponrer	Middle	Wealthier	Wealthiest	AII	Poorest	Poorer	Middle Mealthier	Wealthier		Poorest	Poorer	Middle	Wealthier	Wealthiest	All Ponrect	Ponrer	Middle	Wealthier	Wealthiest	All Dooreet	Poorer	Middle	Wealthier	VVealulest
													ŗ			L	1	71	2	2	2	5	2 0	7						-	-	_													1002	2003-4 2003-4	2003-4	2003-4	2003-4 MM2_4
	,	Survey	Haiti 2012	Halli 2012	Haiti 2012	Haiti 2012	Haiti 2012	India 2005-6	0-CUUZ BIDUI	Indonesia 200	Indonesia 200	Indonesia 200	Indonesia 200	Indonesia 200	Indonesia 201	Indonesia 20'i	Indonesia 20'i	Indonesia 20	Indonesia 201	V convesta 20	Kenya 2003 Kenya 2003	Kenva 2003	Kenva 2003	Kenya 2003	Kenya 2003	Kenya 2008-5	Kenya 2008-5	Kenya 2008-9	Kenya 2008-5 Kenya 2008-6	Kenva 2008-9	Liberia 2007	Liberia 2007 Liheria 2013	Liberia 2013	Liberia 2013	Liberia 2013	Liberia 2013	Madadascrar 3	Madagascar 2	Madagascar	Madagascar 2	Madagascar ;								

continued
4
able A

C RML C RML <th< th=""><th></th></th<>	
abov NGO Primary Stop Stop Allow Only Public Public Only Allow Public Only Allow Public Only Allow Public Only Allow	h Public Periph Private CHW- CH
00 05 5 00 10 4 0 74 4 4 0 74 4 4 6 74 4 6 74 4 6 74 4 6 74 4 6 74 4 6 74 4 6 74 4 6 74 4 6 74 4 6 74 4 6 74 4 6 74 4 6 74 4 6 74 4 6 74 4 6 74 70	le N Hospital HF Clinic(ian) Public Privat
000 000 <td>279 0.9 27.2 5.4 0.0 1.0 240 18 24.0 24 0.0 0.0</td>	279 0.9 27.2 5.4 0.0 1.0 240 18 24.0 24 0.0 0.0
0 0.1 1.2 0.0 0.4 1.2 0.0 0.4 1.2 0.0 0.4 1.2 0.0 0.4 1.2 0.0 0.4 1.2 0.0 0.4 1.2 0.0 0.0 0.4 1.2 0.0 0.0 0.0 0.1 0.0	198 2.8 26.8 7.0 0.0 1.7
100 000 <td>- 198 3.8 32.2 12.5 0.0 0.0 </td>	- 198 3.8 32.2 12.5 0.0 0.0
114 0.0 82 0.0 0.1 0.0 83 0.0 84 0.0 89 0.0 89 0.0 89 0.0 89 0.0 89 0.0 89 0.0 89 0.0 89 0.0 89 0.0 89 0.0 90 10.0	1116 3.3 26.0 12.7 0.0 0.8
1/1 0/1 1/1 0/1 1/1 0/1 1/1 0/1 <td>1397 8.5 37.5 3.7 2.0 0.7</td>	1397 8.5 37.5 3.7 2.0 0.7
91 00 90 00 91 00 11 00 11 00 10 100 <	0 0.1 0.2 38.9 38.1 1.2 0 0 0.1 1.2 0 0 0.1 1.2 0 0 0.1 1.2 0 0.1 1.2 0 0.1 1.2 0 0.1 1.2 0 0.1 1.2 0 0.1 1.2 0
1 1 00 37 04 7.55 00 50 764 1 00 07 10 00 11 100 50 764 1 00 01 20 114 19 07 213 213 151 213 213 151 213 213 151 213 213 151 213 213 151 213 714 213 714 213 713 713 713 713 713 713 713 713 713 713 713 713 713 713 713 713 713 713 714 713 714 713 714 713 714 713 714 713 714 713 714 713 714 713 714 713 714 713 714 713 714 713 714 713 714 713 714 713 714 713 714	- 1127 16.5 31.1 6.5 1.7 0
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	st 865 20.5 28.1 13.7 0.1 (
1 000 01 210 113	0214 13.3 36.7 5.8 1.6 (450 00 207 1.2 0.0 1
7 00 018 2.0 6.4 1.9 2.2 0.7 2.6 2.6 0.7 2.6 0.7 2.6 2.6 0.7 2.6 0.7 2.6 0.7 2.6 0.7 0.7 0.6 0.7	492 1.5 26.9 0.8 0.0 1
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	472 0.7 24.3 0.2 0.0 2
0 0 11 0.0 0.0 </td <td>490 1.3 30.4 1.1 0.0 2</td>	490 1.3 30.4 1.1 0.0 2
000 13 010 13 <th< td=""><td>SI 334 4./ 40.2 6.3 0.0 1. 2226 1E 276 17 0.0 2</td></th<>	SI 334 4./ 40.2 6.3 0.0 1. 2226 1E 276 17 0.0 2
4 00 03 15 93 77 17 03 15 25 7 17 867 4 00 134 00 41 30 25 7 17 33 173 173 328 4 00 134 00 41 37 05 174 200 244 200 244 300 244 300 244 300 244 300 244 300 344 300 344 300 344 300 344 300 344 300 344 300 344 300 344 300 344 300 344 300 344 300 344 300 344 300 344 300 344 300 344 300 344 346	2230 1.3 27.6 1.7 0.0 2 182 0.0 17.2 0.0 0.0 0
6 0.0 33 0.8 7.5 7.6 2.5 3.3 0.8 7.7 2.2 3.3 17.4 2.9 3.3 17.4 2.9 3.3 17.4 2.9 3.3 17.4 2.9 3.3 17.4 2.9 3.3 17.4 2.9 3.3 18.2 7.1 13.0 2.7 7.5 7.1 13.2 3.1 2.1 13.3 0.0 2.7 1.6 0.0 2.4 3.3 18.2 7.1 13.0 0.2 7.4 13.3 0.1 13.0 2.7 13.1 0.0 2.7 13.1 0.0 2.7 13.1 0.0 0.0 2.7 13.1 0.0 0.0 13.1 0.0 0.0 13.1 0.0	174 0.0 25.7 0.0 0.0 2
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	163 0.0 17.4 1.3 0.0 1
0 39 00 39 00 39 00 39 00 39 00 39 00 39 00 39 00 39 30 </td <td>+ 110 25 A4A A5 00 C</td>	+ 110 25 A4A A5 00 C
0 15 0.3 0.0 23 4.2 3.9 0.3 0.0 4.27 1.6 0.3 0.4 5.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.4 3.3 3.4 3.3 3.4 3.3 3.4 3.3 3.4 3.3 3.4 3.3 3.4 3.3 3.4 5.7 3.7	830 0.5 25.4 1.7 0.0 0
00 16 00 00 27 16 00 92 533 00 01 00 01 01 00 27 13 01 92 533 55 55 55 55 55 55 55 55 56 57 59 650 57 59 650 57 59 650 57 59 650 57 59 650 57 59 650 57 59 650 57 59 650 57 59 650 57 59 650 57 59 650 57 59 650 57 59 650 57 59 650 650 57 59 650 650 650 57 59 650 </td <td>629 4.0 35.9 1.1 0.4</td>	629 4.0 35.9 1.1 0.4
0 0	488 2.1 40.0 0.0 0.7 0 EE0 E.2 42.E 1.0 0.0 0.7
0 05 25 00 04 02 21 24 00 560 36 24 27 73 0 00 01 00 01 00 01 00 660 36 24 27 73 0 00 01 00 20 42 00 00 461 00 661 56 79 661 0 00 01 00 01 00 00 461 00 661 37 471 0 00 01 16 16 16 00 00 461 00 661 37 471 0 00 01 14 00 14 00 144 00 141 17 17 0 00 00 144 00 144 00 144 14 14 14 14 14 14 144 14 14 <td< td=""><td>. 462 4.9 57.7 0.7 0.0 (</td></td<>	. 462 4.9 57.7 0.7 0.0 (
00 00 01 00 00 01<	st 371 14.8 50.8 3.1 0.0 0
00 01 00 02 03 <th03< th=""> 03 03 03<!--</td--><td>2509 5.7 44.6 1.1 0.2 (</td></th03<>	2509 5.7 44.6 1.1 0.2 (
00 00 02 00 29 20 07 00 06 55 665 00 00 14 00 04 16 16 0 03 39 752 00 00 14 00 04 15 03 01 11 12 711 00 01 14 02 03 11 00 658 29 11 12 713 00 01 14 00 01 14 00 246 02 233 86 246 23 573 00 15 265 05 00 16 13 23 694 737 00 16 32 11 23 24 237 693 737 00 15 265 05 00 131 215 231 12 693 00 16 326 05 111	301 40.9 0.9 0.0 0.4 339 42.3 0.4 0.0 4.1
00 00 23 00 06 16 16 0 0 707 00 08 39 752 00 00 1/4 00 0.4 0.5 0.3 11 0.0 658 29 13 45 626 00 0.6 1/4 0.0 0.4 25 0.3 11 0.0 658 29 13 45 626 00 0.6 1/4 0.0 0.14 2.5 0.6 0.3 21 415 603 573 86 246 23 573 573 0.0 1.6 1.4 0.0 244 0.0 233 86 246 233 573 573 0.0 1.5 2.55 0.5 0.1 0.0 233 134 24 733 573 0.0 1.5 2.55 0.5 187 2.45 233 594 573 0.0	285 58.3 1.2 0.0 2.2
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	274 68.7 1.6 0.0 1.2 C
00 0.6 17.4 0.0 0.0 18 0.0 24.6 0.0 20.6 3.2 16.4 1.8 41.9 00 3.8 26.4 1.0 0.0 1.4 0.0 24.6 0.2 23.3 8.6 24.6 2.3 57.3 57.3 00 1.6 1.1 0.0 0.1 4.0 0.2 24.6 0.0 23.1 1.3 57.4 77.3 57.4 77.4 77.4 77.4 77.4 77.4 <td>51 198 05.1 U.U 2.9 U.I 1457 54.6 D.8 D.4 3.3</td>	51 198 05.1 U.U 2.9 U.I 1457 54.6 D.8 D.4 3.3
0 38 26,4 1,0 0,0 1,4 0,0 24,6 0,2 23,3 8,6 24,6 2,3 57,3 0.0 0.0 30,6 1,1 0,0 0,8 0,0 27,8 1,1 23,9 7,4 27,8 1,3 57,3 56,3 50,3 1,3 24,5 23,5 50,4 23,5 50,4 23,5 50,4 23,5 50,4 23,5 50,4 23,5 50,4 73,7 73,7 73,7 73,7 73,7 73,7 73,7 50,4 24,6 23,5 50,4 73,5 50,4 73,5 50,4 73,5 50,4 73,5 50,4 73,5 50,4 73,5 50,4 73,5 50,4 73,5 50,4 74,5 <t< td=""><td>215 3.0 17.1 2.6 0.5 (</td></t<>	215 3.0 17.1 2.6 0.5 (
00 01 00 01 00 01 00 01 00 01 00 01 00 01 00 01 00 01<	176 1.8 17.6 4.8 4.6
10 1.6 3.28 0.0 0.0 2.4 0.0 3.1 1.36 3.1.4 2.4 1.31 0.0 1.7 2.65 0.5 0.0 1.7 0.1 23.5 0.5 3.1.4 2.4 1.35 51.4 2.4 1.35 51.4 2.4 1.35 51.4 2.4 1.35 51.4 2.4 1.35 51.4 2.4 1.35 51.4 2.4 1.35 51.4 2.4 1.35 51.4 2.4 1.35 51.4 51.4 2.4 1.35 51.4 2.4 1.35 51.4 2.4 1.35 51.4 2.4 1.35 51.4 51.4 51.5 51.4 51.4 51.4 51.5 51.4 51.5 51.5 51.5 51.5 51.4 51.5 51.5 51.7 51.7 51.4 51.4 51.4 51.4 51.6 51.7 51.7 51.7 51.7 51.7 51.7 51.5 51.6 51.7 51.5 51.6 51.7 51.5 51.6 51.7 51.5 51.6 51.7 51.	174 3.2 16.9 7.4 5.3 0
0 11 20 21 0.0 21 0.0 21 0.0 21 0.0	158 8./ 21.8 12.0 2.2 (14 160 137 55 244 15 0
0 0.3 202 0.0 0.1 0.5 19.3 0.0 23.2 7.2 19.3 1.5 49.5 0 0.2 302 0.0 0.0 1.3 1.9 29.5 0.0 20.7 181 29.5 3.2 69.7 0 1.3 28.7 0.0 0.0 1.3 1.9 29.5 0.0 20.7 181 29.5 3.2 69.7 0 1.3 28.8 0.0 0.0 0.1 3.3 27.1 23.7 28.2 2.1 74.4 0 1.3 28.4 0.0 0.1 1.3 28.4 0.0 74.4 86.8 0 1.3 28.4 0.0 1.3 28.3 0.1 1.81 29.5 20.7 11.3 86.8 0 0.6 29.6 0.1 0.0 0.1 1.1 28.3 0.1 189 23.6 20.7 11.5 86.8 1.3 28.6 0.0 0.0 1.1 28.3 0.1 18.9 28.8	800 50 158 08 27 0
0 0.2 30.2 0.0 0.0 1.3 1.9 29.5 0.0 20.7 181 29.5 3.2 69.7 0 1.3 287 0.5 0.0 0.9 0.7 282 0.5 21.2 237 282 2.1 745 0 1.3 286 0.0 0.0 0.1 1.3 28.4 0.3 74.4 86.8 0 1.3 287.4 0.0 1.3 28.4 0.0 9.6 38.2 2.1 1.3 86.8 0 0.6 29.6 0.1 0.0 0.1 1.3 28.3 0.1 189 23.6 28.3 2.0 71.5 0 0.6 29.6 0.1 0.0 0.7 1.1 28.3 0.1 18.9 23.6 28.3 2.0 71.5 0 0.6 29.6 0.0 0.7 1.1 28.3 0.1 18.9 23.6 71.3 74.5 1 0.0 23.5 10.7 0.1 1.2 23.1 18	177 1.1 19.1 6.9 3.5 0.
0 1.3 28.7 0.5 0.0 0.9 0.7 28.2 0.5 21.2 23.7 28.2 2.1 74.5 0 0.2 38.8 0.0 0.0 0.0 1.3 35.4 0.0 16.7 34.0 35.4 1.3 86.8 0 1.3 28.0 0.0 0.0 1.3 35.4 0.0 16.7 34.0 35.4 1.3 86.8 0 0.5 29.6 0.1 0.0 0.7 1.1 28.3 0.1 18.9 23.6 29.3 2.0 715 9 0.0 23.5 10.7 0.0 1.0 1.1 28.3 0.1 18.9 23.6 29.9 12.9 66.9 8 0.0 23.5 10.7 0.0 1.0 1.2 25.1 64.9 66.1 8 0.0 25.8 7.0 0.7 25.1 6.8 26.0 71.3 8 0.0 34.0 2.4 0.0 73 25.1 9.6 66.9 7 0.0 34.0 2.4 0.0 1.7 31.3 32.3 23.1 4.5 77.1 1 0.0 <	217 2.7 15.2 17.9 2.9 0.
0 0.2 38.8 0.0 0.0 0.1 1.3 35.4 0.0 60. 38.2 27.1 1.3 86.8 0 0.5 29.6 0.0 0.0 0.0 1.3 23.3 0.1 1.3 74.4 0 0.6 29.6 0.1 0.0 0.7 1.3 23.3 0.1 1.3 74.4 0 0.6 29.6 0.1 0.0 0.7 1.3 28.3 0.1 18.9 23.6 28.3 2.0 71.4 9 0.0 23.5 10.7 0.0 1.0 1.2 22.9 10.6 50.3 6.9 22.9 12.9 62.1 8 0.0 25.8 7.0 0.7 25.1 6.8 26.0 73 25.1 9.6 66.9 1 0.0 34.0 2.4 0.0 0.5 1.5 31.3 32.3 23.1 4.5 77.1 1 0.0 34.0 2.4 0.0 0.5 1.5 32.1 2.3 27.1 4.5 77.1 1 0.0 34.0 2.4 0.0 0.5 1.5 32.1 2.5 7.7 71.3	223 2.3 18.0 22.4 1.8 0.
0 1.3 25.0 0.0 0.0 0.0 0.0 0.0 1.3 27.1 0.0 71.5 0 0.6 29.6 0.1 0.0 0.0 1.1 28.3 0.1 18.9 23.6 23.3 23.0 71.5 1 0.0 23.5 10.7 0.0 1.0 1.1 22.9 10.6 62.9 62.1 1 0.0 23.8 7.0 0.0 2.0 1.7 25.1 6.8 26.0 7.3 25.1 9.6 1 0.0 25.8 7.0 0.0 2.0 0.7 25.1 6.8 26.0 7.3 25.1 9.6 1 0.0 22.8 7.0 0.0 2.0 1.7 0.7 3.3 2.8.4 7.0 31.3 5.9 77.3 1 0.0 34.0 2.4 0.0 0.5 1.5 32.1 2.3 29.9 12.3 32.1 4.5 77.7	- 213 6.3 10.4 33.8 0.0 0
0.0 23.5 10.7 0.0 1.0 1.2 22.9 10.6 20.3 6.9 22.9 12.9 62.1 0.8 0.0 25.8 7.0 0.0 1.0 1.2 25.1 6.8 26.0 7.3 25.1 9.6 65.1 1.1 0.0 22.8 7.0 0.0 1.7 0.7 31.3 3.2 28.4 7.0 31.3 5.9 71.3 0.0 32.8 3.6 0.0 1.7 0.7 31.3 3.2 28.4 7.0 31.3 5.9 71.3 0.1 0.0 34.0 2.4 0.0 0.5 1.5 32.1 2.3 29.9 12.3 32.1 4.5 77.7	51 151 5.2 4.7 50.9 1.8 1 960 3.2 14.1 23.0 1.9 1
38 0.0 25.8 7.0 0.0 2.0 0.7 25.1 6.8 26.0 7.3 25.1 9.6 66.9 1.1 0.0 32.8 3.6 0.0 1.7 0.7 31.3 3.2 28.4 7.0 31.3 5.9 71.3 3.8 0.0 34.0 2.4 0.0 0.5 1.5 32.1 2.3 29.9 12.3 32.1 4.5 77.7	1001 7.5 12.0 5.9 1.0 0
1.1 0.0 32.8 3.6 0.0 1.7 0.7 31.3 3.2 28.4 7.0 31.3 5.9 71.3 0.8 0.0 34.0 2.4 0.0 0.5 1.5 32.1 2.3 22.9 12.3 32.1 4.5 77.7 77.7 29.9 12.3 22.1 4.5 77.7 77.7 29.9 12.3 22.1 2.5 77.7 77.7 77.7 77.7 77.7 75.7 75.7	953 9.9 16.0 6.5 0.3
	· · · · · · · · · · · · · · · · · · ·

Continued	
1	
A4.	
Table	

	Anv	Care ³	74.8 40 E	70.2	74.5	7.97	73.2	73.9	0.6/	10.2	86.5	85.2	81.2	1.11	84.0	83.7	86.9	82.0 54 p	57.9	60.2	57.0	76.4 40.8	41.7	43.4	50.9 41.4	65.4	50.8	46.9 40.1	54.9	69.2	71.4	39.0	47.9	54.0 54.6	0.00 1.7	53.7	76.8	84.6 82.7	84.7	93.9	83.9 72.5	79.8
Report ²		ther	1.4	5.3	9.8	3.1	2.5	7.7	6.3	3.1 6.1	3.3	5.7	4.9	2.2	2.7	1.9	2.0	2.6	6.8	1.0	5.3	2.4 7.2	5.2	5.1	4.7 0.0	o.o 1.4	4.9	0.7	8.5	4.5	3.3	8.6	7.4	3.1	4.0 5.2	5.8	2.4	2.7	2.0	0.0	1.7 0.7	0.1
oughout R	lacv	ly 0	ю.	- 4 -		- 10						6			, .	m		0 4		7 2	1	6 6			с и	 	2	6 C	 - ~	-	~ ~		0		0		4		о LO	4	с к	
es used thi	Pharn	e ou	26.	30.	35.	.94 38. 38.	28.	35.	0,4		öÖ	0	o o	ö c	; . .	0.	o o	-0 C	<u>i</u> E	13.	17.	19.	<u>-</u>	2.	ຕໍ່ຕ	9.	З			ю́	14.		.2	4 α	ία	5.	21.	.6L 26	21.	13.	Z0.	35
ry Categori		Privat	18.4	2.8	4.2	3.6 6.3	15.3	5.7	59.4 7.7.7	07.0 1.20	71.6	72.5	66.5 , <u> </u>	67.0	70.6	74.8	75.8	1.5	1.2	4.7		12.0 3.8	0.0	0.0	0.3	11.0	2.1	7.9 0.5	0.0 7.6	17.1	14.6	1.5	1.4	0.5	0.7 11.4	4.7	9.9	12.7	15.7	28.9	13.2	3.7
Summa		Public	29.2	22.3	24.9	26.3	28.6	25.7	10.0	12.2	11.6	6.9	10.2 0 <i>i</i>	8.0 2.0	10.3	7.6	8.6	8.9 71 F	24.4	21.4	23.8	34.0 24.7	35.1	35.9	42.3	47.5	40.8	29.4 21.1	34.7	42.7	40.4	28.6 28.6	38.1	46.6 36.8	45.7	39.0	46.9	53.9 AA 0	46.2	54.2	48.9 49.5	24.5
	Shop	only	0.5	6.3	3.1	0.3	0.0	2.4	8. r	1.1	1.2	1.6	2.2	0.1 C C	1.5	1.8	1.3	1.6 0, C	2.4	2.1	1.6	0.3 1 p	0.0	0.0	0.0	0.0	0.0	7.8 7.4	5.1	1.7	1.6	2.2	1.8	1.0	0.2	1.0	0.0	0.0	0.0	0.0	0.0 0.0	0.0
	Pharmacv	Only	26.5 27.1	30.4	35.7	43.1 38.5	28.7	35.4	0.0	0.1	0.8	0.9	0.7	0.0	1.1	0.3	0.7	0.5 7 2 4	15.8	13.7	17.7	19.9 16.0	1.4	2.8	3.9 2.1	6.1	3.2	0.9	3.3	8.1	14.6 E 0	1.0	2.0	4.8 0 8	0.7 8.6	5.5	21.4	19.8 26.3	21.5	13.4	20.9 20.5	21.6
	_	er	** 6	N	~ (.0.		- ~			~ (~ ~		_		~	- <i>m</i>	•	•	~ 10		~		+ ++	.0	~ ~		0			.0.1			~	-+ 1			0.1		
		thic Oth	0.0	00	0.0	1 0		0.0	00		-07	0.2		1.0	0.0	0.	000			11.9	9.9	2. - 0	3.1	3.0	, in a	- 0 1-7	3.6		0	0.0	000	500	0.0	~ 0.0	2.5	2.3	2.4		2.0	0.0	1 0	
	Nor	allopa	0.6	- 9.9	4.	57	0			4. P	1.1	4.1	5.0	7.0 7.0	- 0	0.0	0	0.5	5.1	7.6	7.1	4 4		1.2	1.6 1.6	4 0.0	-	20	5.6	2.3		4 M	3.7		2.5	2.2	0.0	0.0	0.0	0.0	0.0	
θ,	Market/ Informa	Shop	0.0	2.5	1.4	0.3	0.5	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.2	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	
ces of Car		Shop	0.5	0.0 6.3	3.1	0.3	0.0	2.4	4. 20 r	1	1.2	1.6	2.3	1.0 2 2	1.8	1.8	1.3	1.6 2 2	2.4	2.1	1.6	0.6 1 g	0.0	0.0	0.0	0.0	0.0	7.0	5.5	2.1	2.2	2.2	1.8	1.0	0.2	1.0	0.0	0.0	0.0	0.0	0.0	
gated Sourd		Pharmacy	28.0	30.9	36.6	44.2 39.4	30.4	36.4 0.1	0.0	0.1 7.0	1.1	0.9	0.7	0.0	1.4	0.3	0.7	0.5 12.4	16.5	13.7	17.7	20.2 16 1	1.4	3.1	4.3 5.5	9.9	3.4	0.9	3.3	8.8	15.6	1.0	2.0	0.9 V 0	7.4 8.6	5.8	22.0	21.5 28.5	21.9	14.6	22.1 22.1	
Disaggre	teliaious-	NGO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	0.5 1 F	1.6	4.1	0.7	0.0	0.0	0.0	0.0	0.0	3.3	3.1	0.2 8.3	5.2	5.2 N 2	100
	CHW-	rivate	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	0.9	0.3	2.2	0.8	0.0	0.0	0.0	0.0	0.0 0.0	
	CHW-	Public F	1.0	0.3	0.7	0.1	0.8	0.5	0.3	0.3 11	0.5	0.0	0.4	0.0	0.3	0.0	0.0	7.0	0.0	1.8	0.4	0.1	0.0 15.6	17.3	16.4 17 б	11.1	15.6	0.0	0.0	0.2	1.9	0.0	1.0	1.6 0.7	0.9	1.0	0.6	0.0	0.0	0.0	0.1 0.0	
	Private	linic(ian)	18.4	0.0 2.8	4.2	3.6 6.3	15.3	5.7	59.4	0 L 9	71.6	72.5	66.5 , 2 0	67.0 67.0	20.02 20.6	74.8	75.8	/0.8 1 E	1.2	4.7	1.1	12.0 3.8	0.0	0.0	0.0	11.0	2.1	7.4 6.5	8.1	12.7	13.9	1.1	0.5	0.2	9.1 9.1	3.9	3.5	0.c	7.5	23.7	8.0 1.7	
	Public Periph	HF C	9.7	14.1 15.6	13.4	12.8 10.3	13.5	13.3	7.7	0.4 7 4	1.1	0.4	1.5	4.1	6.0	0.7	0.4	0.1	22.6	17.8	21.6	27.7 71.7	19.5	20.1	27.4	33.1 33.1	25.3	28.7 28.7	33.1	39.3	32.1	26.6	35.2	37.7 25.0	20.0 31.4	30.5	42.7	49.0	36.1	34.1	41.2 47 0	51 0
	Public F	lospital	18.9	6.4	10.8	13.3 18.3	14.3	12.0	0.7	7.6	10.0	6.5	8.4	1.3 7.2	9.1	6.9	8.2	1.1	1.8	2.0	1.8	6.2 2.4	1.5	1.3	0.5	4.1	1.6	0.7	1.7	3.6	7.5	1.0	2.3	7.3	11.v 13.5	7.5	3.9	5.3 1 2	4.2 10.7	20.1	7.9 3.1	1.5
I		z	575	899	837	/26 614	526	3632	5/3 F02	200 484	519	490	2569	109 108	850	848	663 1173	4153 448	398	418	420	361 2046	355	313	264 100	234	1355	647 650	558	564	462 1001	490	390	430 426	020 528	2463	467	428 306	377	281	1949 373	251 251
	Wealth	Quintile	Wealthiest	Poorest	Poorer	Middle Wealthier	Wealthiest	All	Poorest	Middle	Wealthier	Wealthiest	All .	Poorest	Middle	Wealthier	Wealthiest	All 4	Poorer	Middle	Wealthier	Wealthiest `	Poorest	Poorer	Middle	Wealthiest	All	Poorest	Middle	Wealthier	Wealthiest	Poorest	Poorer	Middle Mealthiar	Wealthiest	All	Poorest	Poorer Middla	Wealthier	Wealthiest	All Poorest	Donror
					-				- <u>-</u> r		L-	L-		2 5	-1	-13	-13	-13	-				-		-	-		_	-			-11	ti :	1 - 1		1	1-5		- 1-	1-5	4-5 -	
		Survey	Nigeria 2008	Nigeria 2013	Nigeria 2013	Nigeria 2013 Nigeria 2013	Nigeria 2013	Nigeria 2013	Pakistan 2006	Pakistan 2006 Pakistan 2006	Pakistan 2006	Pakistan 2006	Pakistan 2006	Pakistan 2012 Dakistan 2012	Pakistan 2012	Pakistan 2012	Pakistan 2012	Pakistan 2012 Dwanda 2005	Rwanda 2005	Rwanda 2005	Rwanda 2005	Rwanda 2005	Rwanda 2010	Rwanda 2010	Rwanda 2010	Rwanda 2010	Rwanda 2010	Senegal 2005	Senegal 2005	Senegal 2005	Senegal 2005	Senegal 2010	Senegal 2010	Senegal 2010 Senegal 2010	Senegal 2010	Senegal 2010	Tanzania 200-	Tanzania 200	Tanzania 200	Tanzania 200	Tanzania 200 Tanzania 2010	Tanzania 2011

(Continued...)

-
σ
Ð
3
2
ţ,
2
0
C
_
Т
1
4. I
A4
e A4
ole A4
able A4. –
Table A4

								Disaggre	ated Source	s of Care	1					Summary	Categories I	used through	out Report ²	
				Public							Market/									
Survey	Wealth Quintile	z	Public Hospital	Periph HF	Private Clinic(ian)	CHW- Public	CHW- Private	Religious- NGO	Pharmacy	Shop	Informal Shop	Non- allopathic	Other	Pharmac Only	y Shop Only	Public	Private	Pharmacy Only	Other	Any Care³
Tanzania 2010	Middle	360	2.1	50.4	2.9	0.0	0.0	0.8	25.8	0.0	0.0	0.0	1.4	22.3	0.0	52.5	3.7	22.3	1.4	79.5
Tanzania 2010	Wealthier	404	7.7	46.8	7.7	0.0	0.0	0.0	23.1	0.0	0.0	0.0	0.9	20.9	0.0	53.5	7.7	20.9	0.9	82.4
Tanzania 2010	Wealthiest	267	18.8	34.2	20.4	0.0	0.0	0.0	6.8	0.0	0.0	0.0	1.7	6.1	0.0	52.6	20.4	6.1	1.7	7.9.7
Tanzania 2010	AII	1754	9.9	46.6	6.6	0.0	0.0	0.2	20.8	0.0	0.0	0.0	0.9	19.0	0.0	52.5	6.8	19.0	0.9	78.8
Uganda 2006	Poorest	823	3.3	34.1	39.7	3.2	2.5	0.0	6.1	1.0	0.0	0.5	0.2	5.5	0.8	40.3	41.7	5.5	1.8	84.9
Uganda 2006	Poorer	769	4.1	24.0	40.6	3.5	3.3	0.0	9.9	1.6	0.0	0.3	0.7	6.2	1.2	30.7	43.8	6.2	2.6	80.0
Uganda 2006	Middle	569	5.3	19.7	44.9	3.6	1.1	0.0	7.9	1.5	0.0	1.3	1.2	7.5	1.5	28.5	46.0	7.5	4.0	82.8
Uganda 2006	Wealthier	570	6.8	17.1	49.1	1.7	1.3	0.0	6.8	2.0	0.0	0.8	1.3	6.4	1.8	25.4	50.1	6.4	4.1	81.6
Uganda 2006	Wealthiest	406	12.3	9.9	58.0	1.4	0.0	0.0	7.9	0.4	0.0	0.5	0.7	7.3	0.4	23.5	58.0	7.3	1.6	88.4
Uganda 2006	AII	3138	5.6	22.8	44.9	2.9	1.9	0.0	6.9	1.3	0.0	0.7	0.8	6.4	1.1	30.9	46.6	6.4	2.8	83.2
Uganda 2011	Poorest	832	4.7	39.2	37.9	1.3	0.9	0.0	0.4	3.1	0.3	0.1	0.7	0.4	3.1	44.3	38.8	0.4	4.2	83.2
Uganda 2011	Poorer	679	4.0	32.8	45.3	0.5	0.2	0.0	0.3	3.3	0.0	0.6	0.8	0.2	2.6	37.0	45.5	0.2	4.7	83.2
Uganda 2011	Middle	556	7.8	31.5	43.7	1.1	1.5	0.0	2.9	1.0	0.0	0.3	1.0	2.0	0.3	40.2	45.2	2.0	2.3	85.6
Uganda 2011	Wealthier	542	4.9	23.9	51.2	0.2	0.5	0.0	2.9	3.6	0.0	0.2	0.3	2.7	3.5	28.9	51.7	2.7	4.2	84.1
Uganda 2011	Wealthiest	432	8.1	12.4	66.1	0.9	1.2	0.0	3.8	1.4	0.2	0.2	1.7	3.7	1.4	21.2	67.0	3.7	3.4	90.9
Uganda 2011	AII	3042	5.6	29.8	47.0	0.8	0.8	0.0	1.8	2.6	0.1	0.3	0.8	1.5	2.3	35.9	47.8	1.5	3.9	84.9
Zambia 2007	Poorest	240	3.8	47.9	0.0	0.0	1.0	8.5	1.0	7.2	0.0	2.9	0.6	1.0	6.4	51.2	9.5	1.0	10.8	70.5
Zambia 2007	Poorer	251	3.7	50.3	0.0	0.0	2.6	6.7	1.5	4.2	0.0	0.8	1.9	1.0	3.8	53.1	9.2	1.0	6.8	69.5
Zambia 2007	Middle	237	4.0	47.9	1.0	0.0	2.5	5.1	2.1	4.7	0.0	1.3	1.9	2.1	4.2	51.6	8.6	2.1	7.8	68.6
Zambia 2007	Wealthier	212	5.2	60.7	2.0	0.0	0.3	1.5	3.4	6.0	0.0	0.0	0.9	1.5	5.7	62.9	3.7	1.5	6.9	77.1
Zambia 2007	Wealthiest	105	8.6	48.2	5.4	0.0	0.0	1.7	1.2	1.9	0.0	0.0	0.0	0.3	1.9	56.8	7.1	0.3	1.9	66.0
Zambia 2007	AII	1044	4.6	51.1	1.2	0.0	1.5	5.2	1.9	5.1	0.0	1.1	1.2	1.3	4.7	55.3	7.8	1.3	7.5	70.7
Zambia 2013-14	Poorest	687	1.7	58.8	0.0	4.1	0.3	3.8	0.2	2.4	0.0	1.1	1.3	0.0	1.6	64.5	4.1	0.0	4.8	72.1
Zambia 2013-14	Poorer	684	4.4	61.4	0.0	4.4	0.5	2.5	9.0	3.1	0.0	0.6	0.4	0.4	2.7	9.69	3.1	0.4	3.9	76.1
Zambia 2013-14	Middle	544	6.5	57.4	1.0	2.9	0.0	3.4	1.0	3.6	0.0	1.0	0.0	1.0	3.1	66.6	4.4	1.0	4.6	75.5
Zambia 2013-14	Wealthier	409	6.0	66.5	1.0	0.7	0.0	1.8	2.2	3.0	0.6	0.3	0.0	2.0	2.5	73.1	2.9	2.0	3.8	79.8
Zambia 2013-14	Wealthiest	331	6.1	60.1	6.9	0.0	0.0	0.1	1.7	0.8	0.0	0.0	0.9	1.1	0.8	65.4	10.0	1.1	1.7	77.2
Zambia 2013-14	AII	2655	4.6	60.5	1.6	2.9	0.2	2.6	0.9	2.7	0.1	0.7	0.5	0.7	2.2	67.7	4.4	0.7	4.0	75.7
Figures in parentheses a	Ire based on 25-4	9 unweigh	ted cases.	An asteris	k indicates th	at a figure	is based (on fewer that	n 25 unweigh	ited cases	s and has t	been suppre	ssed. Child	ren for whon	n care was	sought from mu	ultiple source	s contribute t	o each sourc	e's total, so

the total percentage may exceed the percentage of children who received any care. ¹ Fine following Disaggregated Sources of Care categories include multiple standard response options: Public Peripheral Health Facility (HF) includess health center, health post, mobile clinic, or other public sector care; Private Clinic or Clinician includes private ¹ Pine following Disaggregated Sources of Care categories include multiple standard response options: Public Peripheral Health Facility (HF) includess, health center, health post, mobile clinic, or other public sector care; Private Clinic or Clinician includes private ¹ Pine Includent private sector and Other includes and the source of care sought outside the home, including a friend, relative, or other. ² The Public summary category combines the Public Peripheral HF, and Public CHW disaggregated sources of care categories; the Private summary category combines the Private Clinic or Clinician. Private CHW, and Religious or NGO Facility disaggregated sources of care categories (note that Private does *not* include pharmacy): Pharmacy Only includes children for whom care was sought only from a pharmacy; and the Other summary category combines the Shop, Market/Informal Shop, Non-Allopathic, and Other disaggregated sources of care categories.

⁴ Any Care includes children who received care from any source outside the home (including all disaggregated source of care categories). ⁴ Ousefions on care seeking for children's fever in the 2004 Malawi DHS were non-standard and results are not shown in this disaggregated table. Respondents in the 2004 survey were asked what things were done in response to their child's fever. Responses included: gave medicine from home, gave medicine without prescription, taken to government health center, private health center, mission health center, consulted a traditional healer, consulted a CHW, provided tepid sponging, herbs at home, other, or nothing.

Table A5. Sources of care for symptoms of ARI by household wealth, USAID MCH priority countries

	Any Care³	82.5	89.7 90.9	87.5	(89.7) 87.3	77.2	87.5	/2.8 84.9	93.0	82.0 57.7	56.5	51.1 69.7	81.7	61.4 50.4	58.6	64.4 56.0	71.4	07.5 18.6	13.4	22.7 15.4	36.3	16.7	26.9	36.8	00.5 29.3	58.9 70.0	71.1	80.3 (87.2)	70.7 66.1		(67.4)	65.1	26.3	30.1 49.8	43.2 (43.2) 37 o	tinued)
ghout	Other	30.9	31.4 37.4	8.7	(2.5) 24.4	6.3	10.3 2.0	4.0	1.5	6.1 6.6	4.3	8.1 7.3	6.3	6.5 7 3	9.2	4.2 5.3	2.2	0.0	0.3	0.3	1.5	0.8	0.0	0.1	0.8	5.4 2.3	1.3	4. I (3.6)	3.5 10.6	(0.0)	(4.1)	5.6	6.2	3.4	10.0 8.3 8.3	(Con
s used throu rt²	harmacy Only	29.5	35.5 18.2	31.7	(16.4) 28.4	21.9 21.9	25.2	14.8 14.2	23.3	20.1 13.5	10.3	10.9 22 7	23.6	15.5 7 3	10.0	11.6 12 0	25.8 12.3	0.1	0.8	2.0 1.9	1.7	6.1 4.0	1.6	3.5	3./ 1.5	7.22 7.77	22.6	2.72 (14.7)	24.1 8.0	0.0 (17.9)	(0.0)	9.8	0.5	0.0	0.0) 0.0)	5
y Categories Repo	Private	13.4	22.8 25.5	40.1	(51.1) 26.4	42.4	40.1	48.8 52.1	58.4	47.3 15.1	12.5	8.9 24.5	39.3	18.1 5.5	6.6	11.3 6.7	24.6 0.7	2.1	1.0	0.8 0.8	11.1	3.1 3.1	5.6 4 7	7.5	7.6	4.1 8.6	2.9	3.8 (13.3)	5.8 2.1	(12.4)	(7.5)	8.2	16.0 10.1	34.5	14.7 (26.9) 21.4	
Summar	Public	11.8	5.6 17.6	8.6	(22.2) 11 5	9.5	17.2	7.0 16.8	11.5	12.0 25.9	31.8	28.1 19.5	16.4	25.1 31.9	33.5	38.0 37.6	19.3 19.3	16.5	11.3	10.2 12.4	23.6 15 5	12.5	19.7 15.0	27.3	32.7 19.8	27.0 31.4	44.3	48./ (55.6)	38.4 24.4	34.4 (36.9)	(55.7)	42.7	4.9	9.4 11.9	20.0 (9.4) 10.4	
	Shop Only	0.0	0.0	0.0	(0.0)	0.0	0.0	0.0	0.0	0.0	0.6	0.5	0.5	0.9	0.3	0.0	0.0	0.0	0.0	0.0 0.3	0.0	0.8	0.0	0.0	0.5	0.0	0.0	0.0)	0.0 7 E	(0.0)	(0.0)	0.7	1.2	0.0	(0.0) 1.2	4
	Pharmacy Only	29.5	35.5 18.2	31.7	(16.4) 28.4	21.9	25.2	14.8 14.2	23.3	20.1 13.5	10.3	10.9 72 7	23.6	15.5 7 3	10.0	11.6 12.0	25.8 25.8	0.1	0.8	2.U 1.9	1.7	6.1 4.0	1.6	3.5	3./ 1.5	7.72 7.77	22.6	27.5 (14.7)	24.1 8.0	0.0 (17.9)	(0.0)	9.8	0.5	0.0 0.9	0.0) 4.0	5
	Other	8.5	3.4 2.7	0.0	(0.0) 3 0	0.0	0.0	4.3 0.0	0.8	1.0	1.6	1.5 2.9	1.3	1.7 0.2	0.0	0.0	0.3	0.0	0.1	0.0	0.1	0.0	0.0	0.1	0.0	3.4 2.3	0.0	0.0 (3.6)	1.9	(0.0)	(4.1)	2.1	1.3	9.0 1.3	3.7 (9.5) 4.3	2
	Non- Ilopathic	22.3	27.9 29.7	8.7	(2.5) 20 F	6.3	10.3 0.0	3.0 4.0	0.7	5.1	2.1	6.1 2.8	4.5	4.0 6.0	8.3	4.2 2.1	1.9	4.4 0.0	0.0	c:0	1.0	0.1	0.0	0.0	0.0 0.2	2.0	1.3	(0.0)	1.2 2 g c	0.0)	(0.0)	0.8	3.8	2.1	8.0 (0.0) 0.0	2
	Market/ Informal Shop a	0.0	0.0	0.0	(0.0)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.2	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0)	0.0	(0.0)	(0.0)	2.0	0.0	0.0	(0.0) 8 0	5
s of Care ¹	Shop	0.0	0.0	0.0	(0.0)	0.0	0.0	0.0	0.0	0.0	0.6	0.5	0.5	0.9	0.3	0.0	0.0	0.0	0.0	0.3 0.3	0.0	0.8	0.0	0.0	0.5	0.0	0.0	7.7 (0.0)	0.4 2.5	(0.0)	(0.0)	0.7	1.2	0.0	(0.0) 1.2	4
ated Source	Phamacy	29.5	37.8 19.7	31.7	(16.4) 20.3	24.3	27.0	16./ 18.2	23.3	22.2 14 7	11.7	12.0 25.2	24.5	17.0 8.2	10.3	11.6	29.9	0.1	0.8	3.1 2.7	1.8	0.4	1.6	4.4	4.2 1.8	23.2 30.7	22.6	30.2 (14.7)	25.0 10.2	(18.9)	(0.0)	10.6	0.5	0.0 0.9	0.0) 0.0)	5
Disaggreg	Religious- NGO	0.0	0.0	0.0	(2.7)	0.0	0.0	0.0	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 1.2	0.0	1.4 0.0	2.8	0.0	0.0	2.5	3.5 0.9	0.0	0.0	0.0)	0.0	(0:0)	(0.0)	0.0	4.6	11.3 15.1	0.5 (6.1) 7 a	
	CHW- Private	0.0	0.0	0.0	(0.0)	0.0	0.0	0.0	0.0	0.2 8.7	6.3	5.4 7.9	0.9	6.4 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0:0)	0.0	(0.0)	(0.0)	0.0	0.0	0.0	0.0	2
	CHW- Public	0.0	0.0	0.0	(0:0)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0)	0.0	(0:0)	(0.0)	0.0	0.0	0.0	0.0	2
	Private Clinic(ian)	13.4	22.8 25.5	40.1	(48.4) 26.1	41.8	40.1	48.8 52.1	57.9	47.0 6.9	6.2	3.5 16.6	38.4	11.8 ק. ק.	6.6	11.3	24.6	0.9	1.0	3.1 0.7	8.3	2.4 3.1	5.6	6.6	27.4 7.2	4.1 8.6	2.9	3.8 (13.3)	5.8	(12.4)	(7.5)	8.2	11.3	8.1 19.3	14.2 (21.7) 13.5	202
	Public Periph HF	11.0	4.4 16.1	5.2	(17.1) 0.6	8.2 8.2	11.9	5.0 12.3	5.0	8.4 22.9	28.7	24.4 12.3	8.5	20.4 30.9	32.4	36.4 27.3	17.0	ou.u 11.3	5.6	0.0 0.0	19.3	11.4	19.7 15 0	25.0	29.0 18.9	13.7 10.9	11.3	10.1 (14.1)	13.1 26.4	20.4 (22.1)	(15.3)	21.7	4.3	0.c 10.7	19.3 (4.2) 8.5	5
	Public Hospital	0.8	1.9 1.5	3.3	(5.1) 2.1	1.4	5.3	4.5	6.5	3.6 2.9	3.5	3.7 7.1	8.7	4.8 0.7	1.6	1.8 5.2	2.3	2.2 5.2	4.4	2.4 3.6	4.3	0.0	0.0	- 4.0	5.8 1.4	13.8 22.1	33.0	30.2 (41.6)	26.3 8 0	0.0 (16.0)	(40.4)	21.7	0.6	3.8 1.2	0.8 (5.1) 1.0	2
	z	83	17	52	26 777	143	92 22	16	76	486 277	270	268 282	139	1237 266	255	254 214	146	272	241	323 265	167	188	148	173	0/ 773	86 52	2, 69 g	37	335 42	34	23 39.0	150	158	13/ 115	93 43 546	2
	Wealth Quintile	Poorest	Poorer Middle	Wealthier	Wealthiest	Poorest	Poorer	Wealthier	Wealthiest	All Poorest	Poorer	Middle Wealthier	Wealthiest	All Poorest	Poorer	Middle	Wealthiest	Poorest	Poorer	Wealthier	Wealthiest	All Poorest	Poorer	Wealthier	Wealthest	Poorest Poorer	Middle	wealthier	All Dooract	Poorer	Wealthier	Wealthest	Poorest	Middle	Wealthier Wealthiest	
	urvey	angladesh 2007	angladesh 2007 andadesh 2007	angladesh 2007	angladesh 2007 angladesh 2007	angladesh 2011	angladesh 2011	sangladesh 2011 angladesh 2011	angladesh 2011	3angladesh 2011 Conno DR 2007	ongo DR 2007	Congo DR 2007	ongo DR 2007	Congo DR 2007	ongo DR 2013-14	Congo DR 2013-14	Congo DR 2013-14	thiopia 2005	thiopia 2005	thiopia 2005	Ethiopia 2005	thiopia 2011	Ethiopia 2011	thiopia 2011	thiopia 2011 thiopia 2011	Shana 2003 Shana 2003	Shana 2003	anana 2003 Shana 2003	Shana 2003 Shana 2008	3hana 2008	5hana 2008 Shana 2008	anana 2008 Shana 2008	laiti 2005-6	1alu 2005-6 1alti 2005-6	1aiti 2005-6 1aiti 2005-6 1aiti 2005.6	0000
	S		ഫന	100	ш а	- 60		ш		шС	0	00	0		, U			שו		шШ	шu	чш	шu	- 111	шШ	ى ن) ن ر	0	ن ن	000	ە ب ر	ں ر		L I :	I	- 1

~
Š
Ð
3
ñ
.=
-
2
0
X
U.
Т
Ľ.
ט. ו
\ 5. −
A5. –
e A5. –
le A5
ole A5
able A5. –
able A5

	Any Care³	32.8	38.1 48.1	56.0 60.4	46.3	66.8 75.1	77.0	82.9	03.2 75.5	83.4	94.0 95.5	96.3	94.4 91.9	81.0	94.2 04.4	96.4	92.3	64.7	67.4	07.00 7.00	81.1	69.8 70.8	70.8	68.9 73.0	67.1 70.4	79.2	65.7 86.3	83.4	(93.9) 79.5	61.2	82.6 70.6	(72.9)	73.3	55.9 EO E	45.2	58.8 66.7	54.2	intinuea)
rougnout	/ Other	8.7	0.0 9.2	3.5 12.0	7.7	6.9 7.2	3.8	3.2	5.4	23.9	22.3 16.2	7.2	2.4 16.2	20.4	α 4 τ	7.6	8.5	9.2	10.7	1.1	4.7	8.4 9.2	9.8	7.1 1.1	1.0 5 7	12.4	13.8 8.3	4.7	(3.2) 9.3	13.1	19.4 8.9	(5.4)	10.5	5.4	6.1	4.2 0.3	5.1	2
ries used th sport²	Pharmacy Only	0.0	0.0 1.2	2.2 3.0	1.2	3.6 4.9	6.0	6.4 2.4	4.8	5.9	7.0	16.6	10.5	6.0	5.1 0	6.7	14.3	11.8	16.6	0.21 8.8	14.8	13.2 5.8	13.7	6.3 19.9	4.0 0.5	8.5	7.7 7.7	20.4	(1.6) 9.6	3.6	د:/ 1.9	(23.2)	(42.2)	0.4	3.5	6.3 0.7	1.8	
nary catego Re	Private	11.6	21.0 27.8	37.3 39.0	26.6	49.8 55.9	52.9	65.0 40.7	00.2 56.5	32.0	38.0 54.1	54.4	59.8 45.4	32.6	61./ 58.2	68.2 68.2	63.6 E4 1	13.2	15.1	10.3 19.1	31.9	18.2 6.5	13.7	9.0 13.8	30.5 12.6	18.2	15.7 15.5	14.2	(29.1) 17.6	7.1	6.7 14.0	(25.0)	(30. l) 15.5	8.1 1.E	11.2	16.7 27.7	13.2	
Sumn	Public	13.4	11.2	16.2 12.2	13.2	11.1	18.3	11.0	12.3	25.9	27.1 25.1	23.7	19.0 24.8	32.0	31.0	22.2	10.6 7.7.0	31.7	27.0	31.0 38.4	33.6	31.7	39.9	53.5 38.2	34.3 44.6	40.3	31.3 58.0	48.2	(61.9) 45.5	42.5	49.8 45.7	(19.3)	35.6	42.4	24.5	31.6 39.2	34.5	
	Shop Only	0.8	1.1	1.0	0.9	1.2	0.3	0.0	0.0	16.2	18.3 12.1	6.3	1.0 12.1	11.5	3.6 A.A	2.5	0.2	5.6	7.3	6.0 6.0	2.5	5.7 7.2	6.1	0.0	0.5	5.2	3.1 6.4	1.9	(1.1) 3.7	0.0	3.9 4.0	(0.8)	(0.0) 1.7	3.6 E 7	0.0	0.0	2.2	
	Pharmacy Only	0.0	0.0 1.2	2.2 3.0	1.2	3.6 4.9	6.0	6.4 2.4	4.8	5.9	7.0	16.6	10.5	6.0	5.1 0 2	6.7	14.3	11.8	16.6	0.71 8.8	14.8	13.2 5.8	13.7	6.3 19.9	4.0 0.5	9.2 9.2	7.7	20.4	(1.6) 9.6	3.6	7.5 1.9	(23.2)	(42.2)	0.4	3.5	6.3 0.7	1.8	
	Other	5.7	9.c 8.1	0.7 8.7	5.6	1.5	0.6	0.6	1.4	5.4	1.6 2.3	0.2	0.0 2.4	2.7	2.0	3.8 .0	3.3	7.C	0.9	0.0	0.0	0./ 1.2	2.0	0.0	0.0	5.9	6.1 0.0	0.0	(2.1) 3.2	0.8	0.0	(0.0)	(0.0) 0.2	0.0	3.8	4.2 0,1	1.4	
	Non- allopathic	0.0	0.0	1.8 0.0	0.4	4.2 2.8	2.7	2.9	3.2 3.2		2.1 0.3	0.2	0.1 1.5	3.2	2.0	0.9	5.1	3.6	2.0	0.0	1.8	8.1 0.0	2.7	0.0	0.0	2.4	5.2 1.2	2.8	(0.0) 2.7	1.4	0.0	(0.0)	(0.0) 0.7	2.2	2.3	0.0	1.6	
	Market/ Informal Shop	2.1	0.4 1.5	0.0 3.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	(0.0) 0.0	9.2	14.2 4.9	(4.6)	(0.0) 7.4	0.0	0.0	0.0	0.0	
ces of Care ¹	y Shop		1.4	1.0 1.6	1.3	1.2	0.4	0.0	0.0	17.6	18.5 13.6	6.9	1.7 12.9	14.6	х, ц Ю С	2.8	0.2 4 E	0.0 5.6	8.2	6.0 6.0	2.9	0.0 8.0	6.5	0.0 1.1	1.0	5.4	3.7 7.2	1.9	(1.1) 4.0	1.6	3.9 4.0	(0.8) (0.8)	(0.0) 2.2	3.6 E 7	0.0	0.0 0.2	2.2	
gated Sourc	- Pharmac	0.0	0.0 1.2	2.7 3.0	1.3	4.1 5.8	6.5	7.2	5.4 5.4	6.2	12.8 7.6	17.1	0.61 11.0	6.4	9.6 111	7.8	15.3 0.5	13.7	17.2	13.8	17.6	14.9 5.8	13.7	6.3 19.9	4.4 0.5	. 80	7.5 8.1	21.4	(1.6) 9.9	3.8	8.9 1.9	(23.2)	(42.2)	0.4	3.5	6.3 0.7	1.8	
Disaggre	Religious NGO	5.5	9.3 9.3	5.5 10.2	8.1	0.0	0.2	0.5	0.2	2.1	7.1 0.6	0.2	5. <u>1</u> .	0.0	0.0	0.0	0.0	0.0 6.1	2.1	3.2	5.8	3.6 0.9	2.9	1.6 3.4	12.5	0.0	0.0	0.0	(0:0) 0:0	0.0	0.0	(0.0)	0.0	0.0	0.0	0.0	0.0	
	CHW- Private	0.4	0.0	1.0 0.8	0.6	0.0	0.0	0.0	0.0	14.6	14.2 11.1	11.9	2.4 11.7	14.8	18.1	16.1	4.5	0.3	0.0	0.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	(0:0) 0:0	0.0	0.0	(0.0)	0.0	0.0	0.0	0.0	0.0	
	CHW- Dublic	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	(0.0) 0.0	1.2	0.0	(0.0)	0.0	0.0	0.0	0.0	0.0	
	Private Clinic(iar	5.7	9.1 18.5	31.1 28.0	18.0	49.7 55.9	52.7	64.5 40.1	00. I 56.3	15.7 22.5	23.5 42.8	43.1	32.9	18.2	43.1	52.7	59.4 40 E	6.9	13.1	15.8	25.7	13.9 5.6	10.8	7.5 10.5	20.3 0.6	18.2	15.7 15.5	14.2	(29.1) 17.6	7.1	6./ 14.0	(25.0)	(15.5	8.1 11 E	11.2	16.7 27.7	13.2	
	Public Periph al HF	10.9	0.7 6.6	9.4 7.1	8.3	8.0	11.6	5.7	7.7	23.5	25.0 23.2	20.8	10.0 22.4	31.0	20.0 20.8	20.1	9.0 75.0	24.5	24.0	21.2	20.8	23.5 35.5	31.1	42.3 25.4	24.8	34.6	23.8 43.4	35.2	(54.5) 35.9	32.2	38.2 26.3	(14.2)	25.9	37.5	22.9	23.7 19.9	28.8	
	Public Hospita	2.6	5.4 5.4	6.9 5.1	5.1	3.2	6.9	5.6	0.9 4.8	2.5	2.2	3.3	3.9 2.6	1.6	4.5 4.1	2.1	1.6 2.2	7.4 7.4	3.7	10.0	12.7	8./ 15.6	8.0	11.2	11.3	5.7	7.5 14.6	13.0	(7.4) 9.6	9.1	11.4 19.4	(5.1)	(2.2) 9.6	4.9	1.6	7.9 19.4	5.7	
	z	197	182 219	t 125	924	785 805	650	495	3058	505	337 337	302	ccz 1	236	190 158	137	t 112 000	242	265	184 168	t 165	151	28	64 69	t 54 416	8	123 85	88	t 56 440	115	68 99	64	396	157	113	64 t 67	505	
	Wealth Quintile	Poorest	Middle	Wealthier	All	Poorest Poorer	Middle	Wealthier		Poorest	Middle	Wealthier	weatries	Poorest	Middle	Wealthier	Wealthies	Poorest	Poorer	Wealthier	Wealthies	All Poorest	Poorer	Widdle Wealthier	Wealthies	Poorest	Poorer Middle	Wealthier	Wealthies	Poorest	Poorer Middle	Wealthier		Poorest	Middle	Wealthier	AII	
	Survey	Haiti 2012	Haiti 2012 Haiti 2012	Haiti 2012 Haiti 2012	Haiti 2012	India 2005-6 India 2005-6	India 2005-6	India 2005-6	India 2005-6	Indonesia 2007	Indonesia 2007 Indonesia 2007	Indonesia 2007	Indonesia 2007 Indonesia 2007	Indonesia 2012	Indonesia 2012 Indonesia 2012	Indonesia 2012	Indonesia 2012	Kenva 2003	Kenya 2003	Kenya 2003 Kenya 2003	Kenya 2003	Kenya 2003 Kenva 2008-9	Kenya 2008-9	Kenya 2008-9 Kenva 2008-9	Kenya 2008-9	Liberia 2007	Liberia 2007 Liberia 2007	Liberia 2007	Liberia 2007 Liberia 2007	Liberia 2013	Liberia 2013 Liberia 2013	Liberia 2013	Liberia 2013	Madagascar 2003-4	Madagascar 2003-4	Madagascar 2003-4 Madagascar 2003-4	Madagascar 2003-4	

-
0
Ð
1
2
5
÷
5
2
X
U.
•
LO.
◄
Ð
ź
0
a

	Any Care³	45.4 37.4	48.5	53.7 69.3	49.3	66.9 65.5	72.7	69.3 69.3	68.9	70.1 74.3	81.3	1.11	76.1 76.1	20.7 55.2	50.1	78.7	59.1	(54.5) (53.5)	(44.0)	(0.07)	57.4 54.4	61.7	62.1 73.6	67.4 63.6	(44.1)	(ç. /c)	(57.9) (66.8)	55.1 53.2	66.2	66.9 77.5	(71.5)	55.7	(82.8)	(95.7) (95.7)	78.0	ontinued)
ughout	Other	10.2 8.3	9.5	2.1 0.0	6.5	37.4 32.0	36.5	28.1 23.7	32.8	9.0 8.6	6.7	8.1 2.4	7.2	21.1 23.1	19.9	14.U 6.6	18.6	(39.9) (28.5)	(14.8)	(16.0) (16.0)	27.6 8.6	7.9	8.9 8.5	2.4 7.0	(3.6)	(13.8)	(4.4) (0.0)	4.5 1 A	5.3	2.2	(0.0) 1.8	0.0	(7.8) (7.0)	(2.3)	2.7	ğ
es used thro ort²	Pharmacy Only	1.9	2.5	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	1.9 11.8	2.9	(0.0) (4.7)	(6.9)	(4.U) (12.7)	4.5 0 8 0	0.0	0.0 0.0	2.5 0.8	(0.0)	(n·n)	(2.1) (0.0)	0.4 15.8	28.0	23.4 27.6	(17.5)	20.8	(34.7) (75.4)	(34.2)	27.3	
ıry Categori Rep	Private	4.9 5.0	13.9	19.1 39.1	14.7	6.8 7.2	7.6	7.8 11.8	7.8	19.6 13.4	14.6	17.0 25.8	17.6	0.0 0.0	2.8	2.1 8.9	3.0	(0 (0 0 (0)	(0.0) (0.0)	(4.c) (4.3)	1.7	0.4	0.0 1.2	2.7 1.8	(0.0)	(n:n)	(0:0) (0:0)	0.0	11.4	9.6 26.0	(38.4)	6.1	(26.5) (28.3)	(41.8) (45.7)	26.1	
Summe	Public	29.5 24.0	30.3	33.6 31.9	29.4	23.2 27.0	29.6	33.7 34.9	29.0	43.3 54 7	63.2	56.7 53.2	54.5	31.6 31.6	27.0	41.2 52.0	35.2	(18.4) (20.3)	(23.3)	(30.1) (36.1)	25.0 41.2	53.8	53.2 65.0	59.8 54.4	(44.1)	(49.8) *	(51.4) (66.8)	52.3 26 o	24.9	33.8 29.2	(16.2) 26.7	30.7	(20.7)	(19.8)	25.1	
	r Shop Only	6.7 6.5	5.3	2.1 0.0	4.5	32.4 28.8	31.0	24.9 21.8	28.7	7.6	3.3	4.9	6.6	2.U 1.5	0.9	0.0 0.0	1.0	(2.9) (0.0)	(0.0)	(0:0)	0.0	0.0	0.0	0.0	0.0)	(n.u)	(0.0) (0.0)	0.0	0.2	0.0	(0.0)	0.0	(0.0)	(0.0) (0.0)	0.0	
	Pharmacy Only	1.9	2.5	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	1.9 11.8	2.9	(0.0) (4.7)	(6.9)	(12.7)	4.5 8 0	0.0	0.0	2.5 0.8	0.0	(n·n)	(2.1) (0.0)	0.4 15.8	28.0	23.4 27.6	(17.5)	20.8	(34.7) (25.4)	(34.2)	27.3	
	Other	0.6	0.0	0.0	0.1	2.1 0.7	0.9	0.0	0.9	0.5	0.3	0.0	0.7	1./ 2.8	1.2	0.2 0.8	1.7	(3.8) (4.3)	(0.0) (0.0)	(1.2) (3.2)	3.8 2.6	2.6	0.1 4.8	1.4 2.3	(0.0)	(q.7)	(3.3) (0.0)	1.2	0.0	0.0	(0.0)	0.0	(3.0)	(2.3)	1.2	
	Non- allopathic	3.0	2.3	0.0	1.5	3.9 2.1	4.3	2.7	3.1	0.4	2.7	0.0	0.9	9.4	13.3	11.1 2.8	9.8	(14.2) (8.5)	(2.1)	(9.0) (0.0)	9.4 2.2	4.2	3.0 3.0	1.0 2.6	(3.6)	(7.11) *	(1.1) (0.0)	3.3 1 A	2.6	0.0	(0.0) 1 3	0.0	(4.8) (2.0)	(0.0)	(0.0) 1.5	
	Market/ Informal Shop	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.3 10.2	4.5	3.0	6.6	(23.4) (20.7)	(12.7) (2.2)	(7.0) (1.0)	16.2 3.8	1.1	5.8 0.7	0.0	(1.3)	(n.u)	(0:0) (0:0)	0.3	0.0	0.0	(0.0)	0.0	(0.0)		0.0	
es of Care	Shop	6.7 6.5	7.1	2.1 0.0	4.8	32.4 29.6	31.6	25.4 21.8	29.2	8.1 6.2	3.7	6.8 2.4	2.5 2.5	2.0 1.5	0.9	0.0	1.0	(2.9) (0.0)	0.0	(0:0)	0.0	0.0	0.0	0.0	0.0	(n.n)	(0:0) (0:0)	0.0	2.7	0.0	(0.0) 0.5	0.0	(0.0)		0.0	
ated Source	Phamacy	1.9	2.5	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	2. <i>1</i> 13.7	3.4	(0.0) (4.7)	(6.9)	(0.0) (12.7)	4.8 0 8	0.0	0.0	2.7 0.8	(0.0)	(n·n)	(2.1) (0.0)	0.4 16.6	33.5	26.7 31.1	(18.0) 25.0	23.5	(34.7)	(41.1)	30.4	
Disaggreg	Religious- NGO	0.0	0.0	0.0	0.0	3.9 4.2	4.7	6.0 6.3	4.8	14.1 6.6	7.8	6./ 12.9	9.5	0.0	0.0	0.0	0.0	(0:0) (0:0)	(0.0)	(0:0)	0.0	0.4	0.0 0.3	0.0	(0.0)	(n.u)	(0:0) (0:0)	0.0	9.4	0.7	(3.4)	0.9	(0.0)	(0.0)	1.3	
	CHW- Private	0.8	1.9	0.0 1.2	0.9	0.3 0.1	0.0	0.0	0.1	0.0	0.3	0.0	0.1	0:0	2.1	0.3 0.3	0.5	(0:0)	(0.0)	(0:0)	0.0	0.0	0.0	0.0	(0.0)	(n:n)	(0:0) (0:0)	0.0	0.0	0.0	(0.0)	0.0	(0.0)	(0.0)	(0.0)	
	CHW- Public	0.0	0.0	0.0	0.0	1.2 0.1	0.3	0.6 0.9	0.5	1.8	1.6	1.6 0.0	1.4	0.0	0.0	0.0	0.0	() () () () () () () () () () () () () ((0:0)	(n:n)	0.0	0.0	0:0	0.0	(2.4)	(IU.3) *	(0:0) (0:0)	2.6 0.8	5.1	0.0	(3.1)	3.9	(0.0) (5.8)		(0.0) 2.4	
	Private Clinic(ian)	4.1 5.2	12.0	19.1 37.9	13.9	2.6 2.9	2.9	1.8 5.6	2.9	7.4 6.8	6.5	10.3	8.5	0.0	0.7	0.1 8.6	2.4	(0.0) (0.0)	(0.0)	(5.9) (4.3)	1.7	0.0	0.0 0.9	2.7 1.0	(0.0)	(n·n)	(0.0) (0.0)	0.0	2.0	8.9 25.3	(35.0)	5.2	(26.5)	(41.8) (45.7)	24.8	
	Public Periph HF	29.5 20.4	29.4	30.7 26.8	27.0	18.6 22.2	23.9	22.5 18.4	21.6	32.6 42.3	44.7	34.9 29.6	37.5	29.3 29.3	26.7	40.4 46.6	33.4	(18.4) (20.3)	(23.3)	(35.1) (36.1)	25.0 34.1	50.1	45.7 58.5	41.4 45.4	(1.3)	(n·n)	(0:0) (0:0)	0.3	19.5	29.9 20.0	(4.4) 20.1	25.2	(15.5)	(115.9)	18.6	
	Public Hospital	0.0 3.5	3.5	2.9 5.0	2.8	3.4 4.7	5.5	10.5 15.6	6.8	11.0	18.4	20.7 23.6	16.8	0.0 2.3	0.3	0.9 5.9	1.9	(0:0) (0:0)	0.0	(0.0) (0.0)	0.5 8	3.9	7.5 6.6	19.5 9.0	(44.1)	(39.4)	(51.4) (66.8)	50.2 3.0	3.6	1.2	(11.8) 8.3	1.6	(5.2) (2.8)	(3.9) (7.7)	4.9	
	z	85 86	56	61 57	345	373 431	516	337 183	1840	258 254	289	230 189	1221	159 167	136	132	706	29	28	8 8	158 194	200	152 159	214 919	8	34 27	33 34	166 73	242	26	40 777	62	53 58	20 17	238	
	Wealth Quintile	Poorest	Middle	Wealthier Wealthiest	All	Poorest Poorer	Middle	Wealthier	All	Poorest Poorer	Middle	Wealthiest	All	Poorer	Middle	Wealthiest	AII	Poorest Poorer	Middle	Wealthiest	All Poorect	Poorer	Middle Wealthier	Wealthiest All	Poorest	Middle	Wealthier Wealthiest	All Douract	Poorer	Middle Wealthier	Wealthiest	Poorest	Poorer	Wealthier	All	
	Survey	Madagascar 2008-9 Madagascar 2008-9	Madagascar 2008-9	Madagascar 2008-9 Madagascar 2008-9	Madagascar 2008-9	Malawi 2004 Malawi 2004	Malawi 2004	Malawi 2004 Malawi 2004	Malawi 2004	Malawi 2010 Malawi 2010	Malawi 2010	Malawi 2010 Malawi 2010	Malawi 2010	Mali 2006 Mali 2006	Mali 2006	Mali 2006 Mali 2006	Mali 2006	Mali 2012-13 Mali 2012-13	Mali 2012-13	Mali 2012-13 Mali 2012-13	Mali 2012-13 Mozambinue 2003	Mozambique 2003	Mozambique 2003 Mozambique 2003	Mozambique 2003 Mozambique 2003	Mozambique 2011	Mozambique 2011 Mozambique 2011	Mozambique 2011 Mozambique 2011	Mozambique 2011 Nepal 2006	Nepal 2006	Nepal 2006 Nepal 2006	Nepal 2006	Nepal 2011	Nepal 2011 Nepal 2011	Nepal 2011 Nepal 2011	Nepal 2011	

-
<u>.</u>
Ψ.
3
0
.=
÷
-
-
0
()
0
Т
I.
ı ıd
ן. ני
A5
A5
e A5
le A5
ole A5
ible A5
able A5

	Any Care³	63.1 66.7	74.4	74.4 (76.5)	68.8	81.3 71.4	77.4	77.8 (5.178)	76.8	70.5 70.5	0.68	89.7	93.3 83.3	81.0	80.1 84.6	85.7	87.5 02 E	63.3 58.1	61.6	67.0 60.6	74.0	64.1 51.2	62.3	66.1 /rr //	(0.00) 84.7	62.1	40.0 52.6	55.9 70.7	74.3	61.1	45.1 55.4	62.3	55.9 77 1	59.9	76.3	91.1 01 /	91.4 85.6	89.9 86.7	ntinued)
rghout	Other	14.3 12.5	5.9	2.8) (2.8)	9.8	26.0 11.4	2.0	3.8	11.8	3.3	5.2 6.9	4.9	4.c 4.6	1.4	3.1	0.0	0.1	21.6	25.1	26.7 20.7	12.8	21.5 10.0	7.7	13.3	(0.0) 2.1	8.2 4 E	11.2	5.3	3.9	5.9	13.0 11 5	5.0	2.0	5.8	2.4	0.5	3.3	2.2	CO
es used throu	Pharmacy Only	26.1 25.1	38.2	33.8 (28.5)	29.2	30.2 32.2	35.8	38.0 (18.0)	31.9	0.0	0.0	0.0	1.1	0.0	0.3	0.7	0.3	0.0 15.1	10.6	16.8 18.2	19.1	15.9 0.0	4.9	4.1	(c.z) 8.7	3.6	- 1 .3	5.3	10.5	5.5	1.6 ה ה	3.0	6.4 6.2	4.7	19.2	26.6 10.2	22.8	16.6 21.0	2
ary Categorie Rep	Private	7.9 5.0	11.7	7.6 (17.2)	8.7	1.6 4.6	2.9	9.4 (73.5)	5.8	58.7	00.0 71.1	74.0	84.1 69.9	69.2	69.0 72 3	75.7	83.0	1.2	1.5	3.6	13.1	3.9	0.0	0.0	(u.u) 21.1	3.5	5.8	8.2	19.3	11.9	0.9	0.4	7.2	+ 00 + 10	9.8	3.9 15.1	11.3	23.0 12.0	
Summe	Public	15.2 25.4	22.6	32.6 (30.8)	23.2	25.3 23.1	37.8	27.6 (13.7)	29.0	8.6	0./ 13.4	12.2	c.c 7.6	11.4	9.5 0 0	10.2	4.1	7.4 21.9	25.5	20.9 21 0	30.9	24.1 40.3	49.6	48.7	(40.0) 53.7	46.7	36.8 36.8	37.7	40.8	39.9	31.2 36.7	55.4	40.3 54.6	0.44 0.44	45.6	60.1 55 0	49.7	50.6 52 1	
	cy Shop Only	14.1 7-2	1.9	0.5 (0.0)	6.9	3.9 3.9	0.6	0.0	4.3	3.0 1 E	0.1 1.6	2.1	0.9 1.9	0.6	3.0	0.0	0.1	2.0	4.4	2.4	<u>: []</u>	2.3	0.0	0.0	().U) 0.0	0.0	6.4 6.4	3.0	0.9 1.4	2.8	0.7 2.5	1.5	0.0	0.0	0.0	0.0	0.0	0.0	2
	Pharma Only	26.1 25.1	38.2	33.8 (28.5)	29.2	30.2 32.2	35.8	38.0 (18.0)	31.9	0.0	0.0	0.0	1.1	0.0	0.3	0.7	0.3	0.0 15.1	10.6	16.8 18.2	19.1	15.9	4.9	4.1	(c.7) 8.7	3.6	1.3 1.3	5.3	10.5	5.5	1.6 הה	3.0	6.4 6.2	4.7	19.2	26.6 10.2	22.8	16.6 21.0	
	Other	0.0	0.7	0.0 0.0)	0.2	1.4 0.0	0.0	0.0 (5 3)	().0 8.0	0.2	0.0 6.0	0.0	0.0	0.5	0.0	0.0	0.0	13.1	13.6	14.1	8.3	12.0 8 0	7.7	11.1	(c.o) 2.1	7.5	0.0	0.7	0.0	0.6	3.6 8 8	0.8	1.3	1.7	2.4	0.5	 	2.2	
	Non- allopathic	0.2	0.5	2.3 (2.8)	2.1	9.7 6.1	0.6	0.0	4.8	0.0	4.5	2.7	4.5 2.5	0.3	0.0	0.0	0.0	7.2	7.8	10.1 8 o	3.3	7.5	0.0	2.2	(n.n) 0.0	1.0	3.0	1.7	2.5 2.5	2.2	8.9 8.9	3.4	0.7	- 6	0.0	0.0	0.0	0.0	2
	Market/ Informal Shop	0.0	0.0	0:0) (0:0)	0.0	5.5 1.5	0.0	3.8	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	() () 0.0	0.0	0.0	0.0	0.0	0.0	0.6 2 3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2
s of Care ¹	Shop	14.1 7 5	4.7	0.5 (0.0)	7.5	11.8 3.9	1.3	0.0	4.5	3.1 1.E	1.0 1.6	2.1	0.9 1.9	0.6	3.0	0.0	0.1	1.3 2.0	4.4	2.4	1.5	2.4	0.0	0.0	().U) 0.0	0.0	6.4 6.4	3.0	1.4	3.0	0.7 2.5	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0
ated Sources	Phamacy	26.8 26.1	39.0	34.8 (30.1)	30.1	31.8 32.2	35.8	42.0 (18.0)	32.8	0.0	0.0	0.0	1.1 0.4	0.0	0.3 1 8	0.7	0.3	0.7 15.3	10.6	16.8 18.3	19.5	16.1 0.9	4.9	4.1	(c.z) 8.7	3.6	1.6	5.3	12.5	6.4	ח.6 ק	4.3	6.4 6.2	0.2	19.8	27.5	23.6	19.1 21.8	2
Disaggreg	Religious- NGO	0.0	0.0	0.0 (0.0)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	(n.n) 0.0	0.0	0.5	3.5	 0.8	1.8	0.0	0.0	0.0	0.0	6.4	3.9 0	5.7	4.0	0
	CHW- Private	0.6	0.0	0.0 (0.0)	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0	0.0	0.0	0.0	0.0	0.0	0.0	(n.n) 0.0	0.0	0.6 0.6	0.0	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2
	CHW- Public	2.1	0.6	0.0 (0.0)	0.0	0.0 0.3	0.0	0.0	0.1	0.0	1.1	0.0	0.0	0.0	1.1	0.0	0.0	0.5	0.0	1.3	0.2	0.5	15.2	16.6 // //	(9.4) 11.1	13.0	1.5	0.1	1.5	1.2	0.6	1.6	1.0	1.6	0.0	0.0	0.0	0.0	2
	Private Clinic(ian)	7.3 5.7	11.7	7.6 (17.2)	8.5	1.6 4.6	2.9	9.4 (73.5)	5.8	58.7	00.00 71.1	74.0	84.1 69.9	69.2	69.0 27.3	75.7	83.0 72.1	1.2	1.5	3.6	13.1	3.9	0.0	0.0	(u.u) 21.1	3.5	4.6 4.6	4.7	12.0 18.6	9.8	0.6	0.4	7.2	1.1.1	4.0	0.0	0.2 5.6	19.0 6.1	5
	Public Periph HF	8.9 15.2	16.9	9.8 (1.6)	11.6	16.4 11.3	15.2	13.8	14.4	2.3	0.0 1.1	1.8	1.5 1.5	0.6	1.6	0.5	0.0	0.7 19.7	23.0	16.4 20.0	26.5	21.2 20.8	36.3	36.4	(30.3) 42.9	35.2 21.0	34.0	34.9	29.9	35.3	29.3 33.6	41.0	27.6	34.5	42.7	54.0 51 A	40.5	28.0 44.7	-
	Public Hospital	4.2 10.5	5.0	22.8 (29.1)	10.9	8.9 11.5	22.6	13.7	14.5	6.5	0.0 11.2	10.4	9.5 0.8	10.8	7.1	7.9 7.6	4.1	0.4 1.8	2.4	с. С. С.	4.1	2.5 1.0	3.3	0.0	(1.9) 1.4	1.5	1.1	2.6	9.4	3.6	1.3 2.0	12.8	13.4	5.5 2.5	3.6	6.9 1 F	10.0	22.6 8.4	5
	z	216 200	118	97 59	069	140 189	114	72	565	281 260	217	237	192 1178	345	417 385	356 356	248 1761	16/1	261	275 265	249	1332	64	54	23 50	322	239	276	239 239	1279	115 74	105	156	589	162	124	130	91 16	2
	Wealth Quintile	Poorest	Middle	Wealthier Wealthiest	AII	Poorest Poorer	Middle	Wealthier	All	Poorest	Middle	Wealthier	Wealthiest	Poorest	Poorer	Wealthier	Wealthiest	All Poorest	Poorer	Middle	Wealthiest	All Ponrect	Poorer	Middle	Wealthiet	All	Poorer	Middle	Wealthier	AII 9	Poorest	Middle	Wealthier		Poorest	Poorer	Wealthier	Wealthiest	
	Survey	Nigeria 2008 Nigeria 2008	Nigeria 2008	Nigeria 2008 Nigeria 2008	Nigeria 2008	Nigeria 2013 Nigeria 2013	Nigeria 2013	Nigeria 2013 Niceria 2013	Nigeria 2013	Pakistan 2006-7	Pakistan 2006-7	Pakistan 2006-7	Pakistan 2006-7 Pakistan 2006-7	Pakistan 2012-13	Pakistan 2012-13 Dakistan 2012-13	Pakistan 2012-13	Pakistan 2012-13	Pakistali 2012-13 Rwanda 2005	Rwanda 2005	Rwanda 2005 Bwanda 2005	Rwanda 2005	Rwanda 2005 Rwanda 2010	Rwanda 2010	Rwanda 2010	Rwanda 2010	Rwanda 2010	Senegal 2005	Senegal 2005	Senegal 2005	Senegal 2005	Senegal 2010-11 Senegal 2010-11	Senegal 2010-11	Senegal 2010-11 Senegal 2010-11	Senegal 2010-11 Senegal 2010-11	Tanzania 2004-5	Tanzania 2004-5 Tanzania 2004 5	Tanzania 2004-5	Tanzania 2004-5 Tanzania 2004-5	

7
×.
Ψ
3
~
Ξ.
~
~
0
()
0
1
١.
ו יה
رى 1
A5
A5
e A5
le A5
ble A5
able A5. –
Table A5. –

								Disaggreg.	ated Sources	s of Care ¹						Summ	ary Categori Rep	es used thro oort²	ughout	
	101101			Public		1000	10				Market/			ā	ā			ī		
Survey	Quintile	z	Hospital	HF HF	Private Clinic(ian)	Public	CHW- Private	Keligious- NGO	Pharmacy	Shop	Shop &	Non- Nopathic	Other	Pharmacy Only	only	Public	Private	Pharmacy Only	Other	Any Care³
Tanzania 2010	Poorest	61	0.2	46.9	3.0	0.0	0.0	0.0	20.0	0.0	0.0	0.0	2.3	18.3	0.0	46.9	3.0	18.3	2.3	70.6
Tanzania 2010	Poorer	53	12.0	65.3	2.8	0.0	0.0	0.0	5.6	0.0	0.0	0.0	0.0	5.6	0.0	72.9	2.8	5.6	0.0	80.3
Tanzania 2010	Middle	85	2.1	42.2	4.6	0.0	0.0	0.0	26.8	0.0	0.0	0.0	2.3	23.2	0.0	44.3	4.6	23.2	2.3	74.2
Tanzania 2010	Wealthier	76	12.9	54.2	7.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	2.8	11.7	0.0	65.9	7.0	11.7	2.8	84.7
Tanzania 2010	Wealthiest	58	31.1	46.0	13.4	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	1.3	0.0	77.1	13.4	1.3	0.0	90.6
Tanzania 2010	AII	332	10.8	50.1	6.1	0.0	0.0	0.0	15.8	0.0	0.0	0.0	1.6	13.1	0.0	0.09	6.1	13.1	1.6	79.7
Uganda 2006	Poorest	319	3.9	38.6	37.7	2.2	2.1	0.0	5.5	0.6	0.0	0.6	0.4	4.4	0.2	44.5	39.2	4.4	1.6	85.1
Uganda 2006	Poorer	289	6.7	21.3	37.9	2.9	2.8	0.0	6.6	1.4	0.0	1.0	1.2	8.8	1.4	30.3	40.6	8.8	3.5	79.5
Uganda 2006	Middle	212	5.7	24.6	38.7	2.1	0.3	0.0	8.7	1.7	0.0	1.5	3.0	8.2	1.0	32.5	39.0	8.2	6.2	82.5
Uganda 2006	Wealthier	177	10.1	17.3	47.2	0.8	0.9	0.0	9.8	2.4	0.0	2.3	0.7	8.9	1.9	27.8	47.2	8.9	5.4	84.2
Uganda 2006	Wealthiest	111	7.7	7.5	65.4	0.0	0.0	0.0	0.6	0.0	0.0	0.1	0.0	6.6	0.0	15.2	65.4	6.6	0.1	84.3
Uganda 2006	AII	1109	6.3	24.9	42.2	1.9	1.5	0.0	8.3	1.2	0.0	1.1	1.1	7.2	0.9	32.9	43.4	7.2	3.5	82.9
Uganda 2011	Poorest	336	5.4	32.8	43.7	0.9	0.7	0.0	0.2	0.4	0.3	1.0	0.7	0.2	0.4	38.1	44.3	0.2	2.5	80.2
Uganda 2011	Poorer	263	3.8	30.6	49.4	0.0	0.0	0.0	2.0	2.5	0.0	0.4	0.5	2.0	1.5	33.7	49.4	2.0	3.4	82.9
Uganda 2011	Middle	190	6.2	23.2	51.0	1.2	1.4	0.0	1.6	1.8	0.0	0.0	2.4	1.6	1.0	30.2	52.4	1.6	4.2	83.1
Uganda 2011	Wealthier	161	2.2	30.0	51.0	0.0	0.7	0.0	3.6	2.3	0.0	0.9	0.0	3.6	2.3	32.3	51.7	3.6	3.1	83.9
Uganda 2011	Wealthiest	170	8.9	11.6	60.8	0.8	3.2	0.0	2.7	2.8	0.0	0.3	3.5	2.4	2.8	21.3	63.5	2.4	6.2	90.1
Uganda 2011	AII	1118	5.2	27.0	49.9	0.6	1.0	0.0	1.7	1.8	0.1	0.6	1.3	1.7	1.4	32.3	50.8	1.7	3.7	83.4
Zambia 2007	Poorest	64	4.9	59.9	2.4	0.0	1.4	9.3	0.0	3.5	0.0	9.5	1.1	0.0	1.4	64.8	13.1	0.0	14.0	86.2
Zambia 2007	Poorer	86	5.4	52.0	0.0	0.0	1.7	7.6	1.8	1.8	0.0	0.0	0.8	1.8	1.8	54.9	9.3	1.8	2.6	67.7
Zambia 2007	Middle	54	10.2	49.2	0.5	0.0	0.0	5.1	6.7	3.4	0.0	2.8	0.0	5.7	2.9	58.6	5.6	5.7	6.2	74.6
Zambia 2007	Wealthier	23	7.3	67.4	1.8	0.0	0.0	2.9	6.3	3.4	0.0	0.0		1.6	3.4	74.8	4.8	1.6	4.4	83.4
Zambia 2007	Wealthiest	49	(9.6)	(47.7)	(1.8)	(0.0)	(0:0)	(0:0)	(9.9)	(0.0)	(0.0)	(0.0)	(0:0)	(3.2)	(0.0)	(54.3)	(1.8)	(3.2)	(0.0)	(59.3)
Lambia 2007	AII	304	6.7	55.1	1.2	0.0	0.8	5.5	3.9	2.4	0.0	2.5	0.6	2.3	1.9	61.0	7.5	2.3	5.5	74.2
Zambia 2013-14	Poorest	115	1.0	61.1	0.0	3.0	0.6	1.2	0.0	1.5	1.4	1.6	2.2	0.0	1.5	65.1	1.9	0.0	6.7	73.6
Zambia 2013-14	Poorer	119	5.3	58.5	0.3	2.2	0.0	2.2	0.1	2.4	0.0	0.7	0.9	0.1	2.4	64.2	2.6	0.1	4.0	69.7
Zambia 2013-14	Middle	96	6.8	59.6	0.0	0.5	0.0	2.4	0.0	2.7	0.0	0.0	0.0	0.0	2.7	65.3	2.4	0.0	2.7	70.1
Zambia 2013-14	Wealthier	8	4.8	64.9	4.1	1.0	0.0	2.9	1.0	0.4	2.9	0.0	0.0	0.0	0.4	70.7	7.0	0.0	3.3	75.7
Zambia 2013-14	Wealthiest	59	12.0	60.1	6.6	0.0	0.0	0.8	1.8	4.4	0.0	0.0	0.0	1.8	4.4	72.1	7.4	1.8	4.4	85.8
Zambia 2013-14	AII	469	5.3	60.6	1.6	1.6	0.2	2.0	0.4	2.1	0.8	0.6	0.8	0.2	2.1	66.8	3.7	0.2	4.3	73.8
Figures in parentheses	are based on 2!	5-49 unw	eighted cas	ies. An ast	terisk indicate.	s that a figu	Ire is based	d on fewer t	han 25 unwei	ighted case	es and has	peen suppr	ssed. Chil	dren for who	m care was s	ought from I	multiple sour	rce contribut	e to each sou	urce's total,

so the total percentage may exceed the percentage of children who received any care. ¹ The following Disaggregated Sources of Care categories include multiple standard response options: Public Peripheral Health Facility (HF) includes: health center, health post, mobile clinic, or other public sector care; Private Clinic or Clinician includes private hospital, doctor, rurse, mobile clinic, or other private sector; and Other includes any other source of care suggregated sources of care categories; the private summary category combines the Private Clinic or Clinician, Parking, relative, or other, and Religious or NGO Facility disaggregated sources of care categories; the private summary category combines the Private Clinic or Clinician, Private CLIW, and Religious or NGO Facility disaggregated sources of care categories; the private summary category combines the Private Clinic or Clinician, Private CHW, and Religious or NGO Facility disaggregated sources of care categories; the private summary category combines the Private CHW, and Religious or NGO Facility disaggregated sources of care categories (note that Private does *not* include pharmacy). Pharmacy Only includes children for whom care was sought only from a pharmacy; and the Other summary category combines the Shop, Market/Informal Shop, Non-Allopathic, and Other disaggregated sources of care categories.

	Any Care ³	70.4 73.4	76.9 71.9	65.4 72.0	73.4	80.6 77	68.7	79.1	41.8	35.9 39.5	33.7 38 o	37.8	55.9 58.4	62.6	01.0 52.0	58.2	18.8 20.3	30.6	24.5 40.2	25.7	29.5	39.9 35.9	60.2	35.5 47.1	49.3	53.2 48.2	58.4 50.1	50.1 60.2	66.3 65.2	61.4	(67.7) 63.4	33.7	36.8 44.2	44.4 44.5	40.0	nued)
eport ²	ther	1.5	6 <u>.</u> 0	ء بن ہ	- 7	0.	0,00	2 -	t ιο e	0 m	0 1	0	20	انت	ç, 9	c	<u>, 6</u>	, i Ö	25		, L	ς Ω	9	0. 2		<u>م</u>	4.0	9.9	0, 6	9	()	5	2 12	6 6	.6	(Conti
ighout Re	ن م	24 30	31	13 2	9 F0	ς, ∠	101	~ ~	040	C	40	S CO I	~~~~		4 00	ф С	77	c	50	7 -		40	10	10 2	с со с	70	- 4	0.0	6 ~	່ເບັ	0,0	000	o, 0	8 4	7	
ised throu	Pharma Only	35.5 29.4	27.1 16.2	23.3	20.9 22.4	36.2	8.1	12.7	2:4	3.4 5.5	2.7	3.2	11.9 7.6	16.3	19.0 16.3	14.3	1.0 0.2	2.2	2.0	1.4	2.5	0.7	6.9	1.9 16.4	22.1	20.9	15.4	9.4	19.9 22.0	14.9	(19.7) 16.3	0.6	0.3 4.2	6.1 5.1	2.9	
ategories	Private	6.4 5.6	12.9 12.1	20.0	10.7 35.9	36.0 20.6	47.9	55.9 41.4	12.5	5.8 5.8	3.1	5.7	8.9 10.7	6.0	10.1 15.0	10.1	3.9	4.3	3.2 5.8	3.5 5.4	2.6	10.1 11 3	18.7	8.8 0.6	4.0	2.0 3.4	14.6 2.6	0.0 0.9	6.5 1 0	13.2	(13.1) 5.9	19.3	20.1 17.2	12.2 20.6	17.7	
ummary C	Public	4.3 11.1	7.9 15 ה	12.1	9.8 13.1	8.4	6.9	10.4 11.1	26.2	26.1 26.8	27.9 35.5	28.0	28.4 34.0	35.9	29.1 17.8	29.2	13.3 13.2	22.8	18./ 31.8	18.8	17.0 22.8	26.0 22.2	38.5	24.1 20.4	19.8	22.3 23.9	26.9 21.0	z 1.7 40.2	32.5 36.6	29.7	34.9) 35.6	6.3	9.8 17.8	18.2 15.8	13.0	
S																															<u> </u>					
	Shop Only	0.0	0.4	0.0	0.0 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.0	0.3	1.4 0.6	0.4	0.2 1.3	0.7	0.0	2.9	0.3	1.1	0.6	0.0	0.0	4.5	0.2	0.0	(0.0)	1.7	2.2 2.5	1.6 1.6	1.9	
	Pharmacy Only	35.5 29.4	27.1 16.2	23.3	20.9 22.4	36.2	2.0.1 8.1	12.7 22.0	2.4	5.5 5.0	2.7	3.2	11.9 7.6	16.3	19.0 16.3	14.3	0.2	2.2	2.0 0.9	1.4	0.0 2.5	0.7	6.9	1.9 16.4	22.1	20.9 20.9	15.4 10.0	9.4	19.9 22.0	14.9	(19.7) 16.3	0.6	0.3 4.2	6.1 5.1	2.9	
	Other	6.3 2.7	1.3	2.8 2.8	3.3 0.0	0.0	0.0	2.2	4.5	3.0 2.3	4.0	3.0	3.1	2.4	3.5	2.5	c:n	0.4	0.0	0.2	0.7	0.0	0.0	0.3 1.2	0.7	6.1 0.0	1.4	0.0	2.0	- °.	(0.0) 1.2	4.3	5.0 1.9	6.4 2.7	4.2	
	Non- allopathic	17.7 27.9	29.7 27.0	11.4	23.3 3.2	3.0	3.8 3.8	0.0	0.0	0.0	0.0	0.0	5.5 3.5	2.1	2.3 0.1	2.8	0.3 1.2	0.5	0.0 0.2	0.5	0.0	1.4 0.9	0.3	0.6 1.7	0.9	0.0 0.9	0.0	1.2	0.8	0.0	(0.0) 0.6	0.7	0.9 1.5	0.0 0.0	0.9	
1	Market/ nformal Shop	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.6	0.0	0.5	0.8 1.2	0.3	6.0 7.0	0.7	0.0	0.0	0.0	0.0 7.3	1.5	0.0	0.0	3.9	5.3 2.1	0.2	(0.0) 3.0	2.4	0.0	0.0	0.7	
s of Care	Shop	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 1.0	0.3	0.0	0.3	0.6	0.4	0.2 1.3	0.7	0.9	2.9 0.2	0.3	1.1 0.0	0.6	0.0	0.0	4.5	1.0	0.0	(0.0) 1.7	1.7	2.3 3.0	1.6 1.6	2.1	
jated Source	Pharmacy	35.5 29.4	28.0 17.2	24.1	c./2 24.4	39.3 22.4	20.4 8.6	12.7 23.3	2.7	3.8 6.9	3.6	3.9	12.7 9.2	17.2	22.3 19.2	16.1	0.2	4.4	2.4	2.1	0.7 2.5	0.7	6.9	2.0 16.4	22.5	20.9	16.9 20.2	20.2 10.6	19.9 23.5	14.9	(20.9) 16.9	0.6	0.3 4.5	6.7 5.1	3.1	
Disaggreç	Religious- NGO	0.0	1.6 1 2	<u>i 1.3</u>	0.0	0.0	0.7	2.9 0.5	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.5	1.4	0.9 0.9	0.8	0.0	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	(0.0) 0.0	7.8	/.0 5.6	6.1 5.7	6.6	
	CHW- I Private	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.4	5.8 5.8	2.9	5.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.4 0.0	1.2	0.0	0.0	0.0	0.0	1.9	(0.0) 0.3	0.0	0.0	0.0	0.0	
	CHW- Public	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 7.7	3.4 8.1	8.1	6.9	0.6 0.3	0.2	0.0	0.3	c:0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	7.1 0.0	0.0	0.6	0.0	0.0	(0.0) 0.2	0.0	0.0	0.0 0.0	0.0	
	Private Clinic(ian)	6.4 4.5	11.3 10.8	18.7	9.7 35.9	36.0 20.6	47.2	53.1 AD 0	0.0	0.0	0.1	0.1	8.9 10.7	6.0	10.1 15.0	10.1	0.0 3.4	3.0	2.3 4.9	2.7 5.5	2.6 2.6	8.9 0.5	17.7	8.0 0.6	4.0	2.0 3.4	14.6 2.6	5.0 0.9	6.5 1 0	13.2	(13.1) 5.9	11.5	13.5 11.6	6.1 14.9	11.2	
	Public Periph HF	4.3 10.0	7.5 13.1	7.4	8.3 11.6	7.3	1.1	6.1 8.6	0.0 18.6	21.7 22.1	17.5 23.7	20.5	26.3 31.4	34.1	24.4 11.7	25.6	8.4 9.6	17.0	15.2 27.1	14.3 17.0	22.4	25.9 22.0	36.4	23.6 10.0	5.7	6.8 6.8	1.8 7.0	7.0 24.2	20.7 14 8	4.7	(7.9) 17.2	5.5	9.8 12.1	13.7 11.6	10.2	
	Public Hospital	0.0	0.4 2.4	4.7	1.5 1.5	1.1	1.2 7.2	4.3 7.5	0.2	1.8 0.8	3.2 5.8	2.1	1.6 4.0	2.6	5.4 6.1	3.9 4 F	4.5 3.7	5.9	4.1 5.5	4.7	1.0	0.1	2.7	0.7 9.9	14.0	17.1	25.1 13.7	15.4	12.1 22.1	25.0	(27.0) 18.3	0.8	0.0 5.7	4.5 4.1	2.8	
	z	130 119	123 104	83	108	75	49	59 388	276 276	211 273	300 187	1313	631 581	500	02 I 519	2852 20F	393 428	436	339 221	1819	301 301	298 373	190	1483 170	105	87	55	176	131	86	40 542	329	266 264	264 140	1263	
	Wealth Quintile	Poorest Poorer	Middle Wealthier	Wealthiest	All Poorest	Poorer	Wealthier	Wealthiest	Poorest	Poorer Middle	Wealthier	All	Poorest Poorer	Middle	Wealthiet	All	Poorer	Middle	Wealthier Wealthiest	All	Poorer	Middle Wealthier	Wealthiest	All Poorest	Poorer	wiaale Wealthier	Wealthiest	All Poorest	Poorer	Wealthier	Wealthiest All	Poorest	Poorer Middle	Wealthier Wealthiest	All	
	ırvey	angladesh 2007 angladesh 2007	angladesh 2007 moladesh 2007	angladesh 2007	angladesn zuu/ ingladesh 2011	angladesh 2011	angladesh 2011	angladesh 2011 muladesh 2011	ongo DR 2007	ongo UK 2007 2007	ongo DR 2007	ongo DR 2007	ongo DR 2013-14 0013-14	ongo DR 2013-14	טווטט טיא 2טו 5-14 2013-14 סחפס DR 2013-14	ongo DR 2013-14	niopia 2005 hiopia 2005	thiopia 2005	hiopia 2005 hiopia 2005	thiopia 2005 biopia 2011	hiopia 2011	thiopia 2011 hionia 2011	hiopia 2011	thiopia 2011 Jana 2003	hana 2003	nana 2003 hana 2003	hana 2003	hana 2008	hana 2008 2008 2008	hana 2008	hana 2008 1ana 2008	aiti 2005-6	aiti 2005-6 aiti 2005-6	aiti 2005-6 aiti 2005-6	aiti 2005-6	

Table A6. Sources of care for diarrhea by household wealth, USAID MCH priority countries

-
~
<u> </u>
_
Ψ.
_
-
~
-
+
~
-
ā
0
4.
()
<u> </u>
10
9
~
ч.
-
E CO
_
-
<u> </u>
-
(0)

	Any	Care ³	36.7 24 0	45.5	51.8 55.3	43.7	60.09 66.99	70.2	73.8	69.1	63.8 77 1	78.3	75.9	83.6 74 1	78.6	79.4 83.4	78.8	80.8 80.1	40.8	29.8 34.4	39.9	44.0 37.6	61.8	53.8 65.4	62.7 65.3	60.1 60.1	69.1 83.9	79.8 7.47	84.1	78.3	73.3	78.8	73.2	73.4	34.4	40.9	38.4 38.2	ntinued)
ut Report ²		Other	7.3	9.8	13.8 5.0	9.2	5.7 7.8	5.2	0.9	5.9	23.2	24.1 16.3	9.8	18.1	15.0	11.2 12.2	7.3	4.3	8.8	5.1 5.4	4.0	4.1 5.8	11.2	13.1 5.5	2.3 4 8	7.9	26./ 33.0	30.1	14.5	24.1 24.8	19.6	13.4 8.6	3.7	16.0 8.6	2.1	0.0	0.5 4.7	(Co
ed througho	harmacy	Only	0.0	1.3	0.0	0.4	5.9 5.7	7.0	6.4 1 7	4.7 6.0	3.0	0./ 3.2	9.5	10.2 5 9	3.7	4.8 8.7	8.4	15.2 7.4	3.9	1.0 3.8	3.2	3.6 3.1	4.2	4.7 4.4	6.9 1 2	4.9	11.5 11.7	9.9	14.8	11.4 5.1	7.4	12.2 18.7	20.3	11.3 0.0	2.9	3.6	0.0 1.7	
ategories us		Private	14.9 17 E	21.2	24.1 29.6	20.7	35.5 41.8	46.0	51.0 62.6	45.9	19.8	27.3 40.1	39.7	54.5 33.3	31.6	43.4 48.8	53.2	50.1 44.3	7.6	6.0 5.5	8.7	21.8 9.5	6.1	6.0 13.4	9.9 22.0	10.4	13.5 21.7	24.1 20.7	22.5	20.4 6.5	5.9	9.7 21.5	25.3	12.0 6.6	7.4	7.7 16.8	27.9 11.1	
Summary C		Public	15.4 11.2	14.5	19.3 21.1	15.7	15.7 13.2	15.6	13.6 10.6	14.0	19.8	21.4 22.6	22.3	10.6	34.2	25.7 23.0	13.3	14.8 23.6	22.2	19.0 19.8	24.0	16.0 20.2	42.7	32.2 44.9	44.0 22.6	23.0 38.6	23.9 27.3	26.2 26.6	38.4 38.4	29.5 36.9	41.1	46.0 23.1	24.0	35.4 24.2	22.0 10.5	20.6	10.4 21.0	
	doų	nly	0.4	1.1	7.0		2.5	1.4	8. c	1.7	3.4	4.4 0.0	1.3	2.3	L.1	1.9	8.2	2.5	2.4	1.7	1.2	1.3	3.7	4.8 0.8	1.1	0.00	8.0 7.0	0.7	× 80.	5.8 1 0	- 9.0	3.6	0.0		0.0	0.0	0.0	
	macy SI	nly O	0,0	i ui	0. 4	5 4		. 0.	4. r	, O.	0, 1		i roi o	2 0 2 0		100 L	. 4.	<i>ci z</i>	t 0:	0, 00,	i ci ·	, , , ,		7 0	6.0	<i>i</i> oʻr	م <i>ب</i>	.9	jω	4 -	- 4.	0, r	- ci -	~, C	6.0	, 9 9	0. 1.	
	Phar	ō	00	o —	00		വവ	7	9 4	¢ †	33	0 m	6,	0 5	° co .	4α	000	15	- ന	- ~	0 00 0	~~ ~~	04.	44	9	14	= =	6 01	14	11 2	7	12	20	11 0	. 2 .	, <i>c</i> , i	0 -	
		: Other	4.7 5.7	9.1	13.5 5.3	7.9	3.1 2.4	1.6	1.9	1.4	7.2	2.7 2.5	4.1	х vi т	6.3	0.0 У	3.7	1.8 0.7	4.9	3.4 2.1	1.9	0.6	2.4	4.4 0.7	0.0	1.7	10.2 15.0	8.0 0.0	4.2	8.6 0.2	0.4	0.1	0.0	0.2 3.8	0.0	0.0	0.5 2.4	
	Non-	allopathic	1.2	0.0	0.0	0.3	1.7 3.1	2.2	2.4	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	1.4	2.2	3.9	4.0 3.8	0.7	2.7	10.6 22.6	13.7	4.5	12.2 9.7	3.5	1.1	0.0	4.1	2.1	0.0	0.0 1.6	
16	Market/ Informal	Shop	1.2	1.1	0.0	0.7	0.0	0.0	0.0	0.0	2.9	2.4 0.4	1.1.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 12 1	10.7	8.6 1 1	3.7	8.7	0.0	0.0	0.0	
ces of Care		Shop	0.4 1 6	5 <u>-</u> -	0.9	1.0	1.4 2.6	1.6	2.1	1. U	13.7	12.4	4.5	8.3 11 3	0.6	5.3	3.6	2.5 5.8	2.4	1.7	1.2	1.3	5.0	4.8 1.1	1.5	, 0, 1 0, 10, 0	9.6 7.0	11.2	5.8	6.9 3.2	5.6	3.6 2.6	0.0	3.3 1.8	0.0	0.0	0.0 0.7	
gated Sour		Pharmacy	0.0	1.3	0.0	0.4	6.5 6.5	7.2	6.6 1 7	4.7 6.4	3.3	3.7	10.6	0.11	6.4 8.7	0.0 0	9.4	16.5 8.6	0.0 4.1	1.0 3.8	3.2	3.6 3.1	- 8.1	4.4	8.3 4.6	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11.9 12.4	10.3	18.0	12.8 6.0	8.0	14.2 10.4	23.8	12.6 0.0	2.9	3.6	0.0 1.7	
Disaggre	teligious-	NGO	9.3 0.6	8.2	8.2	8.7	0.0 0.3	0.0	0.4	0.2	1.0	1.4 0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0 3.6	1.9 2.3	4.2	3.7	0.5	1.9 2.0	3.0 3.5	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	CHW- R	Private	0.1	0.6	0.0	0.4	0.0	0.0	0.0	0.0	10.9 0.E	9.5 11.8	7.2	3.2 0 1	14.7	14.0 14 9	10.6	7.2 128	1.6	0.0	0.0	0.5 0.6	0.0	0.6 2.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	CHW-	Public	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	0.0	0.0	0.0	0.0	0.0	
	Private	Clinic(ian)	5.7	12.8	16.5 23.1	12.0	35.4 41.5	46.0	51.0 62.6	45.8	7.9	17.U 28.3	33.1	52.20 24 0	17.1	29.9 34.4	43.1	44.4 32.1	2.3	4.7 2.9	4.6	17.6 6.0	5.6	3.4 8.9	6.9 10.4	7.9	13.5 21.7	24.1 20.7	22.5	20.4 6.5	5.9	9.7 21.5	25.3	12.0 6.6	7.4	7.7 16.8	27.9 11.1	
	Public Periph	Ŧ	12.2	8.6	0.0 6 9	9.6	12.3 9.4	8.6	8.1 2.7	 8.9	18.3	20.4 21.2	21.7	8.5 18.6	32.8	24.1 22.2	10.8	14.1 22.0	18.1	18.2 13.7	15.2	13.6 16.1	36.1	27.4 33.5	28.9 1 2 4	29.2	21.5 21.5	20.9 27.2	34.4	24.1 27.1	32.6	33.5 16.7	10.8	25.6 21.0	21.1	18.7	7.5 18.7	
	Public	Hospital	3.2 0 p	5.9	10.3 14 2	6.1	3.6 4.0	7.2	5.7	5.3	1.6	1.1	0.7	2.4	1.7	1./ 18	2.7	0.7	4.1	1.3 6.0	. 80 . 80	2.4	6.8	5.0 11.4	15.3 11.2	9.6	2.4 5.9	5.3	3.9	6.1 9.8	9.1	11.8 6.8	13.2	9.8 3.2	0.9	1.9	2.9 2.2	
		z	264 217	311	286 156	1334	1166 1046	978	915 640	4755	642 AE A	454 393	399	291 2180	598	491 470	447	325 2341	245	202 158	124	159 888	265	1/5 153	188	606	218 237	233	119	1014 370	307	246 251	157	1330 228	104	76 76	64 570	
	Wealth	Quintile	Poorest	Middle	Wealthier	All	Poorest Poorer	Middle	Wealthier	All	Poorest	Middle	Wealthier	Wealthiest	Poorest	Poorer Middle	Wealthier	Wealthiest	Poorest	Poorer Middle	Wealthier	Wealthiest All	Poorest	Poorer Middle	Wealthier		Poorest Poorer	Middle	Wealthiest	All Poorest	Poorer	Middle Wealthiar	Wealthiest	All Poorest	Poorer	Wealthier	Wealthiest All	
		Survey	Haiti 2012 Haiti 2012	Haiti 2012	Haiti 2012 Haiti 2012	Haiti 2012	India 2005-6 India 2005-6	India 2005-6	India 2005-6 India 2005-6	India 2005-6	Indonesia 2007	Indonesia 2007 Indonesia 2007	Indonesia 2007	Indonesia 2007 Indonesia 2007	Indonesia 2012	Indonesia 2012 Indonesia 2012	Indonesia 2012	Indonesia 2012 Indonesia 2012	Kenya 2003	Kenya 2003 Kenya 2003	Kenya 2003	Kenya 2003 Kenya 2003	Kenya 2008-9	Kenya 2008-9 Kenya 2008-9	Kenya 2008-9 Kenya 2008 o	Kenya 2008-9	Liberia 2007 Liberia 2007	Liberia 2007 Liberia 2007	Liberia 2007	Liberia 2007 Liheria 2013	Liberia 2013	Liberia 2013 Liberia 2013	Liberia 2013	Liberia 2013 Madagascar 2003-4	Madagascar 2003-4	Madagascar 2003-4	Madagascar 2003-4 Madagascar 2003-4	

_
<u> </u>
ດ
-
_
-
2
.=
-
=
2
-
0
()
\sim
()
~
~
~
4
w.
0
•

| V | Any
Care³ | 35.3
39.5 | 29.9 | 42.0
59.3 | 40.7 | 0.0c
61.4 | 56.2 | 59.0 | 57.5 | 71.4
 | 73.1 | 7/ 0.4 | /0.0
66.1 | 71.5 | 30.1 | 20.8
27.8
 | 32.7 | 42.3 | 30.7
42.5 | 58.0 | 48.3
58.7
 | 60.3
 | 53.7
E1 1 | 53.3
53.3
 | 66.0
72.0 | 53.8
53.8 | 55.6
60.2 | 55.5 | 65.4 | 00.0
72.6 | 63.9 | 29.9
54.3 | 60.09 | 60.4
6.7.2 | 02.2
50.6 | 51.5 | 60./
63.5 | 77.0
62.1 | 62.1 |
|------------|--|---|--|---|---|--|---|--|--
---	--	---	---	--
--
--
--

---|--|---|--|---|--|----------------|--------------|----------|----------------------|----------|---------------|----------------------|----------|----------------------|----------------------|------------------|
| | ther | 8.0 | 3.2 | 4.1
5.3 | 5.6 | 3.1
1.8 | 5.0 | 3.3 | 1.7 | 9.1
 | 0.9 | 0.9 | 2.3
8.1 | 0.3 | 6.5 | 4.1
1.5
 | 3.3 | 8.3
c. c | 5.7 | 8.6 | 3./
9.8
 | 0.6
 | 3.4 | 6.7
4.6
 | 0.9 | 3.7 | 6.5
7 1 | 7.2 | 6.4 | 5.5 | 6.1 | 0.6
2.1 | 0.5 | 3.9 | 4.4
2.0 | 1.1 | 2.1 | 5.2 | 2.1 |
| 1000 | nacy
Iy O | 5 | 1.07 | 0 | 40 | 0 0 | 0 | 0 | - 7
0 | 0
 | 0 | = ;
_ ; | | 0 | 00 |
 | 0 | 00 | 8 0 | 55 |
 | 0
 | 2 |
 | 0,0 | v 4 | ыс | | 0 1 | . – .
ი ო | 4 | 5 4 | . – | -0 C | 50 | 6 | | | , , , |
| Dhould | e On | o c | | οÖ | 00 | o o | Ö | o o | 50 | 0
 | 0.0 | 50 | o o | 0 | o o | o o
 | Ö | o o |
- | | ν. 4
 | - ici -
 | ri c | i ci
 | O O | ы с. | o o | ŏÖ | 0.0 | 2 | Ö | 7.
25. | 30. | 27. | 21. | 17. | 19.
23. | 27. | 22. |
| | Private | 3.2
5.9 | 5.3 | 25.4 | 9.3 | 9.1
9.1 | 5.0 | 1.6 | c.71
7.6 | 11.8
 | 11.3 | 10.8 | 14.0
13.1 | 12.2 | 1.3 | 0.5
 | 0.7 | 8.3 | 3.2 | 1.4 | 2.3
 | 3.5
 | 2.5 | 1.4
 | 1.4 | 0.4
1.6 | 1.2 | 0.6 | [-] ; | 4
0.3 | 1.0 | 0.1
4.7 | 6.9 | 7.5 | 10.7
6.4 | 4.8 | 12.5
12.4 | 28.7
25.9 | 14.9 |
| | Public | 23.7
27.8 | 21.5 | 29.9 | 26.1 | 28.8
31.6 | 26.8 | 28.3 | 28.9
28.9 | 53.1
 | 53.7 | 50.6 | 9.0c | 51.4 | 12.7 | 15.9
 | 19.0 | 28.2 | 14.0 | 28.2 | 20.2
 | 33.1
 | 26.0 | 40.0
 | 58.7 | 92.0
46.5 | 47.9
53.5 | 49.5 | 59.3 | 02.7
64.8 | 57.5 | 21.4 | 23.0 | 21.4 | 20.7 | 28.6 | 21.8
26.6 | 17.5
11.2 | 24.0 |
| Choo | only | 3.7
2.8 | 0.5 | 0.0 | 1.6 | 14.9
15.2 | 18.9 | 20.7 | 10.8
16.3 | 4.9
 | 7.7 | 6.6
^ 7 | 0. /
5.8 | 6.3 | 2.5 | 2.0
1.2
 | 1.5 | 1.4 | 0.9 | 3.1 | 0.8
 | 0.3
 | 1.0 | 0.0
 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.0
1.4 | 0.0 | 0.5 |
| | armacy
Only | 0.5 | 0.6 | 0.6 | 0.4 | 0.0 | 0.0 | 0.0 | 7.0 | 0.0
 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0
 | 0.0 | 0.0 | 0.0 | 2.2 | 3.3
4.7
 | 5.0
 | 3.5 | 0.0
 | 0.0 | 0.3
2.4 | 0.5 | 0.0 | 0.0 | 0.3
2.3 | 0.4 | 7.9
5.4 | 30.1 | 27.6
7.0 | 0.19 | 1.9 | 9.8 | 27.8
5.0 | 2.1 |
| 2 | 5 | | | | | | | | |
 | | | | | |
 | | | | |
 |
 | |
 | | | | | | | | | | | | (- , | | | |
| | c Other | 1.7 | 0.9 | 5.3
5.3 | 2.4 | 0.2
0.9 | 2.2 | 0.7 | 0.U
1.3 | 0.9
 | 1.7 | 9. L | 2.4
1.9 | 1.7 | 7.6 | 2.0
1.3
 | 3.1 | 0.7 | 3.6
2.6 | 3.0 | 2.0
 | 1.4
 | 2.4 | 0.5
 | 1.7 | 0.9
3.3 | 1.4 | 0.5 | 0.0 | 1.7 | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9
0.0 | 4.2
0.0 | 1.1 |
| Non | non-
allopathi | 3.0
1.8 | 1.8 | 4.1
0.0 | 1.7 | 0.7
5.4 | 4.9 | 1.9 | 4.4 | 2.7
 | 1.2 | 2.4
0.0 | 2.8
0.1 | 1.9 | 0.9
0 | 0.7
8.5
 | 7.9 | 5.8
7 0 | 11.3 | 13.5
13.5 | 0.8
6.8
 | 11.8
 | 11.3 | 7.1
 | 4.2 | 0.0
0.0 | 3.8
2.8 | 5.4 | 6.4
2.2 | 2.0 | 4.8 | 0.6
2.1 | 0.5 | 3.9 | 4.4
2.0 | 0.6 | 0.3 | 1.0
0.0 | 0.6 |
| Market/ | Shop | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0
 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.5
 | 0.8 | 0.3 | 0.0
12.6 | 13.5 | 9.6
 | 8.1
 | 10.3 | 1.7
1.7
 | 0.1 | 0.0 | 1.3
2,5 |
 | 0.0 | 1.8 | 0.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Shop | 3.7
2.8 | 0.5 | 0.0 | 1.6
15 0 | 15.9 | 19.2 | 20.9 | 11.2
16.7 | 5.6
 | 8.0
0 | 7.7 | 0.7
6.1 | 6.8 | 2.5 | 2.0
1.2
 | 1.5 | 1.4 | 6.1
0.9 | 3.1 | 0.8
 | 0.3
 | 1.0 | 0.0
 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.0
1.4 | 0.0 | 0.5 |
| | harmacy | 0.5 | 0.6 | 0.0
2.4 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0
 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0
 | 0.0 | 0.0 | 0.0 | 2.2 | 2.5
2.0
 | 5.0
 | 3.8
0 | 0.0
 | 0.0 | 0.3
2.4 | 0.5 | 0.9 | 0.0 | 0.0
2.8 | 0.8 | 10.0
28.4 | 33.0 | 30.0 | 24.6 | 19.1 | 19.8
23.4 | 27.8
27.1 | 22.7 |
| | Igious- | 0.0 | 0.0 | 0.0 | 0.0 | 4.3
5.7 | 2.8 | 4.7 | 0.2
4.6 | 9.4
 | 6.9 | 1.1 | 0.0
5.9 | 7.9 | 0.0 | 0.0
 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0
 | 0.0
 | 0.0 | 0.4
 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1
1.6 | 0.0 | 1.9
E A | 0.4
1.5 | 0.4 | 0.0 | 0.0 | 0.1 |
| I''d Mr | тw-ке
vate l | | 22 | 0.0. | .5 | 2 | 0. | 53 | 4 | 12
 | с.
• | 4.0 | | .3 | 0.0 | 0.0
 | 0 | 0.0 | 0.0 | 4.0 | x, m
 | 0
 | cu c | 0.0
 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0 |
| C
M | HW- Cr
Iblic Pri | 0.0 | 0.0 | 0.0 | 0.0 | 8.2 0 | 2.0 | 89. F | 1.1 | 5.5 0
 | 1.1 | 0 0 | 0.9 | 3.0 0 | 0.0 | 0.0
 | 0.0 | 0.0 | 0.0 | 0.0 | - 0
 | 0.0
 | 0.0 | 0 0.1
0 0.1
 | 0.7 0 | 0.0 | 0.4 | +-/
0 | 1.4 | 0.0 | 2.5 | 1.2
3.6
0 | 0 | 9.1 | 0 9.6
8.6 0 | 2.9 0 | 0 0
8.1 | 0 0 | 0 2.0 |
| i
t | ate ur
s(ian) Pu | 6 6 | . – 1 | . 4 | 8 4 | 0.00 | 0 | | - ()
- LC |
 | 2 2 | | 2 7
2 8 |
 | | 5 LO
 | | с ч
с ч | . 0 | 0. | 00
 |
 | ~ ~ | C
 | 40 | | 0 - | - 9 | | + m | 0 | | 6 | ۍ
۲۰ | - (r)
r (r) | 4 | 24 | | |
| ic
Pri- | Clinic | C) IC | iniç | -10.
25. | có c | ю
С | 2.0 | 2.1 | | 101
 | 4.0 | ⊾ نہ | 4 | 4. | c | i c
 | ö | ∞i ← | - 0 | o o |
 | - ~i
 | , , , | <u> </u>
 | c | | | - 0 | ، ب | - 0 | | o ri | 9 | 1
2 | <u>.</u> 4 | 4. | 12 | 28. | 14. |
| Publ | c rerip
tal HF | 21.7
27.0 | 18.8 | 27.2 | 24.0 | 21.4
22.6 | 21.9 | 16.8 | 20.4 | 39.9
 | 42.0 | 38.8 | 33.0
30.5 | 37.5 | 12.7 | 15.8
 | 18.6 | 24.3
15 0 | 14.0 | 28.2 | 31.5
 | 30.0
 | 25.0 | 30.7
38.2
 | 49.6 | 41.2
30.4 | 40.1 | 0.2 | 1.1 | 0.0
0.0 | 0.4 | 18.2
18.3 | 18.8 | 10.0 | 7.5
14.7 | 22.3 | 22.2
22.0 | 12.2
4.6 | 18.4 |
| h0 | Hospi | 2.1
0.8 | 3.2 | 2.7 | 2.2 | 4.8
5.7 | 2.9 | 9.7
10.F | 6.01
6.2 | 1 80
1 80
1 80
 | 8.7 | 10./ | 15.0
16.7 | 11.6 | 0.0 | 0.0
 | 0.4 | 5.5 | 0.0 | 0.0 | 0.0
 | 3.0
 | 1.0 | 4.5
 | 9.2 | 4.7
16.3 | 7.7
A8 0 | 47.1 | 56.8 | 01.0
62.9 | 54.7 | 1.9
2.0 | 2.6 | 9.1 | 7.4
4.4 | 3.5 | 1.6
2.8 | 3.3
4.0 | 2.9 |
| | N | 241
235 | 171 | t 172 | 993 | 519
519 | 495 | 375 | 2177 | 717
 | 682
702 | /04
F20 | 512 t | 3158 | 337 | 388
388
 | 356 | t 182
1440 | 144 | 145 | د <u>۱</u>
182
 | t 166
 | 832 | 232
232
 | 286 | t 229 | 1328 | 234 | 252 | t 180 | 1205 | 1// | 113 | 108 | 1 94
623 | 167 | 162
181 | t 116
116 | 711 |
| Moolth | Quintile | Poorest
Poorer | Middle | Wealthies | All | Poorer | Middle | Wealthier | Wealthies | Poorest
 | Poorer | Middle | Wealthies | AII | Poorest | Middle
 | Wealthier | Wealthies | Poorest | Poorer | Wealthier
 | Wealthies
 | All | Poorer
 | Middle | Wealthies | All
Donract | Poorer | Middle | Wealthies | AII (| Poorest
Poorer | Middle | Wealthier | | Poorest | Poorer
Middle | Wealthier | All |
| | | 2008-9
2008-9 | 2008-9 | 2008-9
2008-9 | 2008-9 | | | | |
 | | | | | |
 | | | | |
 |
 | 000 | 2003
2003
 | 2003 | 2003
2003 | 2003
2011 | 2011 | 2011 | 2011 | 2011 | | | | | | | | |
| | rvey | dagascar. | dagascar . | dagascar , | dagascar. | lawi 2004
lawi 2004 | lawi 2004 | lawi 2004 | llawi 2004
lawi 2004 | lawi 2010
 | lawi 2010 | 1awi 2010 | lawi 2010
lawi 2010 | lawi 2010 | ii 2006 | II 2006
 | li 2006 | ii 2006 | li 2012-13 | ii 2012-13 | li 2012-13
li 2012-13
 | ii 2012-13
 | ili 2012-13
zambiano | zambique
 | zambique | zambique | zambique | zambique | zambique | zambique | zambique | pal 2006
pal 2006 | pal 2006 | pal 2006 | pal 2006
pal 2006 | pal 2011 | pal 2011
oal 2011 | pal 2011
pal 2011 | pal 2011 |
| | Public Market Market No. | Public Public Wealth Public Public AHW- CHW- CHW- Religious- Market/
Nor Dunce Shop Pharmacy Shop Any Only Only Public Private Only Other Care ³
Trey Quintile N Hospital HF Clinic(ian) Public Private NGO Pharmacy Shop Shop allopathic Other Only Only Only Other Care ³ | Public Public Public Public Period CHW- CHW- Religious- Market/ Pharmacy Shop Pharmacy Shop Any Any rvey Quintile N Hospital HF Clinic((an) Public Private CHW- Religious- Informal Non- Pharmacy Shop Any Any | Public Public< | Vealth Public Public< | Vealth
rowPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PublicPublic
PrivatePublic
PublicPublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PublicPublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
PrivatePublic
Priv | Valth
rvyPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPublic
PublicPubli | Vealth Public Public | Vealth Public Public | Public
And
Answer Public
Answer Pub | Weith Public Public< | Very Public
Market
Market Public
Finate Public
Finat Public
Fin | Very Unlike No Public Private CHM- Handled Nor- Marted Nor- Nor- | Public
Market
Market
Market Public
Notation < | Public
Instantion Public
Neatting
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Market
Marke | Mether
Indication
(algascar 2008) Public
Notice
Network Public
Network Public
Networ | Proble Puble Proble Proble Puble Proble Puble Puble | Proprint
Model Public
Net
Name Public
Frame Public
Net
Name Public
Frame Public
Net
Name Public
Frame Public
Net
Name Public
Frame Public
Name Public
Frame Public
Name Public
Frame Public
Name Public
Frame Pu | Wath
mark Patic
Figure
Mark Patic
Figure
Figure
Mark Patic
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
Figure
F | Wath Public Priori Mutheric Mutheric | Walth Public Public </td <td>Weith Public
biolity Public
biolity<!--</td--><td>Vest Vest Date Path Market Market Market Non- Date Path Path</td><td>Weathy Veathy Public Photo Photo</td><td>Wath Wath Polic Polic</td><td>Policy
(mark) Policy
(mark) Policy
(</td><td>Wath Name Wath Particle Particl</td><td>Math Path <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<></td></td> | Weith Public
biolity Public
biolity </td <td>Vest Vest Date Path Market Market Market Non- Date Path Path</td> <td>Weathy Veathy Public Photo Photo</td> <td>Wath Wath Polic Polic</td> <td>Policy
(mark) Policy
(mark) Policy
(</td> <td>Wath Name Wath Particle Particl</td> <td>Math Path <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<></td> | Vest Vest Date Path Market Market Market Non- Date Path Path | Weathy Veathy Public Photo Photo | Wath Wath Polic Polic | Policy
(mark) Policy
(| Wath Name Wath Particle Particl | Math Path Path <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<> | | | | | | | | | | | |

_
~
<u> </u>
a
<u>v</u>
_
-
~
_
-
~
-
\sim
<u> </u>
~ ~
U
-
-
· .
ൎ
O
₹. 90.
A6.
A6.
e A6.
le A6.
le A6.
ble A6.
ble A6.
able A6.
able A6.
Table A6.

	Anv	Care ³	58.4	70.8	67.4	64.4 64.4	67.1	72.1	/8.0	67.4	6.07	66.7	68.5	70.0	81.7	71.8	72.8	78.7	78.9	76.4	26.4	26.7	29.3	35.6	40.7	47.3	52.1	63.9 40.8	32.8	33.3	31.0 38.8	34.0	33.9 45.0	46.8	49.3	45.7	47.7	63.1 45.7	65.4	50.2	001
t Report ²		Other	16.5 14.6	10.3	6.4 2.1	2.5 12.3	20.6	12.6	6.0 2	3.4	11.5	5.5	4.2	0.7	12.1	6.8	0.0 1.3	2.1	1.6 1 2	- - -	8.6	9.1 10.5	0.6	6.5 8 0	11.7	7.9 11 5	11.1	4.2 0.6	15.2	16.8	13.8 10.7	10.7	13.8 14 7	10.7	10.7	۲.F	10.7	2.8 2.6	0.7	0.4	
d throughou	Wermen	Only	19.4 22.0	24.3 24.3	21.4	13.1 21.0	29.1	33.7	40.2	29.2 25.9	32.0	0.0	1.2	0.0	0.0	0.3	0.0	1.7	0.9	0.6	4.5	6.8 7.0	6.2	11.1 6.8	3.4	2.2 2.4	3.0	10.0 3.8	0.3 0.3	0.1	0.2 1.9	2.3	0.8	1.3	2.2	0.0 0.7	2.9	15.5 0.0	7.0 16.9	12.8	
egories use	ā	rivate	6.3 0.1	7.5	9.4	0.4 8.6	2.4	2.7	3./	1.1	4.4	5.2	2.3	0.00	0.9	8.2	3.5	4.2	0.6	5.9	0.6	0.0	3.3 2.5	4.6	0.0	0.5	2.8	7.7 7.1	11	1.4	0.3 7.2	4.9	2.6 0.8	1.4	2.2	3.4 7.5	2.9	4.6	9.9	5.9	
mmary Cat		ublic P	6.9 0 E	0.9	0.8	1.4 3.5	5.8	4.9	6.1	0.3 81 1	4.1	7.5 5	1.2 5	0.5 6.5	5.7 7	8.7 5 2.r	9 0.0 0.6	1.0 6	7.07	9.6	2.6	1.5	2.0	3.7	6.5	7.8 0.5	6.2	3.1 5.6	0.9	5.8	c./ 9.0	6.9	7.4	3.9	4.8	8.4 A 7	2.0	0.7	7.9	1.2	
Su		4	- c	3 2	ςς τ	2 Y	-	5	.7 0	0 C	10			-		-	-	-							- 7 -	τ 1	·	4 0	ο Γ		- 2	. — .	- ~	က	ςς τ	7 ~	n m	4 4	+ m	ŝ	
	Chon	Only	13.5	5.1	3.9	0.0 8.7	5.9	3.8	0.1	0.0	2.9	4.8	2.4	1.2	1.3	2.5	0.2 1.2	1.1	0.9	0.8	0.0	0.4	0.7	0.0	0.2	0.0	0.0	0.0	4.6	6.7	4.8 2.5	1.6	4.2	3.5	2.2	0.0 1 C	2.3	0.0	0.0	0.0	
	Dharmac	Only	19.4	24.3 24.3	21.4	13.1 21.0	29.1	33.7	40.2	275.9	32.0	0.0	1.2	0.5	0.0	0.3	0.0	1.7	0.9	0.6	4.5	6.8 7 0	6.2	11.1 6 8	3.4	2.2 2.4	3.0	10.0 3 8	0.3 0.3	0.1	0.7 1.9	2.3	0.8	1.3	2.2	0.0 0	2.9	15.5	16.9	12.8	
		Other	1.6	1.4	1.2	1.6	1.0	0.6	0.4	+: C	0.9	0.7	0.0	0.7	0.0	0.3	0.0	0.5	0.0	0.1	3.9	5.2	4.5	1.1	9.1	6.0 9.2	6.8	2.1	9.8	8.7	7.5	8.1	8.8	1.3	4.2	4./ 18	3.1	2.8 2.5	0.7	0.4	
	-uoN	lopathic	1.2	2.9	1.4	0.0 1.7	10.3	7.3	4./ 7 E	c.7	6.2	0.7	1.8	3.6	10.8	4.1	0.0	0.4	0.7	0.4	4.7	3.6 A 1	3.8	5.4 A 2	2.4	1.9	5.4	2.1	1.5	1.8	c.U 7.0	1.0	1.1 5.6	4.6	3.5	3.U	3.9	0.0	0.0	0.0	
	larket/ formal	Shop al	0.0	0.0	0.0	0.0	3.9	1.1	0./	5.1 C U	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.9	0.8 1 0	1.8	0.0	0.0	0.0	,
s of Care ¹	2 9	Shop	13.8	5.9	3.9	0.0 0.0	5.9	3.8	0.1	0.0	2.9	4.8	2.4	2.0 1.2	1.3	2.6	0.0 1.2	1.1	0.9	0.8	0.0	0.4	0.7	0.0	0.2	0.0	0.0	0.0	4.6	6.7	4.8 2.5	2.4	4.4	3.5	2.2	0.0 1 c	2.3	0.0	0.0	0.0	
ted Source.		narmacy	20.3	25.6	22.4 12.5	21.7 21.7	29.2	34.3	42.1 20.0	24.4 27.1	32.8	0.0	1.2	0.5	0.0	0.3	0.0	1.7	0.9	0.7	4.5	6.8 7.0	6.2	12.1 6.0	3.7	2.6 3.0	3.0	10.8 1 2	4.2 0.3	0.1	0.4 2.0	2.3	0.9	1.3	2.6	0.0 A O	3.2	15.9 11.4	17.5	13.9	
Disaggrega	idiotte-	Igious- IGO PI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.2	0.0 1.8	1.1	1.0	0.0	0.0	0.0	0.0	2.0	3.1	3.4	
	M. Dal	vate l	6 -	- 0	0 0	<u>ა</u> ო	0	0	0 0		00	0	0 0		0	0 0	. 0	0	00	00	0	0 0	0	00	0	0 0	0	00	00	0 0	. 0	0	0 4	7	0 1	ۍ م	9	0 0	0	0	
	, M	blic Priv	6, f	- 8	0.	4. 9. 0 [-	.2	4.00		4 i 0 0	t.ω.	0.0	4. c	2 C	.5	4.	o 0	.7 0.	0 0 0 0	, ω Ο	6.0	0, 0	. L.	0, <	t. 4.	8. L	.4	0,0	0.0	0.0	0 0	1.	4. L	: e:	0, 6		, wi - 0	0.0	, O	0	
	ate CL	ate or (ian) Pu	00		+ 0		0	0	00		, o	0	0 0 0 1		0	00		0	00	0	.0	00		00	11.0	15	3 15	L CL	20	00	→ ←	0	- 0		00			00		0	
	c Driv	Clinic	5.5	0.1 9	αi ç	1.6	2.7	5.0	- 1	108	4.4	55.2	52.3	20.00	70.9	58.5	63.5	64.2	70.6	65.0	0.0	0.0	4 00	4.6	0.0	0.0	5.8	- F	- 0	0.0	ي. م د	ŝ	c	i Ö	57	v v	5.0	2.6	 9:9	2.5	
	Publi	al HF	10.1	12.7	14.2	8.8 12.6	10.9	13.9	15.0 15.5	13.6	13.5	3.9	0.5	0.9	1.0	1.6	2.0 1.8	1.7	0.2	1.4	10.4	10.9	10.4	12.1 10.5	17.0	23.7 27.4	20.2	34.6 23 E	16.9	13.9	10.3 18.7	13.7	15.9 27.7	31.2	29.1	18.0 24.3	25.9	36.3	34.3	26.3	
	Dublic	Hospita	6.0 7 0	12.5	15.8	22.0 10.4	4.8	10.7	12.6 14 E	14.0	10.4	3.6	10.3	4.9	4.2	6.9 6.8	7.2	8.6	9.9 7 8	7.8	1.3	0.6	1.0	1.6	1.0	0.0	1.1	2.5	0.0	1.2	0.7	3.6	1.2	2.4	5.8	1.7 17.4	6.1	4.4	2.6	4.9	
		z	811	441	348	213 2530	832	774	549 AEO	362	206 2966	239	234	115	199	1058	280 559	514	516 308	2482	257	227	243	155 1103	321	251 208	188	165 1132	524	489	430 360	360	2168 501	437	411	248 340	2246	241	204	206	
	Wealth	Quintile	Poorest	Middle	Wealthier	Wealthest	Poorest	Poorer	Middle	Wealthiet	All	Poorest	Poorer	Wealthier	Wealthiest	All	Poorer	Middle	Wealthier	All	Poorest	Poorer	Wealthier	Wealthiest	Poorest	Poorer Middle	Wealthier	Wealthiest	Poorest	Poorer	Wealthier	Wealthiest	All Poorest	Poorer	Middle	Wealthiet	All	Poorest	Middle	Wealthier	
			80	00 80	80	80	13	13	13	13	13	2-900	2-900	7-900	2-900	7-900	012-13	012-13	012-13 012-13	012-13	005	005 105	005	005 105	010	010	010	010	005	005 201	005 005	005	005 010-11	010-11	010-11	010-11 010-11	010-11	2004-5 2004 5	2004-5	2004-5	
		Survey	Nigeria 20	Nigeria 20 Nigeria 20	Nigeria 20	Nigeria 20 Nigeria 20	Nigeria 20	Nigeria 20	Nigeria 20	Nineria 20	Nigeria 20	Pakistan 2	Pakistan 2	Pakistan 2 Pakistan 2	Pakistan 2	Pakistan 2	Pakistan 2 Pakistan 2	Pakistan 2	Pakistan 2 Pakistan 2	Pakistan 2	Rwanda 2	Rwanda 2	Rwanda 2	Rwanda 2	Rwanda 2	Rwanda 2	Rwanda 2	Rwanda 2 Pwanda 2	Senegal 2	Senegal 2	Senegal 2 Senegal 2	Senegal 2	Senegal 2 Senegal 2	Senegal 2	Senegal 2	Senegal 2	Senegal 2	Tanzania.	Tanzania .	Tanzania.	

-
0
d)
~
3
-
-
~
-
0
~
U.
-
ĩ
ĩ
Ĩ.
ī
۔ او
A6
A6. –
e A6 0
le A6 (
ole A6 (
ble A6 (
able A6 (
Γable A6. – (

								Disaggru	sgated Source	es of Care	L.					Summary	Categories u	ised through	out Report ²	
				Public							Market/									
Survey	Wealth Quintile	z	Public Hospital	Periph HF	Private Clinic(ian)	CHW- Public	CHW- F Private	Religious- NGO	Pharmacy	Shop	Informal Shop	Non- allopathic	Other	Pharmacy Only	Shop Only	Public	Private	Pharmacy Only	Other	Any Care³
Tanzania 2010	Poorest	238	1.7	47.8	0.6	0.0	0.0	0.0	13.1	0.0	0.0	0.0	1.9	12.5	0.0	48.9	0.6	12.5	1.9	63.9
Tanzania 2010	Poorer	232	1.3	47.7	2.8	0.0	0.0	0.0	15.7	0.0	0.0	0.0	1.1	15.7	0.0	49.0	2.8	15.7	1.1	67.4
Tanzania 2010	Middle	243	3.6	34.8	1.4	0.0	0.0	0.0	21.4	0.0	0.0	0.0	2.7	20.9	0.0	38.4	1.4	20.9	2.7	62.4
Tanzania 2010	Wealthier	226	5.0	36.6	7.0	0.0	0.0	0.0	16.7	0.0	0.0	0.0	1.5	13.0	0.0	41.3	7.0	13.0	1.5	62.7
Tanzania 2010	Wealthiest	170	9.9	34.7	13.0	0.0	0.0	0.0	6.2	0.0	0.0	0.0	0.2	6.2	0.0	43.5	13.0	6.2	0.2	62.2
Tanzania 2010	All	1109	4.0	40.6	4.4	0.0	0.0	0.0	15.1	0.0	0.0	0.0	1.6	14.2	0.0	44.3	4.4	14.2	1.6	63.8
Uganda 2006	Poorest	573	3.9	38.0	37.3	1.2	1.3	0.0	3.4	0.6	0.0	2.9	1.0	3.3	0.6	42.3	38.5	3.3	4.5	84.2
Uganda 2006	Poorer	469	3.9	28.4	38.4	9.0	0.8	0.0	5.9	0.3	0.0	2.2	0.4	5.8	0.3	32.6	39.2	5.8	2.9	76.8
Uganda 2006	Middle	362	3.9	20.6	38.8	0.4	0.6	0.0	3.5	0.2	0.0	9.5	0.4	3.0	0.2	24.9	39.2	3.0	10.1	71.7
Uganda 2006	Wealthier	344	10.9	11.7	48.1	0.2	0.0	0.0	5.1	1.7	0.0	3.9	1.3	5.1	1.7	22.8	48.1	5.1	6.9	77.3
Uganda 2006	Wealthiest	226	7.8	9.7	55.9	0.7	0.0	0.0	5.3	1.0	0.0	1.4	1.0	5.3	1.0	18.2	55.9	5.3	3.4	79.2
Uganda 2006	AII	1974	5.6	24.7	41.9	0.7	0.7	0.0	4.5	0.7	0.0	4.0	0.8	4.4	0.7	30.7	42.4	4.4	5.4	78.4
Uganda 2011	Poorest	481	3.9	35.8	34.9	1.0	1.0	0.0	0.3	0.9	0.2	1.4	0.6	0.3	0.9	40.3	35.9	0.3	3.2	76.0
Uganda 2011	Poorer	402	4.3	24.9	44.5	0.0	0.4	0.0	2.4	2.6	0.0	1.1	2.0	1.7	2.5	29.2	44.9	1.7	5.8	79.8
Uganda 2011	Middle	329	5.3	27.7	43.8	1.2	0.4	0.0	1.7	1.8	0.0	0.6	0.6	1.4	1.1	34.1	44.1	1.4	3.0	77.4
Uganda 2011	Wealthier	274	7.4	23.5	45.1	0.8	0.5	0.0	2.0	1.5	0.0	1.2	1.2	1.7	1.5	29.9	45.6	1.7	3.9	78.3
Uganda 2011	Wealthiest	279	6.7	11.8	47.6	0.1	1.9	0.0	2.1	1.0	0.0	0.0	0.4	1.9	1.0	18.6	49.5	1.9	1.3	70.3
Uganda 2011	AII	1766	5.2	26.1	42.3	0.7	0.8	0.0	1.6	1.6	0.1	0.9	1.0	1.3	1.4	31.6	43.1	1.3	3.6	76.6
Zambia 2007	Poorest	200	1.7	53.4	0.0	0.0	1.2	4.9	0.8	0.0	0.0	11.2	4.9	0.0	0.0	55.1	6.1	0.0	15.3	6.99
Zambia 2007	Poorer	220	1.2	51.0	0.3	0.0	2.2	7.2	0.0	2.6	0.0	4.6	0.5	0.0	2.6	52.2	9.8	0.0	7.2	67.6
Zambia 2007	Middle	168	3.3	45.2	1.0	0.0	3.6	2.8	0.0	3.9	0.0	5.3	1.4	0.0	3.9	48.5	7.3	0.0	9.5	64.1
Zambia 2007	Wealthier	196	4.3	50.5	3.0	0.0	0.0	0.7	3.5	2.5	0.0	0.0	0.3	2.6	2.5	54.8	3.7	2.6	2.8	62.5
Zambia 2007	Wealthiest	127	7.3	45.1	6.8	0.0	0.0	0.0	1.3	0.5	0.0	0.0	2.1	1.3	0.5	52.2	6.8	1.3	2.5	60.1
Zambia 2007	AII	911	3.2	49.5	1.8	0.0	1.5	3.5	1.1	1.9	0.0	4.5	1.8	0.7	1.9	52.7	6.8	0.7	7.8	65.3
Zambia 2013-14	Poorest	453	2.4	54.0	0.6	4.5	0.7	1.6	0.2	0.9	0.0	3.3	1.5	0.2	0.7	60.7	2.9	0.2	5.7	67.0
Zambia 2013-14	Poorer	445	1.7	62.4	0.0	1.9	0.6	1.5	0.6	1.3	0.0	3.2	1.6	0.6	1.0	65.6	2.1	0.6	6.1	70.6
Zambia 2013-14	Middle	413	6.5	58.2	1.2	0.2	0.0	2.4	0.4	1.8	0.0	1.2	0.9	0.4	1.2	64.8	3.5	0.4	3.9	70.9
Zambia 2013-14	Wealthier	428	4.9	58.6	2.1	0.2	0.0	1-1	1.5	1.7	0.0	0.3	0.3	1.5	1.2	63.6	3.1	1.5	2.3	70.1
Zambia 2013-14	Wealthiest	291	6.5	49.0	6.0	0.0	0.0	0.4	0.6	1.2	0.1	0.0	0.2	0.6	0.5	55.3	6.4	0.6	1.5	62.9
Zambia 2013-14	AII	2030	4.2	56.9	1.7	1.5	0.3	1.5	0.7	1.4	0.0	1.8	1.0	0.7	0.9	62.4	3.4	0.7	4.1	68.7
Figures in parenthese so the total percentage	s are based on may exceed the	25-49 un: te percen	weighted cas itage of child	ses. An a Iren who r	sterisk indicat eceived any c	es that a t care.	igure is bas	ied on fewe	ir than 25 unw	veighted c	ases and h	as been sup	pressed. C	children for wh	om care wa	s sought from	multiple sour	ces contribut	e to each sou	irce's total,

¹ The province provides and sector care: Private Clinic on the provides and the sector care; Private Clinic or Clinician includes private ¹ The public provides and sector care; Private Clinic or Clinician includes and other public sector care; Private Clinic or Clinician includes private hospital, doctor, nurse, mobile clinic, other private sector; and Other includes any other source of care sought outside the home, including a friend, relative, or other. ² The public summary category combines the Public Here includes any other source of care sought outside the home, including a friend, relative, or other. ³ The public summary category combines the Public Here private between the Public Private Clinic or Clinician, Private CHW, and Religious or NGO Facility disaggregated sources of care categories; the private summary category combines the Public Here, and Public Private CHW disaggregated sources of care categories; the private summary category combines the Public Here, Markel/Informal Shop, Non-³ Any Care includes children who received care from any source outside the home (including all disaggregated sources of care categories).

		•					Feve	Ŀ										Sympto	oms of	ARI										Diarrhe	g					
			ublic		Ē	rivate		Pharn	nacy C	ylıc	Ŭ)ther	 	Pu	blic		Priv.	ate	Ph	armacy	r Only		Other			ublic		Pri	ivate	1	harma	icy Only	~	đ	er	I.
Country/Survey	Place of Residence	%	LB	UB	%	ΓB	UB	%	LB	UB	%	LB	NB	L %	B. U	B.	, LE	3 UB	%	LB	UB	%	LB	UB	%	LB	UB	1 %	LB (er er	Т %	B UI	B %	LE	3 UE	
Bangladesh 2007	Urban	12.0	8.9	15.9 2	25.2	21.4 2	29.5	23.9	20.3	27.9	15.3	12.4	18.9 2	6.1 1;	3.6 44	1.2 30	.6 19.	.7 44.(0 20.6	; 10.2	37.1	10.3	3.6	26.0	11.3	6.8	18.2 1	9.0 1	3.9 2	5.3 2/	4.3 16	.9 33	.6 19.	7 13.	1 28.	ίΩ
Bangladesh 2007	Rural	8.3 0.3	6.3 4	10.8	12.6 15.0	10.6 10.5	15.0	22.8 10 E	19.8 15.2	26.2	29.4	26.2	32.7	- 1 1 ц г	5.5 14	1.6 25	18. 18.	.8 34.1 40.1	1 29.1	7 23.4	36.9	26.7	20.6	33.9	9.4 1 A E	- 7 0 F	13.9 75.0 A	8.4 0.4	5.9 2.0 E	1.9	7.7 21	.5 34	- 58 6. c	6 23. 1		<u>∼</u> , ∘
Bangladesh 2011	Rural	8.3	7.0	9.9 4	13.1	40.1	46.1	19.1	17.3	21.1	5.1	4.0	6.4 -1.	2.1	3.9 16 3.9 16	1 44	₽ œ ; œ	.1 51.6	5 19.9	15.0	25.8	6.6	4.1	10.6	10.3	7.1	14.9 4	10.4 3	4.5 4	6.5 23	3.7 18	8.4 29 8.4 29		- 0	+ 00 1 0-	o o
Congo DR 2007	Urban	21.4	16.9	26.8 2	. 0.75	22.7	31.9	17.6	13.4	22.8	4.5	3.1	6.5 2	3.4 18	3.3 25	3. 23	.5 17.	.6 30.	7 25.0) 18.3	33.1	4.0	2.3	7.1	32.3	25.3	40.1	3.8	2.0	7.1	2.0 0	.9 4	.2 3.	-	4 6.	œ
Congo DR 2007	Rural	27.3	21.9	33.4 1	16.9	11.8	23.5	9.2	6.8	12.3	7.1	5.1	9.7 2	6.0 1	8.9 3 ²	1.7 15	1	.3 19.0	9 10.5	3 7.4	14.2	7.9	5.2	11.8	25.4	18.7	33.6	6.8 6.8	4.2	0.9	4.0		6. ·	0 -	ы. С	Ŀ. 0
Congo DR 2013-14	Urban	20.0	17.0	23.5 1	6./1	14.9	, 21.3	19.2	15.4	23.7	3.4 4.1	2.4	4.8	1.6 1.	6.2 25	, 17 	, i 1	.6 24.i	8 19.5	11.1	33.2	0.0 1	1.4	, 0. 1	18.3	15.1	22.1	3.9	0.9	7.5	8.5 14	1.7 23	4 		~; ¢	ci o
CONGO UK ZUL3-14 Ethionia 2005	Kurai Lirhan	32.4 20.2	70.2 10.3	30.1 11 2 1	о. г о. г	0.0	0.11	0 0 0	10.2	01	- c	5.4 0 1	0.7 7 7 2 7	0.7 0.5 1 5	0.3 44 7.2 AG	1, 4 0 1, 0 1, 0	δ. L 4 . A	Б. 11. 26.	2 A.:	5 0.4	- 13.4 2.1	U. 1	0.4 C	7.0	34.9 2 g g c	51.1 21.1	30.0 27.6	0.7 7 1	0.4 2.7 4	0.0	2 V 0	01 0.0	ن د م م	n N N	vic vic	<i>ب</i> ر
Ethionia 2005	Rural		10.6	14.0	7.01	, г г.	7 0.0	0.0	90	1. 1	C - 0	- ~	17 1	4.8 1	1.6 15	2 L C		1 20. 7 7 20.	1 14	+ 0.1	- 2	0 T C	2.0 1 0	1.4	20.0 18 3	ע - 1 1 - 1 1 - 1	ы. 15	6	- 0 - 0	с т т	- C	11 14	j u D C	- c	ייה קיק	ې د
Ethiopia 2003	Urban	22.2	15.2	31.4 1	19.4	10.9	23.9	3.4	1.4	6.7	0.0	0.0	0.1	- 0	3.6 34	1.0 28	1 -	4 54.5	2 33	10.1	10.1	0.1	0.0	0.5	35.4	26.3	45.8 2	3.1	4.6 3	4.6	3.6	8	5 4 7 0	- 0	i m	i d
Ethiopia 2011	Rural	16.0	13.5	18.9	6.7	4.7	9.4	0.6	0.2	1.4	1.2	0.7	2.3 1	9.9 1!	5.5 2E	5.2 5	.6 3.	.7 8.1	5 1.4	1 0.5	3.5	0.9	0.3	2.6	22.7	19.2	26.7	7.1	4.8	0.4	1.7 0	.9 3	.3	 	с. С	9.
Ghana 2003	Urban	45.4	37.3	53.7 1	10.9	6.8	17.1	16.2	11.8	21.8	2.0	0.7	5.3 4	8.5 3.	7.4 55	2.7 5	.5 2.	.3 12.0	5 22.6	3 13.8	35.5	2.6	0.7	10.1	28.1	19.9	38.0	7.4	3.6 1	4.7 1.	7.7 11	.8 25	.8	2 0.	.6 7.	9.
Ghana 2003	Rural	36.9	31.7	42.3	4.9	3.1	7.6	25.6	21.0	30.7	6.0	4.0	8.9 3	4.2 2.	7.7 41	1.4 5	.9 3.	.2 10.	7 24.£	5 18.3	32.2	3.8	1.9	7.4	19.3	14.6	25.0	1.9	0.9	4.1 20	0.9 16	6.4 26	.2 6.	2 4.	1.9.	
Ghana 2008	Urban	41.6	34.0	49.6 1	18.5	13.2	25.2	19.6	13.5	27.5	2.3	1.0	5.4 (3	7.7) 2	1.7 56	5.9 (15	(†	.1 30.	3 (10.1	1) 3.8	24.0	(2.8)	0.4	19.3	29.4	22.8	37.1	8.1	4.6 1	3.8	5.2 18	34	0. i	6 - 1.	: ۵۵ : ۵۵	٩
Ghana 2008	Rural	40.5	34.0	47.2	2.5 2.5	3.1 2.1	8.6	10.0	6.5 0	15.0	, 00 0, 00	. , 	12.1	5.4 3.	4.4 50	5.9 24 24	0 ç	.9 18	3 9.6 2.7	5 4 2	20.4	7.7 , 1	3.2	15.1	38.6	32.7	45.0	4.9	0 00 0 10	8.4 1.1	1.9	S.1 17	оj и coj и		4 11.	r
Haiti 2005-6	Urban	1/.3 0.71	12.8	27.9 2	23.4	12.0	28./ 27.E	5.9 1 1	2.3	6.5 0 c	10.4	0./	1 0.6	3.2	8.0 Z	1.0	ы 133 133	4 31.	2 C	7.0	5.4 0.0	0.0		12.0	1/.8	13.2	23.5	4.6	0.7	0.5 0.5	1. l	E 5	τic αic	റ്ട	0 13. 7 13.	-, r
Halili 2005-0 Haiti 2012	l Irhan	15.4 15.4	10.2 10.1	10.3 2	77 7 7 7	. 04C	0.12		4 U O	7 Q	о с 0 с	ч. ч.	7.0 1.0 1.	0.0	7.6 15	0.1 21	сі п 4 б	- 0 20.2 10 20.2	7 N V.		0.0 V 0.0	0.0	, с С	11.7	17.5	0.0	10.4 21.6 3	1 7.7	2.7 202 202	0.0	2 0 0	4.0	, α - α	οα - 4	-; c	- ~
Haiti 2012	Rural	13.9	11.0	17.5 2	1.5	21.8	28.8	7.U	000	0.6	2.0	, 9.9		4.5 1(16 15	50	0 17	.0 +0. 8 26.6	50 6	00	+ C	7.8	20.0	10.8	14.6	11.5	18.3 1	6.5	6.1 ×	34		× 0	0 0 0	о г о г	10	j œ
India 2005-6	l Irhan	12.5	10.6	14.6.6	22	6.03	284	2.0	200	6	4.6	о со с	40	3.4 1(16 70	1 29	09	3 69 7	4 33	19	9. 9	2.7	0.0	9.9	13.4	; [] ; []	16.0 5	16 4	- 8			0 0 0 0	י יר - יר	- m - 0		; -
India 2005-6	Rural	13.5	12.2	14.8 5	3.4	51.3 5	55.5	0.9	4.9	7.2	6.1	5.1	7.2	2.0 1(0.1 14 14	1.2 54	.0 51.	0 57.(5.2 5.2	3.9	6.9	5.9	4.6	7.6	14.2	12.7	16.0 4	13.9 4	1.4	1 4 9	5.6 4	. 9 1.6 6	نم م	പ്പ	0	
Indonesia 2007	Urban	27.1	24.1	30.5 4	17.9 4	43.9 5	51.9	11.0	8.9	13.6	11.1	8.0	3.8 2	5.1 2(0.1 31	.0 49	.9 42.	9 56.5	9 14.2	2 10.1	19.6	9.7	6.7	13.9	19.2	14.8	24.5	37.5 3	2.5 4	2.8	8.8	0.2 12	.3 15.	3 11.	7 19.	Ŀ.
Indonesia 2007	Rural	25.0	22.5	27.7 4	12.3	39.3 4	45.4	7.1	5.9	8.6	19.6	17.5 2	?1.9 2	4.6 2	1.3 28	3.3 42	.5 37.	.7 47.5	5 8.2	2 6.0	11.0	20.2	17.0	23.9	20.3	17.0	23.9 🤅	30.8 2	7.4 3	4.5 4	4.3 3	3.0 6	.2 19.	8 16.	8 23.	Ż
Indonesia 2012	Urban	27.7	25.0	30.6 5	52.1	48.7	55.5	12.4	10.5	14.6 2.4	6.7	5.3	8.3	9.7 2.	2.9 3.	7.5 53 . 53	45.	.09 60.	7 11.1	1 7.3	16.4	0.6	5.5	14.5	24.0	20.4	28.1 4	12.6 3	8.2 4	7.1 1	1.0	3.3 14	4. v	2 6.	1.10	6. 0
Indonesia 2012	Rural	23.0	20.9 26.1	25.4 E	27.3	49.5	55.0	о.9 15 Б.9	5.6 11 E	8.6 20.4	7 14.3	12.3 4 E	10.4	5.2 2(0.6 3().4 54 .0 24	0 21	- 2 60. 2 2 5	2 4.5 7 15 0	101	1.1	13.7	10.4	17.7	23.3	19.9	27.0 4	15.7 4	- L C	о 10 10 10	4.4	8.1 0 0	- 12 - 12	, 10 10	, 15. 15.	- نې
Kenva 2003	Dural	70.00	20.1 25.2	23.1 1		11 0 1	7.7.7 10.6	12.0	0.01	20.0 15.5	10.2	4.α γ	0.1. 2. 0 2. 0	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	U.0 4, / Л 2,5	0.7 20 7 16	о 12 12	0, 5 2, 5 2, 5	2.01 2.02	101 ~	23.0 15.7	7.0 7.0	5.7 7.4	11.0	0.01 21.1	7.71	25.U	14.Z		ο α κ ο	0.0	ο <u>~</u>			Ξα	- u
Kenva 2008-9	Urban	40.6	29.4	52.8 1	12.2	6.9	20.7	8.4	3.9	16.9	2.8	0.0 1.3	6.1 J	7.3 2(0.4 54 0.4 64	1.8 20	<u> </u>	- zu 1 41.6	5 13.2	3.5	39.0	0.3	0.0	2.5	32.4	24.2	41.9 1	6.1 6.1	5.9 -	0.7 1.1			. L.	- 0 - 0	9 16	. . .
Kenya 2008-9	Rural	38.7	34.4	43.1	9.8	7.5	12.5	7.7	5.2	11.2	7.6	5.3	0.7 4	4.1 30	5.8 51	11	.1 <u>.</u> .1	.5 16.2	2 8.7	4.5	16.2	6.7	3.5	12.6	40.1	34.9	45.4	9.1	6.7 1	2.4	4.4	3.0 6	. 4	9 9	2 12.	; m
Liberia 2007	Urban	46.0	38.8	53.3 2	2.7	17.3 2	29.1	10.4	7.2	14.6	6.3	4.0	9.7 5	7.6 4.	2.2 71	1.6 16	.4 8.	.5 29.	2 8.5	5 4.0	17.0	1.7	0.5	5.9	39.2	31.3	47.6 î	4.9 1	0.8 2	0.2 15	5.9 12	20 20	.7 11.	67.	7 17.	Ż
Liberia 2007	Rural	31.8	26.5	37.6 2	21.2	16.4	26.9	7.4	5.6	9.8	20.6	16.8 2	25.0 4	1.8 3!	5.2 45	3.6 17	.9 13	.3 23.	5'6 L	9 6.5	15.0	11.7	8.0	16.7	25.6	20.1	32.1 2	22.6 1	7.0 2	9.4	9.6	5.9 15	.3 29.	2 23.	0 36.	4.
Liberia 2013	Durban	30.0	20.7	44.9 2	22.2	19.4	32.2	7.0L	10.9 E &	20.7	5.4 7 4 7	3.1 1.0 1.0	7.7.7	5.5 7.7 2,4	5.6 38 1.6 51	5. 4 Z3	- 15 - 4	-4 35. 144	1 24.1 5 E 7	5.5L 1	39.1	4.0 15.2	10.01	9.3 1.0	31.1	23.1	40.5 45.0	- C. L	2 C V	2. 	1.2 13	5.3 1 E 21	<u>ب</u> م د	ر 1 ک	2 IZ	ъ u
Madagascar 2003-4	Urban	30.3	23.8 23.8	37.6 2	79.6	24.5	35.2	1.0	0.4	2.6	2.3	0.8	6.2 3	8.0 2.5	7.0 J 3.3 47	15 25.	4 19.	i 14: 0 33.	1 0.5	0.1	3.6	1.4	0.4	4.9	20.5	14.4	28.4 2	0.9 1	5.3 -	0.08	+ 0.0	n .		- 0 - 9	, 4 , 4	i d
Madagascar 2003-4	Rural	25.5	19.9	32.0	8.3	5.3	12.7	0.9	0.2	3.8	5.6	3.4	9.1 3	3.7 2!	5.7 42	2.7 10	.3	.9 17.	3 2.1	1 0.6	7.4	5.9	3.1	11.1	21.1	15.5	28.0	9.1	5.3 1	5.0	2.0 0	.8 5	.2 5.	3 2.	5 10.	œ
Madagascar 2008-9	Urban	23.6	16.9	31.9 3	39.7	32.8	47.0		0.3	4.6	0.3	0.0	2.3 2	5.2 1	6.9 3E	5.7 36	.5 24.	2 51.(0 1.0	0.1	7.3	0.0			27.6	20.4	36.2 2	23.5 1	8.5 2	9.5	1.2	.4 3	.9 .9	2 3.	0 12.	Ċ
Madagascar 2008-9	Rural	30.3	26.2	34.7	1.9 1	0.1	12.1	0.5	0.2	1.2	5.8 9.4	4.3	7.9 3	0.1 2.	4.0 3,	0 10		.0 16.	4 0.5	5 0.3 5 0.3	2.5	1.1	4.5	12.8	25.9	22.4	29.6	6.7	8.0	9.4	0.3	.1 0	5 - 5	с С	ος αις	o, (
Mali 2006 Mali 2006	uroan Rural	40.5 25.55	27.0	40.3 29.4	- 0 - 8	3.5 1 9	4.1	0.7	0.3	14	74.5	711	21.7 28.3 3.3 4	3.U 3. 7.4 7/	0.0 5.9 35)./ a	0.4 4 0		9.7 9.0 4.0	0 1 0 1	1.0.	72.1 1	0.3 17.0	14.8 28.3	1.13.5	20.4 10.9	30.4 16.7	0.0	8 7 0 7 8	0.0 1.0		n n.	i ⊇ 0: 13	7 o. 11	7.0 12,0	юц
Mali 2012-13	Urban	41.5	34.5	48.9	7.4	4.2	12.8	9.8	5.7	16.3	12.5	7.4	0.2 (2	7.9) 1.	4.6 46	.9 (10	.5) 2.	6 34.	3 (13.0) 3.0	41.6	(9.2)	1.8	36.1	31.6	25.0	39.1	4.8	2.7	8.5	7.2 4	1.2 12	.2	8 15.	3 27.	Ŀ.
Mali 2012-13	Rural	22.2	17.7	27.4	1.5	0.7	3.1	2.4	1.3	4.3	19.5	15.6	24.0 2	4.6 1.	6.6 3 ⁴	1.9 0	4.0	0 2	7 3.2	2 1.1	9.3	30.3	21.1	41.4	24.5	20.8	28.7	1.9	;	4.0	2.5	.3	.0 24.	1 20.	3 28	ς i
Malawi 2004	Urban	0.20 C.20	45.2	1.65	4.5 ,	7.1	9.6	23.4	16.4	32.3	0.1	0.7	4.1	0.0 7 0 0 7	2.9 48	8. 0 0	2 4	- 13.(7.0 0.7	0.0	1 2.9	19.3	12.0	1.42	33.2	25.3 25.3	42.2	0.0 1	7.7	9 0	0.0	0		20 °	4 r 1 - 1	ب
Malawi 2004 Malawi 2010	kurai Urhan	53.1	30.0 47.2	50.U 59.0	0.0 1_0	0.0 17.7	8.U	0.0 0.0	34.4	39.0	41	0.1 2.3	2 U Z	44 2.	4.4 3	1.z a	0 0 0 0	0, 00 - 2, 75	9 0.0			34.U	51.1 0.5	37.1 74	49.6	43.1	56.1	7.6	3.5 Z	2 2 2		n n.	, 2 8	- 9	4 50	o 4
Malawi 2010	Rural	50.3	47.9	52.8 1	14.7	12.9	16.6	0.0	0.0	0.2	9.8	, - 9.6	1.1 5	4.5 5(0.4 56	18.18	.2 15.	0 21.5	9.0.6	. ~		8.0	6.1	10.4	51.7	48.9	54.5 1	3.0 1	1.0	5.2	0.0		0	6 9.	0 12	4
Mozambique 2003	Urban	63.3	58.9	67.6	1.9	0.9	4.0	1.3	0.7	2.7	4.7	3.1	7.0 5	8.0 5(J.4 65	5.2 2	0.1.	.0 3.5	9 1.6	5 0.7	3.5	4.8	2.5	9.1	52.5	43.8	61.0	0.6	0.1	2.8	1.4 0	.6 3	.4 3.	2 1.	2 7.	6:
Mozambigue 2003	Rural	45.0 71 1	40.8 4 E	49.2 74 1	2.0 1 F	1.1	0.00 0.00	0.7	0.1	0.7	9.2	7.4	11.4 5	2.3 4(6.1 56 27	3.5 F	0 00, 0	.9 3.	6 0. 2	0.0	1.9	8.3 0.3	5.3	12.8	45.6 45.6	40.3	51.0	1.5	0.6	3.7	0.0	·	n ico r	, 5. , 5.	5 71. 7	юi
Mozambidue 2011 Mozambidue 2011	Rural	53.7	0.00	70.1	0.0	0.1	0.0	0.0	7.0 0.0	7.7	н. Ч	0.0 7 7	0 7 C 0 3 V	7.0 25	0.2 2,5 2,5				- C	7.0 +	0.01	7.0 7.8	7.U	12.6	00.0 23 0	700.7	12.0	- 0	4 C	0.0 0 0 0		+ 0 0 0	úα v r	 ~ ~	0. 1	o, ⊲
Nigeria 2008	Urban	28.6	24.7	32.9 1	0.0 12.6	9.9	15.9	28.8	24.8	33.2	4.6	3.0 	6.9 2	4.4 15	3.0 32	0 1 0	-1 : -7 : -7 :	9 16.3	3 37.7	7 27.8	48.7	7.1	3.4	14.4	28.2	, 23.3 ,	33.6 1	2.5	9.6	6.3 2.3 2.3	3.0 18	 3.6 27	 	- 6 - 6	9 9	t. —:
Nigeria 2008	Rural	25.3	23.0	27.9	8.6	7.3	10.1	26.6	24.2	29.1	8.7	7.4	0.2 2	2.8 18	3.1 26	3.3 8	.6 5.	.7 12.	7 26.3	3 21.9	31.3	10.6	7.8	14.4	22.1	19.5	24.8	7.4	5.9	9.2 20	0.3 18	3.0 22	8	0 11.	8 16.	9
Nigeria 2013	Urban	27.5	24.1	31.3	0.6	. 6.9	11.8	35.5	31.6	39.7	3.2	2.0	5.1 3	5.1 2!	5.5 46	5.1 12	.6 8.	.0 19.	5 31.5	9 23.3	41.8	3.7	1.2	10.5	27.8	24.1	32.0	7.5	5.5	0.2 3′	1.8 27	'.1 36	ω. 	7 2.	.3	6:
																																		(Cont	inued.	Î

Table A7. Use of public, private, pharmacy, and other sources of care for fever, symptoms of ARI, and diarrhea by place of residence, with confidence intervals. USAID MCH priority countries

Table A7. - Continued

							Feve	-									S	/mpton	1s of AF	5										iarrhe	a				
	l	đ	ublic		Pr	ivate	-	Pharm	acy On	أر ا	oth	ēr		Publ	<u>.</u>		Privat	æ	Pharn	nacy C	hly	0	Other		P	ublic		Pri	vate	Ē	harmac	y Only		Othe	
Country/Survey	Place of Residence	%	LB (6 ar	1 %	LB L	BL	%	LB L)B	6 LE	> UE	% {	LB	UB	%	LB	UB	%	LB	UB	%	LB	UB	%	LB L	BL BL	1 %	B U	В	6 LB	UB	%	LB	UB
Nigeria 2013	Rural 2-	1.8	22.2 2	7.5 3	3.9	3.0	5.2 3.	5.4 3	(2.1 3	9.8 10	1.1 8.	2 12.	3 26.7	7 22.0) 32.1	3.2	1.8	5.6	31.9	26.8	37.6	14.9	10.3	21.0	22.3 1	9.7 2	5.2	3.0	2.2 4	.0 32	.1 29.	1 35.2	15.3	13.2	17.6
Nepal 2006	Urban 1 ⁻		13.2 2.	8.7 21	1.6 1	4.8 3.	0.4 2	3.1 1	6.5 3	1.4 🤅	8.0 1.	27.	5 15.8	3 7.3	3 31.1	39.3	20.9	61.2	17.9	9.4	31.4	0.3	0.0	2.0	13.2	8.0 2	1.0 1!	5.4	3.6 26	.1 21	.6 12.	0 35.6	5.5	[]	23.6
Nepal 2006	Rural 2.	3.7	19.2 2.	8.9 5	9.2	6.6 1.	2.8 2	4.5 2	0.3 2	9.1 2	2.0 1.	0.3.	8 28.2	2 21.C	36.7	14.5	9.7	21.3	22.9	16.3	31.1	2.0	0.8	4.9	21.7 1	6.8 2	7.6	5. 1.	3.3	.0 22	.0 16.	7 28.2	1.5	0.6	4.0
Nepal 2011	Urban 1 ⁻). 0.6	12.9 2	7.1 36	5.6 2	9.4 4.	4.5 2	4.5 1	8.1 3.	2.4 1	.9	74.	8 33.5	5 20.1	1 50.3	35.5	21.9	52.0	20.3	12.0	32.1	0.0		•	14.9	9.4 2.	2.8 2	8.5 20	0.4 38	.4 24	.9 16.	3 36.2	0.7	0.1	5.0
Nepal 2011	Rural 1i	3.9	15.8 2.	2.4 22	2.3 1	8.3 2,	6.9 2	8.7 2	4.4 3.	3.4 2	0.1.	1 3.	6 24.7	1 17.6	5 32.2	25.1	17.7	34.2	28.1	19.8	38.1	3.0	1.1	8.0	24.9 2	0.2 30	0.3 1.	3.5	9.8 18	4 21	.8 18.	0 26.1	2.3	1.2	4.5
Pakistan 2006-7	Urban	9.1	6.8 1.	2.0 70	9 O.C	4.9 7.	4.7	0.5	0.2	1.3 E	5.1 3.	2 8.	0 9.5	9.6	5 14.6	76.3	70.0	81.7	0.0			4.9	2.4	9.8	7.9	5.1 1.	2.1 6!	5.6 58	8.8 71	8	.1	4 3.0	8.7	4.2	16.9
Pakistan 2006-7	Rural 1(7.7	8.8 1.	2.9 64	4.9 6	1.8 6	7.9	0.7	0.3	1.5 4	1.8 3.	66.	5 9.7	7 7.E	5 12.3	67.4	63.5	71.1	0.5	0.1	1.8	4.5	2.8	7.2	9.0	6.7 1	1.9 5,	4.9 50	.3 59	.5	0.		6.0	4.1	8.5
Pakistan 2012-13	Urban 1().4	8.2 1.	3.2 72	2.8 6	8.1 7	7.0	0.6	0.2	1.6 1	.9 1.	0.3.	7 9.4	4 7.C	0 12.5	77.6	72.7	81.9	0.3	0.1	1.1	0.2	0.0	0.7	7.6	5.3 1(0.8 7(0.3 65	5.3 74	.9	.6 0.	2 1.8	1.7	0.7	3.7
Pakistan 2012-13	Rural	3.3	6.7 1.	0.2 70	0.C	7.1 7.	2.8	0.4	0.2	0.9 2	.9 1.	8.4.	7 9. ^z	4 7.3	3 11.9	71.4	67.0	75.4	0.6	0.2	1.6	2.0	1.0	3.7	10.4	8.4 1.	2.9 6.	4.1 6(.4 67	8.	.6 0.	2 1.8	1.3	0.7	2.4
Rwanda 2005	Urban 3 ⁻	1.5	26.1 3	7.4 15	3.8	9.4 1	9.8 1	8.9 1	4.9 2.	3.7 14	1.7 11.	1 19.	1 26.7	7 21.5	32.2	14.6	10.2	20.4	18.3	13.3	24.5	17.5	12.7	23.6	11.1	7.2 10	6.6	5.2	2.5 10	.5	.6 6.	2 14.6	8.2	5.2	12.7
Rwanda 2005	Rural 2.	3.6 2	21.2 2,	6.2 2	2.2	1.4	3.4 1	5.5 1	3.3 1	7.9 17	.6 15.	5 20.	0 23.6	5 20.7	7 26.7	1.9	1.2	3.1	15.5	13.0	18.4	22.3	19.5	25.3	12.2 1	0.1 1/	4.8	1.6 (0.9 2	9 6	.4	9 8.2	9.0	7.1	11.3
Rwanda 2010	Urban 4-	1.0	36.9 5	1.4 12	2.7	6.8 2.	2.7	7.3	4.2 1.	2.6 2	.1 0.	7 6.	2 54.8	3 41.E	5 67.5	21.0	11.1	36.0	5.8	1.7	17.5	1.9	0.2	14.3	28.6 2	12.2 35	5.9	4.9	2.6 8	6 7	.9 4.	5 13.4	7.2	3.7	13.6
Rwanda 2010	Rural 4(3.3	37.2 4,	3.5 C).6	0.3	1.4	2.6	1.7	3.9 E	.3 4.	26.	9 45.1	1 38.6	5 51.9	0.0			3.2	1.5	6.7	9.5	6.3	14.0	36.6 3	3.4 3.	6.6	1.2 (0.6 2	.5 3	.3 2.	3 4.7	10.0	8.0	12.3
Senegal 2005	Urban 3 ⁴	3.4 3	32.8 4.	6.5 16	5.2	9.8 2.	5.5	9.8	7.2 1.	3.2 4	1.2 2.	5 6.	9 41.5	1 34.2	2 48.4	17.8	10.3	29.0	T.T	4.7	12.5	4.9	2.3	10.1	16.9 1	2.1 2.	3.1	5.1	80	.2	.0	8 4.4	13.3	8.5	20.2
Senegal 2005	Rural 3.	2.5	29.4 3.	5.8 8	3.3	6.6 1	0.3	2.0	1.3 .	3.1 5	.9 8.	0 12.	0 38.5	9 33.E	5 44.6	6.9	4.8	10.0	3.5	2.1	5.7	6.7	4.7	9.4	17.7 1	5.2 2(0.5	1.2	0.7 2	1.0	.2 0.	1 0.6	14.1	11.9	16.6
Senegal 2010-11	Urban 4.	3.6	37.5 4	9.9	7.1	4.5 1	1.0	8.3	5.4 1.	2.4 E	5.0 3.	3 7.	5 51.7	7 39.1	1 64.1	8.9	4.2	17.9	7.2	3.8	12.9	1.3	0.3	5.3	30.7 2	31, 31, 31, 31, 31, 31, 31, 31, 31, 31,	5.6	4.4	7 7	.2 5	.4 3.	5 8.2	8.6	5.5	13.1
Senegal 2010-11	Rural 3.	15	31.5 3	7.6 2	2.5	1.4	4.3	2.7	1.6	4.5 ć	.5 5.	1 8.	3 35.8	8 29.5	9 42.2	2.3	0.8	6.9	2.0	0.9	4.4	10.9	8.0	14.7	32.9 3	30.0 34	. 0.9	1.7	1.0	1 1	0.0	6 1.9	12.4	10.3	14.9
Tanzania 2004-5	Urban 5;	5.9 4	47.0 6	4.5 25	3.0	6.7 3.	0.6 1.	5.1 1	1.4 1	9.7 (0.0		56.(9 42.2	2 68.9	- 18.1	10.3	29.9	13.6	7.3	24.0	0.3	0.0	2.2	34.3 2	3.2 4	7.5 1.	2.2	7.0 20	.6 11	.4 6.	4 19.5	0.0		
Tanzania 2004-5	Rural 4.	7.4 4	43.3 5	1.5 11	1.0	9.1 1.	3.3 2	2.2 1	9.1 2	5.6 2	1.1.	4 3.	1 51.4	4 45.2	2 57.5	10.8	7.9	14.5	22.4	18.1	27.4	2.3	1.2	4.3	10.1 3	5.5 4.	4.7	7.1	5.0 10	0.13	.4 10.	2 17.5	2.1	1.2	3.4
Tanzania 2010	Urban 5t	7.2 4	40.9 5	9.5 16	5.6 1	2.2 2.	2.1 1.	2.2	6.0 2.	3.2 1	.5 0.	54.	5 70.(3 53.5	9 82.3	11.3	5.1	23.5	4.3	1.1	15.5	2.5	0.3	17.6	39.1 3	31.0 4	7.8 1.	5.3	7.5 19	.5 12	.3 6.	8 21.4	0.2	0.0	0.7
Tanzania 2010	Rural 5.	3.3 4	48.7 5	7.8 3	3.4	2.1	5.4 2	1.4 1	7.4 2	9.0 (0.7	3 1.	7 56.5	5 47.8	3 64.8	4.3	2.1	8.4	16.2	6.6	25.3	1.4	0.3	5.4	16.0 4	11.0 5	1.0	1.8	.8	8.14	.8	6 18.6	2.0	1.1	3.7
Uganda 2006	Urban 3.	1.5	24.7 4.	5.9 44	4.5 3	5.2 5	4.3	8.3	4.1 1.	6.0 (0.0		25.4	4 13.6	3 42.1	45.1	27.6	63.9	0.0	3.4	22.1	0.2	0.0	1.4	28.7 1	9.7 30	9.8 4	1.0 33	3.3 49	.1 5	.4	6 10.9	3.3	1.7	6.6
Uganda 2006	Rural 3t	. 7.0	27.6 3.	3.9 46	5.8 4	3.6 5	0.0	6.3	5.1	7.7 🤅	8.0 2.	2 4.	0 33.t	5 28.6	3 38.7	43.3	38.5	48.2	7.1	5.3	9.4	3.8	2.5	5.5	30.9 2	7.8 3.	4.1 4.	2.6 3.9	9.1 46	14	 	4 5.4	5.6	4.3	7.4
Uganda 2011	Urban 2i	3.3	22.0 3.	5.5 62	3.6 5	7.8 6	9.0	3.3	1.7 (6.3 2	.9 1.	4 5.	9 28.3	3 20.C	38.4	57.0	45.5	67.8	3.3	1.4	7.4	6.8	1.9	21.4	25.1 1	8.3 3.	3.4 4	8.2 4	I.7 54	.9 2	.9 1.	3 6.2	1.2	0.5	2.9
Uganda 2011	Rural 3	 8.C	32.7 4	1.2 45	5.8 4	1.6 5	0.2	1.3	0.8	2.3 4	1.0 3.	0 5.	2 32.5	9 29.C	37.1	49.9	45.1	54.8	1.5	0.7	3.1	3.2	2.0	5.1	32.6 2	28.7 3	6.8 4.	2.3 38	3.5 46	.3 1	0.	6 1.9	3.9	3.0	5.1
Zambia 2007	Urban 6.	3.1	56.5 6	9.2 2	2.7	1.2	5.8	1.3	0.4	4.1 v	1.6 2.	4 8.	9 66.2	2 52.9	9 77.4	0.7	0.2	3.0	3.3	1.1	9.3	2.5	0.5	11.5 !	53.7 4	9 0.9	1.2	3.4	l.6 6	.9 2	.1	6.6.8	2.6	0.9	7.1
Zambia 2007	Rural 5.	2.5 4	47.2 5	7.6 5	9.7	6.4 1.	4.4	1.3	0.5	3.0 8	8.5 6.	4 11.	2 58.t	5 49.7	7 67.0	10.5	5.8	18.2	1.9	0.4	7.6	6.9	3.8	12.2	52.3 4	16.3 5k	8.2	8.4	5.7 12	.2	0.0	0 0.7	10.3	7.5	13.8
Zambia 2013-14	Urban 7 ₁).6 t	56.2 7.	4.6 ¢	5.1	3.9	9.4	1.3	0.6	2.9 2	.9 1.	6 5.	1 74.3	3 64.2	2 82.3	7.2	3.1	15.9	0.9	0.2	3.3	5.7	1.7	17.2	59.8 5	5.5 6.	4.0	4.6	3.0 7	0.	.1	4 2.8	2.0	1.1	3.5
Zambia 2013-14	Rural 6.	5.5 (53.3 6	9.5	3.7	2.5	5.5	0.5	0.2	1.1	1.5 3.	4 5.	9 63.	7 56.6	5 70.2	2.3	1.2	4.3	0.0			3.7	2.0	6.9 (54.0 6	0.4 6	7.5	2.7	1.7 4	1.0	.4	2 1.0	5.4	4.0	7.2
Figures in parentheses a	are based on 2: ate sources incl	5-49 L	Inweigh Trivate I	ted cas	tes. Ar	n asteris or nurs	sk indic se mot	cates th	hat a fig vic nriv	jure is t	iased of	n fewer health	than 2: worker	5 unwe	sighted	cases a	n facilit	the been s	suppress	sed. Pu	iblic so	urces ir	nclude	public I	inhts ch	l, health	n center	r, health	n post, was s	mobile	clinic, c	ommun n a nha	ity healt	th work	er, and
include: market/informal	shop, tradition	al heá	aler or c	other nc	olle-nc	pathic :	source:	s, frien	nd, relat	ive, or	other sc	DUICES.	Childr	en for	whom (care wa	inos se	ht from	multiple	e sourc	es con	tribute	to eac	h sourc	ce's tot	al, so th	ne total	percel	ntage n	nay exc	ceed the	bercer	itage of	f childr	en who
received any care. LB a	nd UB refer to t	he lov	ver and	upper t	pound	s of the	. 95% c	:onfide	nce inte	sival.							2	_	-									-	>			-	>		

Table A8. Use of public, private, pharmacy, and other sources of care for fever, symptoms of ARI, and diarrhea by household wealth, with confidence intervals, USAID MCH priority countries
~
2
Ψ
-
2
2
-
2
~
ų
C
-
Т
١.
ı m
і 00
A8
A8
е А8. –
le A8
ole A8
ible A8
able A8
Fable A8. –

							Fev	er											ŝ	ymptom	IS OF AR	_										Diari	rhea					
		Public		ŗ	ivate	ā	Jarmac	y Only		Other		A	ny Car	e	Put	olic		Private	<u>م</u>	harmac	y Only		Other		Any Cai	e	ď	ublic		Private		Pharma	Icy Only		Other		Any (Care
Ŧ	Household Wealth																																					
Country/Survey	Quintile	% LB	ΠB	%	LB U	JB %	LB 2	UB	%	LB	UB	%	LB	UB	% F	B UB	%	LB	UB	% LE	3 UB	%	LB	IB %	LB	UB	1 %	LB UE	%	LB	B	% LE	3 UB	%	LB	UB 3	% LE	3 UB
Indonesia 2012 M	fiddle	22.0 18.6	25.7	55.7	51.1 6	0.2 11	0.9 8.	3 14	2 10	3.7 4	8 13.8	90.0	87.1	92.4	31.4 2	1.2 43.	8 58.3	45.6	70.0	9.2 4	9 16.	5 8.1	3.5 1	7.5 94.	.4 88.2	97.4	23.9	18.6 30).2 48.5 5 75 7	8 42.1	55.5	8.7	5.9 12.	7 12.2	8.3	17.8 8	3.4 7	7.7 87.8
Indonesia 2012 W	realthiest	14.3 11.3	18.1	0.70	53.6 7 ₄	41-11	1.1 0	- 12 ⁻	36	6 4 5 1.9	9 6.7	7 92.3	89.1	94.5	10.6 4	4.2 32. 5.0 18.	2 63.6	50.2	75.2 1	0.7 z .4.3 6	7 27.5	7 8.5	2.4.2	0.3 70 6.0 92.	3 78.0	97.6	14.8	9.4 22	55 50.1	1 41.3	58.9	15.2	3.0 24.	43.0	1.7	10.1 8	0.0	8.2 86.7
Kenya 2003 Pu	oorest	27.3 21.4	34.0	15.0	10.8 20	0.5 14	4.8 10.	9 19.	6	9 7.3	3 13.4	1 64.9	58.7	70.5	31.7 2,	4.6 39.	9 13.2	8.1	20.7 1	1.8 7	4 18.4	4 9.2	5.4 1	5.0 64.	7 56.1	72.4	22.2	16.0 29	7.6	5 3.5	15.7	3.9	1.9 7.	7 8.8	5.0	15.0 4	0.8 33	3.8 48.2
Kenya 2003 Pu	oorer	27.9 22.7	33.7	15.5	11.9 1	9.9 1:	3.9 10	2 18.	5 11.	9 8.5	5 16.3	3 66.1	60.3	71.4	27.0 2\	0.3 34.	9 15.1	10.1	22.1 1	16.6 11	4 23.5	5 10.7	6.6 1	7.0 67.	4 60.1	73.9	19.0	13.1 2£	5.8 6.0	9 3.0	11.5	1.0	0.2 5.	5.1	2.3	10.7 2	9.8 21	1.9 39.1
Kenya 2003 Mi	fiddle /ooltbior	31.0 25.0	37.7	15.9	12.0 2.	0.9 1.	3.0	.6 17.	4 10.1	0 9 1 9 1	9 14.2	2 68.5	61.9	74.5	31.0 2.	2.3 41.	3 16.3	10.9	23.5 1	12.6 8	1 19. 1 15.	1.7 1.7	3.4	4.0 65.	.2 55.8	73.6	19.8	12.7 25	9.4 5.1	5 2.8	10.5	, , , ,	1.8	.7 5.4	2.7	10.5 3	4.4 26	5.1 43.8
Keliya 2003 W	vedititel loalthioct	24.1 20.5 25.7 21.5	30 F	0.01 1.01	7 7 7	1.0 1.7 1.5	0 2	- 7 10.	0 0 7 4	., d o o o u	0 10.6	72.4	1.40 6.04	0.07	20.4 5 22.4 5	6.0 47. 5.6 41	2 210	0.21	20.0 20.0	0.0	101 10	1.0 0.7		4.0 /4 0.1 01	0.00 Y.	07.50 27.20	14.0	10.5 52 10.8 22	1 21 5	C 11 2	21.0	0 7 7 7 7	1.5 2 2	0.4 1 1 1	0.1	0.7	2 7.7 1 0 2 1	7.7 30.0
Kenva 2008-9 Pc	DDrest	46.1 39.3	53.0	6.2	3.2 1.	1.6	3.6 2.	- 0 + 0	4 10.1	5 ° °	1 17.5	5 64.1	57.4	70.2	50.0 3.	7.8 62.	2 6.5	2.4	16.5	5.8 c	8 11.8	3 9.2	3.6 2	1.8 70.	8 60.0	2.10	42.7	35.2 50).5 6.1 1.5 6.1	1 3.1	11.4	42	2.3 0.	7 11.2	7.2	17.1 6	1.8 54	1.8 68.3
Kenya 2008-9 Pu	oorer	34.8 25.8	45.0	8.4	4.8 1,	4.1	3.9 3.	2 22.4	6 9.(0 4.6	8 16.4	1 58.5	50.2	66.4	39.9 2	5.9 55.	7 13.7	7.2	24.5 1	3.7 3	5 41.2	2 9.8	4.1 2	1.4 70.	8 53.8	83.4	32.2	23.0 45	3.0 6.0	7 2.4	13.9	4.7	2.1 10.	2 13.1	6.8	24.0 5	3.8 42	2.8 64.4
Kenya 2008-9 M	liddle	39.8 32.6	47.4	11.0	6.4 1;	8.3 1.	2.3 7.	.3 20.4	0 4.(0 2.C	0 8.2	2 66.4	0.06	72.3	53.5 30	6.4 69.	8 9.0	3.2	22.8	6.3 1	.2 26.	7 1.2	0.2	8.3 68.	9 50.7	82.7	44.9	34.0 56	5.4 13.4	4 7.2	23.6	4.4	2.0 9.	.5 5.5	2.5	11.7 6	5.4 54	1.0 75.3
Kenya 2008-9 W	Vealthier	32.4 24.3	41.6	13.8	8.6 2	1.3	9.3 4.	.7 17.	6 5.	9 2.5	9 11.6	\$ 60.9	51.2	66.69	38.2 2.	3.8 55.	1 13.8	6.4	27.5 1	19.9 6	.7 46.(0 1.1	0.1	8.0 73.	.0 56.2	85.1	44.0	33.8 54	1.8 9.5	9 4.3	21.1	6.9	2.9 15.	.8 2.3	0.8	6.2 6	2.7 51	1.7 72.6
Kenya 2008-9 W	Vealthiest	39.1 28.7	50.6	13.4	7.8 2.	2.1	5.3	2 11.	8	3 0.5	9 5.7	7 60.1	47.7	71.3	34.3 1	9.6 52.	9 30.5	14.3	53.7	4.0	.1 13.	1 1.0	0.2	4.4 67.	.1 36.9	87.7	23.6	14.6 35	5.8 22.5	9 9.4	45.8	42	1.4 11.	.6 4.8	0.7	25.8 5	5.3 39	9.5 70.2
Liberia 2007 P.	oorest	20.7 14.5	79.8	21.5 10 E	13.5 3.	4.7	4.1 2		0 20	14.0	3 28.6	5 63.2	0.44	/ 0/	40.3 2.	8.4 53.	5 18.2 0 15.7	200	34.1	0.0 	.12 1.	3 12.4	7 0.7	1.1 /9. 5.5 2.5	2 66.2	88.1	23.9	16.0 34	1.1 13.5	8.8 7 10.8	20.3	0 E F	4.8 25.	1.02	6./ L	31.7 0	10 I.40	0.0 / 0.0
Liberia 2007 P.	-uurei	0.02 1.20 0.36 26.4	57.4 51.6	. L CC	15.0 2.1	1.2	207 207 207	101 101	0 24- 16,5	4 10.4 8 11.6	23.6 5 32.6	20.01	00.0 75.5	88 1	58.0 4 ¹	5 7 40.1	4 15.7	0.0	0.02	5 C.1 C L L	1 245	- 10.0 2 0.0	1 1.0.1	7.5 86	1 000 1.	03 0	C 40	20.0 X 18.7 X5	3 241	1 15.0	35.1 35.1		0.0 19 5.5 17	20.00	0.77	0.04	7 8 0. 1 8 0.	0./ 07.2 0 86.5
Liberia 2007 W.	loalthier	42.1 33.2	514	20.7	17.0 24	11 10		0 1 1 2 0	1 10	0 1 1 1 1	1 12.2	80.6	75.1	. 5	48.0 4	38 67	9 14 2	10	25.6 2	11 11	4 33.5	20 0.0	10 1	6.5 83.	01 TO 9	91.2	36.6	78.3 45	102 81 102 81	7 15.6	0.96	10.8 4	10 16	10.3	4	16.8 7	199 199	8.3 87.9
Liberia 2007 W	/ealthiest	42.7 32.9	53.1	24.4	17.3 3.	3.2 12	2.9 8.	7 18.	7 8	7 4.6	5 15.7	7 83.2	74.9	89.2 (6	51.9) 35	9.5 80.	1 (29.1)	13.9	51.1 (1	1.6) 0	.2 13.5	3 (3.2)	0.7	4.3 (93.5	 78.4 	98.5	38.4	26.3 52	0 22.5	5 14.9	32.5	14.8	9.0 23.	1 14.5	8.0	24.6 8	84.1 74	1.7 90.5
Liberia 2013 Pu	oorest	43.2 37.6	48.9	7.5	5.0 1	1.2	7.4 4.	.6 11.	7 18.	5 14.5	5 23.4	1 73.7	69.7	77.3	42.5 3.	3.7 51.	7 7.1	3.2	15.0	3.6 1	.3 9.:	3 13.1	8.2 2	0.2 61.	2 50.9	70.5	36.9	31.1 43	3.2 6.5	5 3.4	12.1	5.1	3.1 8.	4 24.8	19.8	30.6 7	1.7 66	5.7 76.1
Liberia 2013 Pt	oorer	50.3 42.8	57.7	7.5	5.1 1(0.9	7.2 4.	.8 10.	5 14.6	8 9.2	2 23.0	78.1	73.1	82.4	49.8 3i	8.1 61.	5 6.7	3.1	13.8	7.5 3	:2 16.5	5 19.4	10.3 3	3.5 82.	6 73.8	88.9	41.1	33.8 45	3.9 5.9	9 3.4	10.2	7.4	4.4 12.	.2 19.6	13.9	27.0 7	3.3 66	5.6 79.1
Liberia 2013 M	fiddle	48.8 41.9	55.8	12.3	8.3	7.8	7.7 4.	6. 1 1 - 1	7 12.	4 8.0	0 18.7	7 80.3	74.3	85.2	45.7 2.	8.6 63.	9 14.0	5.1	32.9	1.9 0	1.6 6.1	5 8.9	3.8	9.5 70.	.6 51.4	84.5	46.0	38.6 5:	3.7 9.1	7 5.4	16.9	12.2	8.0 18.	1 13.4	80 r 80 r	19.8 7	8.8	3.1 83.6
Liberia 2013 W	Vealthier	30.6 21.2	41.9 20.4	30.6	22.6 4 25.7 5,	10.0 2 1 2 7 1 2	7.0 14.	.1 31. 20.			1.8 V	200	81.4 45.2	7.06	(19.3)	8.0 39.	(0.62) 6	10.3	67 0 (A)	3.2) 6	100 01	8 (5.4) (9.4)	1.7	.77) 8.c	48.9 10 46.6	88.3 0F 30	23.1	13.8 36	21.5	5 14.9	, v ov	18./ 1.	2.1 21.	0.8 1. 7	4.4	19.4 / 14.5 /	1.0	C.6/ /.(
Madadascar 2003.4 Dr	vedilitiest	2711 C.22	33.5	7.7C	7L UV	43 0	01 6.7	.47 2.			0.0 17.0 0.0	2000	20.5 20.5	40 F	- (4-1) 47 4 37	2.2 1 2 5 4	(1.0c) 0. 4 1 8 1	0.0 1 1	37.0 (4. 15.3	77 77 17 70	1 3.6	1 (0.0)	13	0 0 55	2) 00.0 0 43.8	7.04	0.42	16.3 34	7 7 70	0.01 2.6	15.6	- 00	cc c.1	0.0 0.0	4.0	1 C.41	20 2.0	2./ 0/.U
Madadascar 2003-4 Pr	DDFEL	29.0 20.0	39.9	36			0.0	0 2	2 6.5	5 CC 0 CC	1 14.3	38.7	29.0	48.3	32.1 19		4 11.5	- 00	0.00	- 0.0	5	t 0 2	2.6.1	7.5 50.	5 35.6	65.4	22.0	12.7 35	1.4 7.4	4 2.1	23.1	0.0	19.	2.1	0.4	10.5 3	4.4 20	1.7 51.3
Madagascar 2003-4 M	hiddle	24.3 15.5	35.9	6.8	3.5 1.	2.9	2.5 0.	5 12.	4	2 1.5	9.0	37.8	29.2	47.2	24.5 1;	3.2 40.	9 11.2	4.7	24.1	3.5 0	.5 20.6	9 6.1	1.6 1	9.9 45.	2 30.6	60.7	19.5	8.9 37	.4 9.5	9 3.3	26.3	3.9	0.9 15.	3 4.7	1.3	16.1 3	8.0	2.3 56.8
Madagascar 2003-4 W	/ealthier	29.5 20.1	41.2	20.2	11.4 3,	3.4	2.4 0.	3 14.	7 1.	9 0.4	4 8.6	5 53.8	39.3	67.7	31.6 1	8.7 48.	0 16.7	4.5	45.6	6.3 0	.8 35.3	3 4.2	0.8 1	9.2 58.	8 43.2	72.8	20.6	10.5 36	5.3 16.6	9 6.4	37.2	3.6 (0.6 18.	0.0 0.0		4	0.9 23	3.7 60.7
Madagascar 2003-4 W	Vealthiest	27.0 19.0	36.9	33.4	25.7 4.	2.1	0.3 0.	0; i	1	8	3 2.2	2 60.5	50.0	70.0	39.2 2.	3.8 57.	2 27.7	16.0	43.6	0.7 0	11 51	2 0.3	0.0	1.3 66.	.7 53.5	1.17	10.4	6.1 1;	1.3 27.5	9 15.4	45.3	0.0		0.5	0.1	3.0	8.4 23	3.5 55.9
Madagascar 2008-9 P	oorest	28.1 20.8	30.8	0.4 1		8.0	0.0	7 r	 0 c	4 4.0	0 11.7	1 42.0	34.9	4.64 4 0 4	1 010	8./ 43.	7.4.7	9.1 c	21.00 11.00		1.4 1.4	0 10.2	4.0	.0.9 45. 7 27	.4 33.1 A 25.4	58.3	23.1	18.2 3L	1.3 3.4	9.1 0	0.0	c.0			4. c	13.0 10 E	5.3 2.4	5.4 42.8 0 47 E
Madagascar 2008-9 P	-uurer	70.6 21.7	20.5 28 0	0, 4 0, 12	10 11	50 5				7 5.7	У 12.4 2 12.5	4 40.0	25.U	40.0 50.4	20.2 10	4.9 30. 7 A A	1 12.0	- a	20.00	0.U	A 10F	7 0 0 1 0	- C C C C	5.0 AB	.4 20.4 F 20.3	010	21.0 71.5	21.7 34 15.2 20		2 3.2	10.7	7.0		2.0 2.0	о. 1 о	с а 4 с а 4	25 0.00	0.74 0.2
Madagascar 2008-9 W	lealthier	36.0 28.0	44.8	12.5	8.1 -	8.7	0.4		6	2 0.4	4 333	49.9	41.9	57.8	33.6 2:	3.0 46.	3 19.1	10.4	32.6	0.0		1.2	0.3 1	5.5 53.	7 41.0	62.9	28.3	20.9 36	.0 10E	2 4 C	17.1	0.1	2.0 A	8.1	<u>;</u>	11.9 4	12.5 23	8.7 51.8
Madagascar 2008-9 W	/ealthiest	24.6 17.2	33.8	41.8	33.5 50	0.6	0.4	3	0	0		65.5	55.8	74.1	31.9 19	9.4 47.	6 39.1	23.9	56.7	0.0				.69	3 54.4	81.0	29.9	21.2 40	1.4 25.4	4 19.0	33.1	0.6	0.1 3.	0 5.3	1.5	17.1 5	9.3 49	9.1 68.7
Mali 2006 Pt	oorest	20.7 15.8	26.6	2.7	1.4	5.1 (0.7 0.	2 2	3 28.	8 23.2	2 35.2	2 52.6	46.1	59.0	25.8 1.	7.7 36.	1 2.0	0.5	7.9	0.7 0	11 5.0	1 27.7	17.6 4	0.8 56.	2 45.3	66.5	12.7	9.2 17	7.3 1.5	3 0.4	3.6	0.0		16.5	11.7	22.9 3	0.1 24	1.4 36.4
Mali 2006 P.	oorer	28.3 23.0	34.4	2.2	;	4.4	9.5 0		9 23.	9 18.5	9 29.8	3 54.5	47.7	61.2	31.6 2.	2.5 42.	4 0.0		0	0.5 0	13.	3 23.1	16.0 3	2.3 55.	2 44.5	65.5 202	11.9	8.3 16	5.7 0.5	9 0.3	3.1	0.0		14.1	10.3	19.0	26.8 21	1.5 32.9
Mali 2006 Mi	nddle (ealthier	25.0 19.7	31.1	2.4	0 F	0.0	0.7 5.9 1	1 19	4 10.5	4 20.2	Z 31.4 3 25.1	4 52.4 - 58.7	1.65 4	1.96	1 0.12	8.9 3/. 33 54	-1 Z.b	0.1	8. L	10 0	10 Z-	2 14.0 14.0	13.0 z 8.8 2	17 56	.1 40.8 9 44.8	59.3 68.7	10.0	12 4 28	1.8	0.1	2.1	0.0	0 0 0	0.11 c	× 8	10.0 10.7 2 2	7 R L C	2.5 33.9 5 3 30 8
Mali 2006 W	realthiest	44.8 38.1	51.8	0.7 0.7	5.3 1.	2.3 10).1 0.1 6.	3 12	6 11.5	287	9 16.7 8 16.7	73.2	66.2	79.2	52.0 4	4.0 59.	8.9	4.2	18.1 1	1.8 6	4 20.	7 6.6	2.8 1	4.5 78.	7 68.2	86.4	28.2	19.1 39	7 8.5	3 4.8	13.9	0.0		4 2.00 0.00	4.6	14.4	2.3 21	1.9 53.4
Mali 2012-13 Pt	oorest	17.2 10.4	27.2	0.0		, 	1.1 0.	2 5	1 24.8	8 18.6	6 32.1	41.7	31.7	52.4 (18.4) 8	9.3 36.	0 (0.0)		9	(0.0		(39.9)	23.5 5	8.9 (54.5	5) 34.7	73.0	14.0	8.1 23	3.2 3.2	2 1.2	8.0	1.8	9.4 7.	5 25.7	17.7	35.6 4	2.5 33	3.1 52.4
Mali 2012-13 Pt	oorer	25.7 18.3	34.8	2.4	0.7	7.9	0.3	0.2	2 17.6	8 11.7	7 26.1	1 45.7	36.2	55.6 (.	20.3)	6.8 47.	2 (0.0)	_	: ت ا	4.7) 0	17 26.	3 (28.5)	14.1 4	9.3 (53.5	5) 33.8	72.2	28.2	21.2 36	5.5 1.4	4 0.4	4.9	2.2	0.6 8.	2 28.6	21.3	37.2 5	8.0 47	7.6 67.7
Mali 2012-13 Mi	fiddle	11.4 11.4	29. I	5.6	L. C	۲./ ۲./	3.3		1/1/	0 10.4	4 26.4	38.8	29.8	48.5 (Z3.3)	9.3 4/.	(0.0) (0.0)	, ,	<u>ت</u> د ا	0 (6.9)	1.8 40.	Z (14.8)		56.1 (44.1	0) 23.5	66. /	20.2	14.6 21		8.0	6.1	- C.	0./ 14.	6 23./	18.2	30.3	20 C	9.9 56.8
Mali 2012-13 W	veaturier /ealthiest	47.9 39.7	30.3 56.3	7.7	3.5 1.	0.2 3.0 1,	4.4 2.2 7.	4 19.	-07 7 12	5 4.1	3 20.5 1 13.1	4.70 Y	65.4	81.2 ()	36.1) 1	4.4 03. 3.0 59.	.0 (0.9) 1 (4.3)	0.9	18.7 (12	2.7) L	1 39.7	(19:0) 7 (16:0)	4.6 4	3.0 (69.0	 40.4 50.7 	82.8 82.8	33.1	25.8 41 25.8 41		2 0.0	9.9 9.9	5.0	2.6 9. 2.6 9.	20.6	15.1	27.4 6	0.3 51 0.3 51	1.7 68.4
Malawi 2004 Pu	oorest	31.0 26.8	35.5	5.4	3.5	8.3 3{	3.5 34.	.0 43	2 1.:	3 0.7	7 2.3	3 75.0	71.0	78.6	23.2 1	8.2 29.	1 6.8	4.4	10.4	0.0		37.4	31.0 4	4.4 66.	9 59.4	73.6	28.8	24.1 34	1.0 5.5	7 3.7	8.8	0.0		23.1	19.1	27.7 5	6.6 50	0.6 62.3
Malawi 2004 P.	oorer	34.6 30.0	39.6	6.7	4.9	9.1 31	9.2 33	.9 42.	000	8 0.4	4 1.9	9 79.6	75.6	83.0	27.0 2	1.9 32.	9 7.2	4.7	10.9	0.0		32.0	26.9 3	17.6 65.	.5 59.5	71.0	31.6	25.9 37	7.8 9.7	1 6.2	13.0	0.0		21.8	18.0	26.2 6	1.4 56	5.4 66.1
Malawi 2004 Mi	1100le lealthior	22.0 24.9 20.0 24.7	38. I 12 A	2. / 9. /	4.1 4.1	0.0 33	1.1 33.	- 0. 25.5	γ 1 Γ		2 4.C	2.17	73.0	80.6	29.6 2	4.5 35. 2.1 20	0.7 7 0.6	7.9	11.0	0.0	-	30.5 1 90 0	31.0 4	1 4 12	-/ 0/.4 2 676	4.17 75 0	20.8	22.2 32	2.0 5.0 2.4 C -	0 Z 0	а. 1 1 г. 2	0.0		29.0	20.8 10.0	G 7.67	0.2 0 0 5 0 0	0.4 61.8 2.2 645
Malawi 2004 W	realthiest	41.6 35.5	47.9	t 8	5.5 1:	3.9 2.	7.4 21.	6 34.	5	4 0.1	1 1.4	1 77.9	72.6	82.4	34.9 20	6.5 44.	4 11.8	7.3	18.7	0.0	-	23.7	17.1 3	2.0 69.	3 57.2	79.2	28.5	22.0 35	12.5 12.5	, f	18.7	0.2	2.0 1.	4 11.6	7.8	16.9 5	2.4 44	1.0 60.7
Malawi 2010 Pu	oorest	46.8 43.0	50.7	14.5	11.8 1.	7.7 (0.0	2	; œ	9.7.6	0 11.2	2 68.6	65.2	71.8	43.3 31	5.9 51.	0 19.6	13.6	27.5	0.0		9.0	5.3 1	4.7 70.	1 62.1	77.0	53.1	48.4 57	.9 11.6	3 8.9	15.5	0.0		9.1	6.6	12.4 7	1.4 67	7.0 75.5
Malawi 2010 Pi	oorer	51.0 47.0	54.9	10.6	8.4 1.	3.4	0.0	ć	10.	6 8.7	7 12.9	9 70.8	67.4	74.0	54.7 4	7.3 62.	0 13.4	80 g	19.9	0.0		8.6	5.7 1	2.8 74.	.3 67.1	80.4	53.7	48.5 55	3.9 11.5	3 8.5	14.9	0.0		10.9	8.4	14.1	3.1 66	3.3 77.5
Malawi 2010 Mi	fiddle /ooltbior	1.25 1.95	60.6	12.1	10./ 1.	5.1 	0.1	.0 0.	8 7 7	· · · 0	2 11.2	70.3	/3.3	7.6/	63.2 b.	5.0 /0.	0 17.0	10.2	20.4	0.0		0.0		1.2 81.		8/.4	50.6	45.5 5t	3.8 10.8	8 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0	13.9	0.0		6.0L	80 C	14.1 1.41	0.4 65	0.6 /4.8
Malawi 2010 W	vealutier /ealthiest	48.4 42.5	54.4	25.5	20.2 3	1.6 (0.0		20	0 32	2 13.5	7 76.4	71.9	80.4	53.2 4	1.9 64.	2 25.8	16.5	38.0	0.0		2.4	0.9	4.2 // 6.7 76.	. 07.3 9 67.3	84.3	47.7	41.8 53	1.8 13.1	1 8.2	20.5	0.0		6.7 8.1	2.6	11.7 6	0.0 1 55	9.1 72.4
Mozambique 2003 Pt	oorest	40.2 34.2	46.6	2.6	1.4	4.8 (3.3 0.	.0	8 10.	4 7.4	4 14.5	5 53.0	47.6	58.4	41.2 3	1.2 52.	0 4.3	1.9	9.6	0.8 0	1 5.3	7 8.6	3.4 2	0.1 54.	4 43.2	65.2	40.6	33.8 47	7.9 1.0	0.2	4.6	0.0		9.5	5.1	16.8 5	1.1 44	1.1 58.0
Mozambique 2003 P.	oorer	42.7 36.6	49.1	1.6	0.3	8.7	0.0		 	2 6.2	2 13.3	3 53.3	46.9	59.7	53.8 4.	3.3 64.	0.4	0.1	1.8	0.0		7.9	3.6 1	6.6 61. 2.2 52	.7 52.6	70.0	43.9	35.1 55	3.1 1. [∠]	4 0.5	3.8	0.0		9.4	5.2	16.3 5	3.3 44	1.0 62.5
Mozambique 2003 Mi Mozambique 2002 Mi	fiddle (ealthiar	48./ 42./ 42.7 55.0	54./ 68.1		0.5 V 0	3.8	0.1	0. 1	0 c	5 D C Z	9 12.2 2 0 7	2 58.0 7 60 5	51.9 62.6	63.9 74 g	53.2 4 65.0 5	0.2 65. 7.0 73	1 1.0	. 0	C V	0.0		6.8 г.а		9.2 62	.1 48./ 6 65.7	/3.8 80.2	58./	50.6 6t		4 0.3	5.9 20	0.0	د ۱۰ د	0.0		11.3 7 0	0.0	8.0 /3.2 3.5 A.5.0
Mozambique 2003 W	/ealthiest	65.0 60.0	69.7	3.6	1.6	11	2.4 U	4 G	0.0	7 1.4	4 5.1	73.7	69.3	L.17	59.8 5	3.0 66.	3 2.7	1.3	2.6	2.5 1	.1 5.5	5 2.4	1.1	5.1 67.	4 60.5	73.6	46.5	37.7 55	5.5 0.7	5 0.5	5.4	2.4	0.0 1.9 6.	2 37	10.	12.9 5	3.8 45	5.1 62.2
Mozambique 2011 Pt	oorest	53.8 46.8	60.6	0.0		_	0.0		<i>•</i>	1 2.7	7 13.3	3 57.6	49.9	64.9 (44.1) 2:	5.3 64.	8 (0.0)		2	(0:0		(3.6)	0.8 1	5.9 (44.	1) 25.3	64.8	53.5	44.1 62	1.1	1 0.3	4.6	0.0		7.1	3.7	13.0 6	0.2 50	0.9 68.9
Mozambique 2011 P.	oorer	46.6 39.2	54.1	0.0			0.0		4.1	3 2.2	2 8.0) 49.5	42.0	57.0 (-	49.8) 2	7.8 71.	(0.0) 6	•	ے ،	(0:0		(13.8)	8.3 *	2.0 (57	3) 36.4	75.9	49.5	40.2 56	3.9 0.6	6 0.1	4.3	0.0		7.7	3.6	13.7 5	5.5 46	5.9 63.8
Mozambique 2011 W	liuure /ealthier	70.7 64.3	076.3	0.0		. 0).8 0.	2 2.	4 3.5	0 1. 0 1.	7 8.5	5 75.2	69.3	80.2 (51.4) 3/	4.2 68.	3 (0.0)		2	2.1) 0	-2 16.5	5 (4.4)	0.8 2	0.1 (57.5	9) 39.8	74.2	62.9	55.1 7G	7.4 I.4	4 0.4	4.6	0.5	0.1 3.	.3	1.7	8.0 6	8.5 60	0.07 0.0
Mozambique 2011 W	Vealthiest	65.8 57.6	73.3	2.9	1.4	5.8	1.1 0	.2 5.	2 1	2 0.4	4 3.8	3 71.1	63.1	78.0 (66.8) 4	9.6 80.	4 (0.0)			0.0		(0.0)		(66.8	9) 49.6	80.4	64.8	56.1 72	2.7 0.5	3 0.0	2.1	2.3 (0.8 6.	.4 5.5	2.9	10.0 7	2.6 64	1.8 79.3
																																				Ξ	Contin	iued)

7	3
Ċ	Ď
	5
- 2	5
-	2
	2
-	-
9	Ç
C	3
	-
I	
1	
0	0
0 4	0
0000	
10 00	

								rev	er.												sym	smoth	of AK												Diarrne	38						
		Pul	olic		Priv	ate	ā	harmac	y Only	ļ	Othe	-	<u> </u>	4ny Ca	e	-	ublic	 	Priv	ate	ĥ	armacy	Only		Other		Any C	are		Public		Ŀ	ivate	5	armac	y Only		Other		Any	Care	
-	Household Wealth	-	=	č	-	-	è	-	-	è	-	-	ć	-	9	è	-	6	-	-	6	-	-	č	-	ē	-	-	è	-	5	-	-	2	-	-	č	-	9	-	-	
Country/Survey	Quintile	% L		s ≅	۲ د	÷.	a∽ m	۲ د	a UE	*	B	B	%	8	B	%	8	UB	% F	B UE	%	LB	UB	%	LB	UB 🧏	E LB	UB	%	LB	UB	1 %	LB U	8 8	8	UB	%	8	ЯN	%	LB UB	. 1
Nigeria 2008 P.	oorest	20.3 1	7.2 2.	3.8	3 6.9	5.1 9	9.1	2.9 15	3.3 26.	.9 12	.9 10.	.4 15.	9 62.	1 58.	3 65.8	15.2	10.6	21.3	. 6.7	4.6 13	3.3 26.	.1 19.5	7 33.9	14.3	9.4	21.3 6.	3.1 54.	5 71.0	16.9	14.3	20.0	6.3	4.5	8.7 19	.4 16.	4 22.9	9 16.5	13.1	20.6	58.4	54.0 62.	
Nigeria 2008 Pi.	100rer	Z0:0 Z	2 C C	 	1.3	۰ ک ۲ م	7.0 2	5.1 21	1.4 Z9	- 1 - 1 - 1	 9.0	0 1 2	1 000	27 29 67 2	1.1/	25.4	18.5 15.7	34.0 21 A 3	2.7 7.7	2.6 12	7. 7 20. 20.	571 L	4 34.0	12.5 F 0		19.6 0.1	5./ 56.	3.0	20.5	0./1	24.0	2.1 2.1	5.8 1 1	1.3	8.0	8 2/2 0	10.5	7.F	18.5	0.00	09.8 69.8 5 E E 7 E	n 4
Nigeria 2000 IV.	//oalthior	2 4:07	ос оц			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 C	12 0.1	40 40	0 F	τ c t c	- 0	+		01.0	9.22	7.01	4.10 4.10	1.11	0.0 ZU 2 2 ZU	30. 1 20. k	1.02 2.	A0 F	r 0	0.0	0.5 7,	++ 1 4 62.	. VO	20.00	2.02	0 27 0		- F A A	7 4 24 2 4 24	.07 L	777 0	0.0	0.0	7.01	0.01	CL 4 03	
	Voolthiort	4 C UC				2		3 F	200	; r						0.70	101	10.04	2.2	200		2 7 7 7 7 7		20.2		71/ 1.01	10 11		2000	0.14	0.10	F. V.C	10 0 0 0							1.10		+ <
Nineria 2013 Dr	horrest	203 11	ה ה ב ש ב ה	4	+ a	V 17	2 C I	22 P C	5 6	- 1 - 1	4 ° 7 -	οα	÷01 ×	0 /0"	74.6	(00.00) 25.3	18.7	33.7	14	10 10	107 Y	2010	807 1	0.40	141	30.2 8:	200	0.02	15.8	17.8	10.4	1.07	13.0	200 27	0 1 0	230C	902 0	17.4	0.0	1 1 19	11 0.00	
Nineria 2013 Dr	honer	0 0 0	16 21	. u	10	L P C	7.7 21	57 21	5 40		0	ы 17.1	1741	102	78.1	23.1	16.8	31 1	4.6	22 0	- 23 - 1	2 2F.7	101	11.4	47	18.0 7	09 1		0.00	211	00	27	7 91	4.5 23	202	8 27.5	17.6	00	14.0	101	57 0 75 C	
Ningeria 2013 M	1iddle	26.2 2	7 7 7 7 7 7	, c.	4 C 4 V	- 12 + 07	4 L 4 L	2.1 20		4 c V	; , ,	įά	2 75.0	215	- 02 02	27.B	0.0	476		1 2 1	α 32.1	4 CZ C Z Z	46.1	t. C	0	5.6 - 7	1 4 000	4 00.4	010	22.0	22.4	1.7	0 C	0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	27	5 77 17	0.71	L L	0.01	10.01	10 4 80	~ ~
Nimeria 2013 IV	Vaalthiar	4 C.U2	5 5 5 7	2 4 4	• • • •	ם נ מיי	500	о 25- 25- 23- 23- 23- 23- 23- 23- 23- 23- 23- 23	5 12	jα		, o	.91 1	7 77 3	908 ·	9.10	18.0	0. 14 0. 02	, v	1.4 JB	201	177 0.	541	2 0 7 0		1 4 4 1	τ. α		20.2	0.02	27.0	1.0	1.2		1 C 2 C	2 G	о с с	0 C	0		1 2 0 0 2 1 2 4 5 7 5 1	
Nigeria 2013 W	Vealuller Voalthioet	7 7 7	2 K 2 K 2 K	1 1 1 1	11 1	r (c	200	0.0	0 4 C		 	5 u	0, 0, 0		00.00 70 F	(L CV)	21 E	0.75	7.4 2 EV 1:	1 0 10	0 /10 0	1.42 0.	0.40	0.C	1 4	10/ 1/02	-00 17	- 60	20.0	24.4 21 0	0.70 2E 2	10.01		1.4 27 5 6 35	10	21.00	0.0	о г г	- 2	7.01	101 0 03	± 14
	Vedililes	7 0.02	0 0 + 0	+ + +		77 71	4 C C	0./ 2:	0.0				0 10	245	0.01	(1.04)	21.0	20.7 (2		1.4 40	1.7 (10.0		20.0			30.4 (ol		0.72.0	707	0.17	00.0	0.01	+ 4 4		7. 50 . 7	1.10 4.0	4 O	0.5	0, 0	+./0	01.01	
	noiest	0.02	4.4		2.2	2 4		1 4.0	1.0 23	- (ο, ς 	0 i		7 34.1	44.0	20.4	/ .01	47.1	7.5 	5.4 23		γ. L.	5.1.5	- L	7 - 7 7 - 7	0 7.4	5.2 7.40.	207	21.4	14.1	30.9		0.0	7.0	4 Ç		0.0		4	7.72	21.9 39.	~ ~
Nepal 2006 Pr	oorer	23.3	4.4	4.0	2.0 	1.0.1	2	4.6 15	./ 36	7		0. ·	5 5/	3 49.	5 64.9	24.9	16.2	36.3	4.1	2.1 31	7.78	19.1	44.8	5.3	9.1	16.3 6	5.2 53.	9.97	7.77	G.21	30.2	4./	0.1 0	3.2 25	11.	1.02	1.7	0.7	6.4	54.3	-C0 2.21	.
Nepal 2006 Mi	Aiddle	23.9 1	6.3 3.	3.5	7.4 5	3.3 15	5.5 2.	7.8 20	0.8 36.	-	.0 6.	.6 6.	1 60.	3 50.4	1 69.4	33.8	18.4	53.8	. 9.6	2.9 27	.5 23.	.4 13.0	38.7	2.2	0.3	15.6 6.	5.9 49.	7 80.6	5 23.0	14.4	34.6	6.9	3.0 1	5.1 30	1.1 18.	5 44.9	9 0.5	0.1	3.4	0.09	17.6 71.	_
Nepal 2006 W	Vealthier	30.1 2	1.5 4	0.3 15	3.6 7	7.9 22	2.5 3	1.4 23	1.0 41.	.3	.4 0.	.3 15	3 73.	7 63.t	5 81.7	29.2	16.9	45.6	26.0 1,	3.8 43	1.4 27.4	.6 13.5	9 47.6	0.0		7	7.5 61.	7 88.	1 21.4	13.7	32.0	7.5	3.6 1.	4.9 27	.6 20.	0 36.8	3.9	0.7	19.1	60.4	51.7 68.	
Nepal 2006 W	Vealthiest	18.7 1.	2.0 2	7.9 2t	5.1 15	2.4 34	1.1 2,	3.5 16	15 32.	.3 2	.3	.8 6.	8 69.4	4 60.t	5 77.0	(16.2)	7.4	31.7 (3	8.4) 2	1.6 58	6 (17.5	5) 7.5	5 35.6	(0.0)		12)	.5) 53.	2 84.7	7 13.7	7.7	23.1	18.7 1	11.1 2	9.7 27	.0 15.	5 42.6	5 4.4	0.9	19.0	62.2 4	19.2 73.	
Nepal 2011 Pu	oorest	23.2 1.	7.4 30	0.2 7	7.2 4	1.0 12	1 1	9.3 12	.8 28.	0	.5	3 7.1	0 49.5	5 41.6	57.4	30.7	17.7	47.8	6.1	2.5 14	3 20.4	8.8	3 41.6	0.0		ŝ	5.7 39.	1 7.	28.6	20.6	38.3	4.8	2.2	9.8 17	.9 11.	8 26.3	1.1	0.3	3.6	51.5 4	10.9 61.8	~
Nenal 2011 Pr	norer	20.7 1	51.0	7.8 15	3 1 11	3 27	5 2	35 21	7 38	6	1	1	69 8	7 58 5	78.9	(20.7)	0.6	40.8 (2,	55) 1.	19 49	3 (34 7	C 0C (L	527	(7 8)	17	79 9 (87	8) 66.	0 00 (1 27.8	19.3	38.4	17.5	64 2	28 19	8 11	9 31 1	1 21	50	84	7 2 09	19.4 70	~
Nenal 2011 M.	Aiddle	21 2 12	101	0.2 2.2	37 17	1.6	3 F	3 2 20	13 37	, v	0		1 741	2999 5	814	(104 4)	15.0	42.2 (2.	8 3) - 1	28 51	5 () 5 A	4) 12.6	146.7	000	0 0	14.8 (79	4) FQ	- LO P	996	19.0	35.0	12.4	7 4 10	22	91 01	2 2 2		2 C	00	63.5 E	52 8 73 1	
Nenal 2011 W	Vealthier	167	100	2 7 24	10 27	17 01	3 F	2 4 20	12 47	о – ч –	ة د ۳	;	498 4	902 8	017	(10.8)	2.0	38 0 (4	18.7	0.0	7 (34.7	2) 20.7	1919	500	4 C	15.6 (95	98	80 8	17.5	10.5	L LC	78.7 1	10.1 4(0.8 27	0 0 0 0 0	202	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.6	16.0	0.07	53 2 86 -	
Nenal 2011 W	Vealthiest	90	4 -	73.35	3.0 28	.6 48	0	71 17	02 7.		; c	; ~ ; <u>~</u>	2 7 4 7	1 64.0	82.6	(20.2)	11.7	56.5 (4.	2 2 2 2	PC 80	C C L) C	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	30.0		2	(87	20 (y	000	11.0	9.0	214	25.0 1	17.0 3	70 25	014	0,00	100	2	2	1 1 1 2	18 0 73	
Dakictan 2006-7 Dr	norect	10.0		2 L L L L L L L L L L L L L L L L L L L	0.4 EA	P4 C.			ĥ	 2			142 0		9.70	48	L L	12.4	- 1 - C - C - C - C - C - C - C - C - C	44 40		-	2.20	(). 2 2 2	1 2	10) 72 C 8	15 40.		4 1	200	10 8 1	55.7 A	18 1 6	010		200	ри ри	L C	10.8		. 27 0 83	
Dakietan 2006 7 Dr	'ourcat				5 L C	10 7.1	‡ 0	10.0	с с.	- -			7 75.	20.07	00 E	0 0	t c	+ · · · ·	10.1	00 00		0.0	44		. r	1 0 7 0	20.02	1 020	11.0	; r	12.0	, , , , , , , , , , , , , , , , , , ,	14 1 60			10		C	0 0	- 00 4 0 E	50175.	
Paliatan 2000 7 Paliatan 2007 7	1001EI	0.01	+ + + + + + + + + + + + + + + + + + +	4 i 0 0	10 17	+ c	0 L	י ר איז ר	<u>,</u> ,,					202 2	C.00 +	0.0	0 c		0.00	2 1 2 0 0		7 O F	0,4	2.0	0 c	1 1 1 0	21 00		7117	- r 1 c	0.71			+ 0	, è	+.	0 4 1 7 1	- 0	0 4	0.0		<u> </u>
Pakistan 2006-7 IV		7.71		0.1	10 0.7	22		יר ייר ר	7 0	0 (20 (o o ⊡ '	0 000	, /8.	1.18 5	15.4	- c	21.3		3.2	, c , c	<u> </u>		0.4	2.7		70 82.	7 437			19.7	0.00	40.4 0.	0.0 0.0	0. 1	, ,	0.0	0.4	- 0	13.4	04.8 8U.	
Pakistan 2006-/ W	vealther	0.11		. / G.G	0.1 20 20	0.4 /6	2	0.8 0.8	1.3			ې ب و ب	/ 80.	778 4	2.69.9	12.2	20 d	1/.0	(4.0 	6.6 8U		0; •	ľ	4.4 7	4.4	9.4 8	4.1 84.	2, 22, 0	0 r	3.0	/	20.00	50.1 0	0 0.7	0. 0.	3.6	0.5	4.4	9.9	0.0		
Pakistan 2006-/ W	vealthiest	9.9	4.5 	0.4 /2	2.5 01	5.3 /8	2	ט.א ר ניי	1.2 3	4. 0	- ·		3 85.	7.67 2	84.8	0.5	9 7 7	8.H	34.1 /.	5.9 89		1.0	C./	5.4	7.1	13.3 9.	5.8 8/.	7 41.	2.7	7.4	6.01	10.9	01.2 /	0 0.4	0.		1.21	5.4	- C2	81.7	/4.1 8/.	et a
Pakistan 2012-13 Pr	oorest	8.0	5.9	2.4 6.	/.3 6(.1 13	21	0.0		. 7		4	2 2	1 12.	82.4	11.4		1/.4	59.2 6.	0.3 /6		0.		4.1	0.6		1.0 /3.	80.0	5 12.5	8.6	1/.8	61.3	53.9 6	8.3	0.0		0.8	0.3	1.2	12.9 6	96.2 /8.	m 1
Pakistan 2012-13 P.	oorer	9.3	6.7 1.	2.8 6,	7.0 61	1.9 71	1.7	0.3 (.0 1.	.6	0.	.4 10.	8 79.	1 74.	83.3	9.5	6.2	14.4 (6.0 6.	2.0 75	2 0	.3 0.0	1.8	3.1	1.3	7.0 8	0.1 73.	7 85.2	0.0	6.4	12.6	63.5	58.3 6(8.5	0.0	0.0	1.3	0.4	4.0	72.8	57.6 77.	.0
Pakistan 2012-13 M	Aiddle	10.3	7.7 1.	3.6 7L	0.6 6£	5.7 75		1.1	.5 2.	.7 2	.7 1.	.4	3 84.(0 80.	87.0	9.9	6.7	14.5	72.3 6-	4.6 78	.9	.3 0.4	4.2	2.0	0.5	8.1 8.	4.6 78.	4 89.	3 11.0	7.6	15.7	64.2	58.1 6.	9.9	.7 0.	5.7	7 2.1	0.9	4.8	78.7	73.3 83.	
Pakistan 2012-13 W	Vealthier	7.6	5.5	0.4 74	4.8 65	9.8 79	9.2	0.3 (0.0	0.1	.9	.9 4.	0 83.	3.67 7	3 86.9	10.2	6.9	14.9	75.7 6	9.7 80	.8	.7 0.1	1 4.6	0.0		œ́	5.7 80.	1 89.0	7.0	4.5	10.7	70.6	65.7 7.	5.0	.9 0.		1.6	0.6	4.4	78.9	74.3 82.4	<u>~</u>
Pakistan 2012-13 M	Vealthiest	8.6	5.9 1.	2.4 75	5.8 7.	0.0	1.	0.7 C	.3	.7 2.	0.	.9 4.	5 86.	9 82.5	90.1	4.1	1.9	8.5	33.0 7.	5.6 88	5 0.	.3 0.1		0.1	0.0	0.9 8	7.5 80.	2 92.	3 7.0	4.0	12.0	74.1 (66.4 8	0.5 0	.7 0.	2.6	5 1.2	0.4	3.7	81.7	75.0 86.	•
Rwanda 2005 Pi	oorest	21.5 1	7.3 2.	6.4	1.5 (0.7 3	3.2 1,	3.4 5	9.6 18.	.3 19.	.6 15.	.6 24.	3 54.6	8 49.	8 60.1	21.9	17.3	27.4	1.2	0.5 3	.0 15.	.1 10.6	5 21.1	21.6	16.6	27.7 5.	3.1 51.	3 64.7	7 12.6	8.7	18.0	0.6	0.2	2.6 4	1.5 2.	5.0	8.6	5.3	13.7	26.4	20.3 33.	~
Rwanda 2005 Pt	oorer	24.4 1	9.6 2	. 6.6	1.2 C	1.5 3	3.0 1.	5.8 12	.1 20.	.4 16.	.8 13.	.0 21	5 57.5	9 51.5	63.6	25.5	19.6	32.4	1.5	0.5 4	1 10.	.6 7.1	1 15.6	25.1	19.6	31.5 6	1.6 54.	1 68.	7 11.5	7.1	18.2	0.0		9	.8 .9	8 11.9	9.1	5.8	14.0	26.7	20.3 34.7	~
Rwanda 2005 M	1iddle	21.4 1.	7.2 24	6.3 4	4.7 2	2.8 7	1, 1,	3.7 10	18. 18.	.2 21.	.0 16.	.8 26.4	0 60.	2 54.6	3 65.3	20.9	15.8	27.0	3.6	1.9 6	8 16.,	.8 12.1	1 23.0	26.7	20.9	33.3 6.	7.0 59.	9 73.4	1 10.9	7.1	16.4	2.6	1.0	6.5 7	.0.4	1 11.6	5 10.5	6.8	15.8	31.0	24.7 38.0	0
Rwanda 2005 W	Vealthier	23.8 1	9.5 2.	8.7	1.1 0	0.4 3	3.1 1	7.7 13	1.5 22.	.8 15	3 11.	.5 20.4	0 57.1	0 51.5	1 62.8	21.9	16.6	28.2	1.0	0.3 3	.0 18.	.2 13.1	1 24.6	20.7	15.7	26.7 61	0.6 53.	0 67.6	5 12.0	8.0	17.7	3.3	1.4	7.8 6	.2 3.	7 10.2	2 9.0	5.4	14.6	29.3	23.1 36.3	~
Rwanda 2005 W	Vealthiest	34.0 24	3.5 4	0.0 12	2.0 6	3.5 16.	5.7 15	9.9 15	9 24	7 12.	4 9.	2 16.	4 76.4	4 71.1	81.1	30.9	25.1	37.3	13.1	9.1 18	.6 19.	1 14.6	5 24.6	12.8	8.9	18.2 7.	1.0 68.	1 79.7	13.7	9.3	19.9	4.6	2.2	9.2 11	.1 7.	1 16.8	3 6.5	3.1	13.2	35.6 2	28.1 44.0	0
Rwanda 2010 Pu	oorest	35.1 2	9.9 4	0.7 (0.C			1.4 0	0.6 3.	4 5.	.2 3.	2 8.	3 41.	7 36.1	47.6	40.3	29.0	52.7	0.0		Ö	9 0.1	1 6.6	10.0	4.9	19.3 5	1.2 38.	8 63.	3 26.5	21.6	32.0	0.0		ć	.4 1.	8.6.5	5 11.7	8.5	16.0	40.7	35.2 46.	10
Rwanda 2010 Pu	oorer	35.9 30	0.3 4	1.8 ().0			2.8 1	.4 5.	7 5.	.1 3	0.8	5 43.4	4 37.7	7 49.3	49.6	37.3	62.0	0.0		4	9 1.2	2 18.4	7.7	2.4	22.1 6.	7.3 49.	6 73.4	1 37.8	32.2	43.7	0.5	0.1	3.2 2	.2 0.	9 5.2	2 7.9	5.0	12.1	47.3 4	11.3 53.4	-
Rwanda 2010 M.	fiddle	42.3 3:	5.9 4	8.9 ().3 G	10 2	33	3.9 2	1 7.	2 4.	7 2	6 8.	5 50.5	9 44.6	57.3	48.7	36.5	61.1	0.0		4.	1 0.9	15.9	13.3	9.0	26.9 60	5.1 52.	5 11 6	40.5	33.6	47.8	0.0		2	1.4	0 5.9	9 11.5	7.5	17.1	53.5 4	16.2 60.4	<u>`</u>
Rwanda 2010 W	Vealthier	49.1 4	14 5	6.8 1	10	13 4	10	2.5 0	9 6	- 28	і <u>с</u>	3 14 -	4 61.6	5 54 5	68.4	(46.6)	30.9	63.0 (000		0.5	0.0	3 17.9	(9.5)	1.0	20.0 (55	6) 39	2 70	36.2	2.67	43.9	280	1.2	643	0	2 Z C	111	8.9	17.6	52.1 2	14 0 60	~
Rwanda 2010 W	Vealthiest	47.5 41	- C	4 4 11	101	4 18	22	, c , c , c	10		7 U V	4 4	7 65.4	1 58.5	719	537	30.1	2. 1. 1.9	711	17 35	0	8 26	213	5	00	15.8 84	17 70	1 906	131	35.3	513	2.2	4 4 1	3.2 10	200	0 164	1 42	10	88	63.0	55.8 71	
Seneral 2005 Pr	norest	20 4 2	21.0	4 0	2 0 2	11 9	11	0 60	2	2 10	8 1	0 14	2 460	217 6	519	32.9	24.2	40.3	01	53 15		4 0 4	1 4 7	45	23	87 44	5.6.30	4 53 0	16.9	13.3	214	11	0 4	31	0 20	-	15.7	11.8	19.3	32.8	28.5.37	. ~
Seneral 2005 Pr	honer	311 2	202	200	, y , s , s , s	11	, c	10 0	, r.	10	0	4 13.	40.1	1 44 4	53.7	36.8	20.6	44.7	 	2.0 11	; - ; -		: 2	11 2	200	16.8 5.	10 90	. 09 8	15.8	12.4	10.0	14	90	34 0	0 1 0	0	16.8	13.5	2.02		28.7.38	
Seneral 2005 M.	Aiddle	347 20	10 20	0 4 0	27.5	116	V	3.3	. 4		i ič i ič	0 12	1 54 4	02 0	202	2775	30.4	45 F	200	45 14	- G	30 5	10.8	ц с с	0 8	0.0	02 02	с 19 2	17.5	13.4	22 E	50	10		0 0	0	13.8	70	10.8	31.6	75 4 40	. ~
Sonoral 2005 W	Volthior	10 1 01	10	11 70	11 10	90 01			5.5	0 4 0 4	о с р	10	, 04 1	1 4 1 4	240				1 4	LC V C	5 F		0.01	0.5	0 0	,	20 20		900	1001	2.72	0.0	- 0 0		, c	- 4	201		0.01	0.00	LV 7 00	
	Voolthioet	C 1.24	- c		1 4 4	200	1. 4.	1.0	1 - 2	, r		1 4 1 4		1 61 6	10.0 20 E	10.04	0.04 9 0C	20.0	1.0	17 4.7	- 0	- u	7.100	- C		14 0 7	10 61	56	14.0	4.01	25.0	10				0.0	101		7.7	0.00	14 0 000	
Senedal 2000 11 De	V cditilicat	r 7 0C	0 C 4 4			2 2 2				, c	4	0 c				0.01	0.74	1.20		+	2 6		1.07			1001	20 12	2 2 2	2000	N 70	0.02			4 0 4		, c	1.01	, t , t	107			
Selleyal 2010-11 P	nules	7 0.07		7.7 • •		7 7			1.4	0 r 0 r		5 C	.45 0	1.05	1.5.	21.6	- 0 20	1.04	, r , r			0 1	V.4 L	13.0	0 L	+ 0 CC	0.1 00.		0.00	20.4	20.7	0.0	4 . 4 .	0.0		0.0	14.1		0 1	0.04	+0.0 49.	<u> </u>
Seriegal 2010-11 P	100 el	30.1 3	5.U	5.4	+ L	7 01	2.2	ہ ر ۲۰۸	1.4 0 4		4 T	, i ⊇i	4 4 7		+ 03.0	20.7	20.07	41.0		0.2 II		77	14.5	0.1	4.0	23.0 0	0.4 45.	000	0 33.9	1.72	30.4	+ c	0.0	0.4 2 0 1	ن د ۱۰	5 t	10.1	, vo r	14 I	40.0 0.0	10 0.71	0 1
Senegal ZUIU-11 M		40.0	9 7 P	3.2	0.5 C	- ;	5.9	8.0	хо ; хо ;	7 0 V · V	0	, i . i	/ 54.	0 4/	00.2	55.4	43.9	00.4	4 0	0.1		- 0 	0.7	0.0	7.7	0.1	2.3 50.	2 1	34.8	1.42	40.3	7.7	0.0	7 1	 	1.4.9	10.	0.	0.61	49.3	14.U 54.	
Senegal 2010-11 W	Vealthier	36.8 3	0.0 4	4.1	. 1.9	3.9 11		5.9	5.2 14.	9	8		5 56.	6 49.8	5 63.2	40.3	25.7	56.9	12	2.0 22	.0 .0	4 2.0	0.91 (2.0	0.7	5.9 5.	5.9 43.	5 67	28.4	21.7	36.1	3.4		6.5	.5 .3	3.6	1.9 1	5.4	15.0	45.7	38.9 52.	_
Senegal 2010-11 W	Vealthiest	45.7 3	2.8 2.8	6.1	1.4 . t	5.6 19	0.6	8.6	15 15.	، ت م	7 7	.5 10.	5 67.	7 58.5	19.1	54.6	30.1	0.11	14.4	5.5 32	0	.3 1.4	24.2	1.9	0.2	14.1	7.1 59.	988.	34.7	28.2	41.7	C./	3.8	4.3	0		G. / 5	3.7	14.5	53.7	16.5 60.	~ ·
Tanzania 2004-5 P.	oorest	46.9 4	0.2 b	3.8	5.6	1.3 5	3.8	1.4 16	5.4 21	4	1.	.2 4.	8 76.	8	81.5	45.6	35.7	55.8	9.8	5.1 18	1 19.	.2 12.5	28.2	2.4	0.8	7.5 /	5.3 68.	7 82.0	5 40.7	34.3	47.4	4.6	2.2	9.2 15	.5 10.	5 22.2	2.8	[]	1.7	63.1	56.6 69.	_
Tanzania 2004-5 Pu	oorer	53.9 4	7.1 6.	0.5	8.7 ć	5.0 12	2.5	9.8 15	5.5 25.	.0	.7 1.	.4 5.	5 84.0	3.97 8	3 88.4	60.1	49.6	69.8	3.9	1.5 9	.9 26.	.6 18.5	36.0	0.5	0.1	3.3 9	1.1 83.	6 95.2	3 47.8	39.3	56.5	5.0	2.8	8.7 9	.0 .0	9 15.8	3.5	2.0	6.0	65.7	58.0 72.8	~
Tanzania 2004-5 M.	Aiddle	44.9 3.	9.3 5	1.6 12	2.2 &	3.9 16	5.5 2.	6.3 20	1.3 33.	.4	.7 0.	.3 2.	1 83	7 78.2	3 88.0	55.9	45.1	66.2	15.1	9.8 22	.5 19	.2 12.4	1 28.4	1.3	0.3	5.1 9	1.4 84.	2 95.5	37.9	29.9	46.7	9.9	4.6 21	0.0 16	.9 11.	0 25.2	2 0.7	0.1	4.7	65.4 5	56.0 73.4	m
Tanzania 2004-5 W	Vealthier	46.2 3	9.5 5.	3.0 15	5.7 11	1.3 21	1.5 2	1.5 17	.0 26.	9 2	.0	.0	1 84	7 78.5	9.2	49.7	38.9	9.09	11.3	5.6 21	.5 22.	.8 13.5	35.1	3.3	1.3	8.4 8.	5.6 77.	8.00	31.2	24.1	39.2	5.9	3.3 1(0.6 12	.8	8 20.3	3 0.4	0.1	2.7	50.2	12.4 58.0	_
Tanzania 2004-5 W	Vealthiest	54.2 4	4.6 6.	3.5 28	8.9 21	1.5 37	7.7 1,	3.4 5	1.1 19.	.2	0.	.0	3 93.5	9 87.2	3 97.2	50.6	37.5	63.6	23.0 1.	4.3 34	1.9 16.	.6 9.0) 28.6	2.2	0.3	14.0 8	3.9 65.	5 97.7	7 34.7	21.8	50.4	20.2	11.9 3.	2.0 8	8.7 3.	6 19.5	5 0.2	0.0	1.7	63.8	52.2 73.	¢.
Tanzania 2010 Pt	oorest	49.5 4	1.6 5.	7.4 1	1.9 C	1.7 5	5.0 20	9.5 15	.9 25.	.9	7 0.	.2 2.4	8 72.	5 65.7	7 78.4	46.9	32.8	61.6	3.0	0.7 12	.6 18.	.3 9.5	31.4	2.3	0.3	15.6 71	3.6 55.	8 82.7	1 48.9	40.6	57.3	0.6	0.1	3.0 12	5.5	0 18.5	9 1.9	0.4	8.2	63.9	56.1 71.0	0
Tanzania 2010 Pu	oorer	54.5 4	7.2 6	1.6	3.7 1	.6 8	3.7 2	1.6 16	3 28	0	1 0.	0.0	8 79.5	9 73.7	7 84.7	72.9	53.2	86.5	2.8	0.6 11	.8	.6 1.6	5 17.7	0.0		8	7.3 60.	3 91.6	5 49.0	39.8	58.3	2.8	1.1	6.8 15	10.	6 22.6	5 1.1	0.3	4.2	67.4 5	58.7 75.	_
Tanzania 2010 M	4idde	52.5 4	23	65	37 1	9	34 7.	23 16	.2 30	0	4 0.	4 4	162 6	3 07 5	85.0	443	32.7	571	4 6	14 13	9 23	2 11 6	5 41 2	23	03	15.3 74	12 59	3 85 (1 38.4	30.6	46.9	14	00	93 20	14 14	3 99 6	7 2 7	10	7.3	4 7 7 9	54.1.70.0	~
Tanzania 2010 W	Vealthier	53.5 4.	10.0	280	77 4	15 12	16 21	10 10	1 33	- 0	0	ر م	2 82 2	4 75.5	87.8	659	44.3	82.5	0 2	71 21	211	7 24	418	0.0	0.4	181 84	17 70.	. 66 9	413	321	511	2.0	3.8	2 6 13	2 0	7 211	12	0.4	4	1 1 1 9	53.3 71	
Tanzania 2010 W	Vealthiest	52.6 4.	16 61	0.3 20	71 JA	77 81	4	51 3	10	. 4		i ve i ve	102	7 71 5	86.0	171	61.2	87.8	124	40 24			20 0		5	0	PL 90	0 10 0	1 43.5	34.0	53.6	13.0	C 7 L	7 7 7		4 14 1	0.0	00	; -	60.7	17 71	
I Incorda 2006 Dr	"noract	40.2 S.	2 4 2 4 7 4	1 64	17 26	14	۔ بر بر	- L - L - L	2	; r	; -	بن من		212 0	97.6	115	110	5.1.5	10.0	0.7 AA	- ب م ب	1 C		1.6	9.0	11 81	2	100 0	12.2	34.0	AB D	20 C	1 B CC	, v v	4 C		14	20	. 0	1.70	00 F 87	
	'UUIGSI	20 7 0°	5 C	7 0 U	5 6 2 2	10 10	20		ο α	ہ i م - د	ہ ہ 1 -	جز م	- 108 7 0	, 5 K	222	20.2	4.10	1.20	57 is 1	7 V 18	- α - τ	1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13.6	י נ - ר	ο α	- 1 7 7 7 7	11 11	2 K	22.4	, 77 1	20.01	202 202	72.0 T	ט ג ז ת ז ח		iα	; 0	, r , r	, ц с	14.0	11 1 81	± √
UUddiud zuuu r.	100101	3U./ г лог 2,	2 0 C	11 0.0 14 1 1	2.0 2.0 20.0	5.0 4c	0.0	л п 1 п 1 п	+:+ - c	v =	- c	; ; ; ;	2 00'. 9 00'	0 10 C	0.00 1	0.UC	10.01	70.0 0.04	0.0F 0.0F	0.0 4 C	50 	ים איד ים	0.01 0	0°0 4	0 C - C	- 4.0 1.0 A.C.	12 12	4 000.	0.20	1.12	20.7	, 27.7 20.7 20.7	33.0 H	0 0 0 0	÷ -	0 r	101	011	0.0 14 0.0	0.0	1.1 01.1	0 r
	ainnik	7 0.02	0.7	0.1 4(0.0 0.	20 0.7	0.1		01 01	4. 4	.u z.	.' '.	v70 7	0 / 0	00.1	C'7C	17.7	. 2.04	-7 0.70	0.0 0.0	.o.		1.4.1	0.2	0.c	12.4 0.	2.0 /0.	7 00.1	7 24.7	0.71	0.10	. 7.70	33.U 4.	0.0	.I U.	1 0.0	10.1	0.	7.01	/ 1. /	.0/ /.00	~
]		1	1	I		I	1		1	1	1	I	I	1	1	1	1	1	I	1	1	1	1	1	1	I	1	1	1	I	I	1	I	I					Contin	pane	_
																																							-		ומבתייי	_

Table A8. - Continued

								Fever													-	Symptc	o suo	: ARI													Diarrl	hea						
		Pu	blic		Priv	ate	Phá	trmacy	Only		Other		1	Any Ca	are		Public		-	Private	_	Pharm	nacy O.	<u>nly</u>	0	ther		Any	/ Care		Pu	blic		Priv	<i>r</i> ate	ا تە ا	harmac	cy Only	2	Othe	-	Ā	ny Care	8
	Household Wealth																																											
Country/Survey	Quintile	% L	B U	JB %	% LE	B UB	%	LB	UB	%	LB	UB	%	LB	UB	%	LB	ΠB	%	LB	UB	%	LB	ПВ	%	LB	ПВ	%	LB	UB	1 %	J B.	JB 9	% FI	B Ui	B %	6 LE	B UE	В %	LB	UB	%	LB	UB
Uganda 2006	Wealthier	25.4 2	1.0 34	0.4 50	0.1 44	4.6 55.	7 6	4 4.5	3 9.4	4.4.	1 2.4	4 6.	9 81.	6 77.5	7 85.0	3 27.6	3 20.2	36.9	47.2	37.7	56.9	8.9	5.6	13.9	5.4	2.6	10.9	84.2	76.0	90.06	22.8 1	7.5 2	9.2 4	8.1 4	1.1 55	5.1 5	5.1 3	3.2 6	3.0 6	9 4.	4 10.7	77.3	71.8	82.1
Uganda 2006	Wealthiest	23.5 1	7.8 3.	30.3 58	8.0 51	1.4 64	3 7.	3 4.4	11.8	9 1.(6 0.(64	2 88.	4 83.8	8 91.8	8 15.2	3.6	. 25.3	65.4	1 52.5	76.3	6.6	2.1	18.8	0.1	0.0		84.3	75.6	90.2	18.2 1	12.3 2	26.0 5.	5.9 45	9.0 62	2.5 5	5.3 2	2.9 5	9.6 3	4 1.5	5 7.5	79.2	71.0	85.6
Uganda 2011	Poorest	44.3 3	7.3 5	1.6 38	8.8 32	2.2 45.5	9 0.	4 0.1	1.1.5	3 4.2	2 2.(6 6.	8 83	2 78.6	5 87.(9 38.1	1 31.2	45.6	44.3	35.3	53.6	0.2	0.0	1.7	2.5	1.2	5.3	80.2	72.9	86.0 4	10.3 3	32.8 4	18.3 3.	5.9 25	9.4 42	2.9 (9.3 C	1 1.0	1.3 3	2 1.8	8 5.4	76.0	70.3	81.0
Uganda 2011	Poorer	37.0 3	1.3 4.	3.0 45	5.5 35	9.1 52.1	0.0	2 0.C	1.0	3 4.	7 2.5	9 7.,	6 83	2 79.	1 86.6	5 33.7	7 27.4	40.5	49.4	42.0	56.8	2.0	0.6	6.3	3.4	1.6	7.1	82.9	75.5	88.5	29.2 2	23.5 3	35.6 4.	4.9 38	8.8	1.2	1.7 C	4 T.C	1.2 5	.8	5 9.1	79.8	74.3	84.4
Uganda 2011	Middle	40.2 3	4.4 4,	16.3 4!	5.2 35	9.1 51.:	5 2.	3.0 0.6	3 4.5	7 2	3 1.	1 4.,	8 85.,	6 81.4	4 89.(9 30.2	22.5	: 39.3	52.4	1 43.3	61.4	1.6	0.4	6.5	4.2	1.5	11.2	83.1	74.5	89.2 :	34.1 2	26.8 4	12.3 4.	4.1 3.	7.3 51	1.1	1.4 C	3.5 3	3.8	0.1.	4 6.2	77.4	70.7	83.0
Uganda 2011	Wealthier	28.9 2	3.2 3.	15.5 5.	1.7 45	5.2 58.	1 2.	7 1.2	2 6.2	3 4.	2.2.4	4 7.	1 84.	1 79.8	8 87.t	5 32.5	3 23.2	42.8	51.7	40.5	62.8	3.6	1.0	12.6	3.1	1.1	8.5	83.9	76.4	89.4	2.9.9	23.7 3	37.0 4.	5.6 3	8.5 52	2.9	1.7 C	9.6 4	1.5 3	9.1.6	T.T 6	78.3	72.0	83.5
Uganda 2011	Wealthiest	21.2 1	6.4 2,	6.9 6.9	7.0 60	3.9 72.:	5.3.	7 2.1	1 6.6	5 3.	4 1.6	8 6.	7 90.	9 87.2	2 93.6	5 21.5	3 13.5	31.9	63.5	52.6	73.1	2.4	1.0	5.5	6.2	2.3	15.7	90.1	83.4	94.2	18.6 1	13.8 2	24.7 4	9.5 42	2.2 5t	6.7	1.9 (J.6 5	5.7 1	.3 0.5	5 3.7	70.3	62.0	77.5
Zambia 2007	Poorest	51.2 4	2.8 5	9.5	9.5 5	5.2 16.	9 1.	0.0	3.1	1 10.6	8 6.	7 16.	9 70	5 62.7	7 77	3 64.6	3 50.6	. 76.8	13.1	. 6.5	24.5	0.0			14.0	6.0	29.5	86.2	75.9	92.5 5	55.1 4	14.7 6	5.1	6.1	3.0 1;	2.1 (0.0		15	.3 10.0	0 22.8	6.69	60.1	78.2
Zambia 2007	Poorer	53.1 4	5.2 6	0.8	9.2 5	5.2 16.0	0 1.5	0 0.2	2 4.0	3 6.1	8 3.1	8 11.	8 69	5 62.(0 76.	1 54.5	41.3	67.7	9.3	3.4	23.1	1.8	0.2	13.1	2.6	0.7	9.6	67.7	54.5	78.6 !	52.2 4	12.8 6	51.5	9.8	5.7 16	6.4 (0.0		7	2 3.7	7 13.8	67.6	59.7	74.6
Zambia 2007	Middle	51.6 4	4.3 5,	8.8	8.6 5	5.3 13.0	5 2.	1 0.5	7 6.5	5 7.1	8 4.:	5 13	2 68.	6 61.4	4 75.3	1 58.6	5 43.8	72.1	5.6	1.4	19.9	5.7	1.1	24.0	6.2	2.1	16.9	74.6 .	59.7	85.3 4	18.5 3	39.7 5	57.4	7.3	3.8 15	3.5 (0.0		6	5.5	5 15.8	64.1	56.9	70.7
Zambia 2007	Wealthier	65.9 5	8.3 7.	2.7	3.7 1	1.7 8.	-1	5 0.4	1 5.4	4 6.	9 3.i	8 12	3 77.	1 68.7	7 83.8	3 74.8	3 57.8	86.5	4.8	1.2	17.2	1.6	0.4	6.0	4.4	0.7	22.4	83.4	71.6	3 6:06	54.8 4	17.3 6	52.2	3.7	1.9	7.1 2	2.6 C	0.6 1C	0.1 2	8.	1 6.6	62.5	55.9	68.7
Zambia 2007	Wealthiest	56.8 4	3.0 6	9.6	7.1 3	3.5 14.0	0.0	3 0.0	7 2.0	0	9 0.(6 5.	9 66.4	0 53.2	2 76.5	9 (54.3,	34.6	. 72.7	(1.8)	0.2	13.6	(3.2)	0.4	20.5	(0:0)		9	59.3) .	35.9	79.1 5	52.2 3	37.6 6	56.4	6.8	3.1 1.	4.2	1.3 C	3.5 3	3.7 2	5.0.7	7 9.4	60.1	45.7	72.9
Zambia 2013	Poorest	64.5 5	9.7 6	9.1 2	4.1	2.5 6.1	5 0.	0		4.6	ю. Э	1 7	2 72.	1 67.4	5 76.2	2 65.1	1 53.5	: 75.1	1.9	0.6	5.6	0.0			6.7	2.8	14.8	73.6	62.8	82.2 (50.7 5	54.8 6	56.3	2.9	1.6 5	5.3 (9.2 C	1 0.0	1.3 5	7 3.8	8.4	67.0	61.5	72.1
Zambia 2013	Poorer	69.69	5.4 7.	3.5	3.1	1.8 5.	1.0	4 0.1	1.4	4 3.	9 2.(6 5.,	8 76.	1 72.4	4 79.4	4 64.2	53.1	73.9	2.6	1.0	6.5	0.1	0.0	0.7	4.0	1.5	10.4	69.7	58.5	J 0.97	55.6 6	50.6 7	70.2	2.1	1.0 4	4.1 (0.6 C	3.2 2	2.0 6	1 3.7	7 9.8	70.6	65.7	75.1
Zambia 2013	Middle	66.6 6	1.0 7	1.8	4.4	2.3 8	3 1.	0.0	3 2:5	9 4.0	6 2.	7 7.	8 75	5 70.2	3 80.7	1 65.3	3 51.8	76.8	2.4	0.6	8.2	0.0			2.7	0.4	14.7	70.1	56.9	90.6	54.8 5	59.2 7	0.0	3.5	1.8 ¢	6.8 (0.4 C	1.1	1.8 3	9 2.3	3 6.7	70.9	65.6	75.8
Zambia 2013-14	Wealthier	73.1 6	7.1 7.	8.4	2.9 1	1.5 5.;	5 2.	0 0.5	7 5.2	2 3.i	8	9 7	5 79.	8 74.5	5 84.2	2 70.5	7 57.6	. 81.1	7.0	2.1	20.5	0.0			3.3	0.6	15.1	75.7	63.5	84.8 (53.6 5	57.5 6		3.1	1.7	5.7	1.5 C	0.5 4	1.9 2	3 1.	2 4.7	70.1	64.0	75.6
Zambia 2013-14	Wealthiest	65.4 5	6.9 7.	3.1 1(0.0	5.7 16.	9 1.	1 0.5	3.7	7 1.	7 0.:	5.5.	5 77	2 70.	1 83.	1 72.1	1 53.9	85.1	7.4	1 2.0	24.5	1.8	0.4	8.1	4.4	0.8	21.7	85.8	70.5	93.8	55.3 4	17.7 6	52.6	6.4	3.6 1.	1.3 (0.6 (9.2 1	1.8	.5 .5	4.8	62.9	55.4	6.69
Figures in parenthes	es are based c	in 25-49	Inweig	thted ca	ases. A	in asteris	ik indic	ates the	at a fig	jure is .	based	on few	ver that	n 25 un	weight	ted cas	es and	has be	sen sup	opresse	idu Pubi	lic sourc	ces inc	Inde pri	ublic hc	ospital,	health	center	; health	1 post, 1	mobile	clinic, c	commu	mity he.	alth wo	orker, a	ind othe	er publi	ic secto	n; privat	te sourc	ces incl	Iude: pr	ivate
hospital, doctor, nurs	ke, mobile clini.	3, private	comm.	unity h	ealth w	vorker, re	sligious	: or NG	0-run 1	facilitie	s, and	other	private	sector,	; pharn	nacy oi	high vir	lights (childrei	n for w	hom cai	re was	sought	only fr	rom a p	charma	icy; oth	ner sou,	rces in	clude: r	narket/	inform:	al shop,	, traditiv	onal he	ealer or	r other	non-ali	lopathic	source	s, frien	d, relat	ive, or	other
sources. Children for	whom care wa	the sought	from n	nultiple	: source	es contrit	oute to	each su	ource's	s total, :	so the i	total p _t	ercenta	ige ma	y excet	ed the _b	percent.	age of	childre	i ohw n	receiveu	d any ci	are. LB	and U.	B refer	to the .	OWEr &	du bne	oer bou	nds of .	the 955	% confit	dence i.	nterval.										

Table A9. Trend in coverage of care seeking among rural children and urban children and rural-urban gap in care seeking equity, USAID MCH priority countries

																		i															
			:				Fever		•			• 		•		sy	mptom	s of ARI	:		:			:				Diarrhea	-	'			
		Care	seeking sourc	from any e	 _	Care st public	eeking 1 c sourc	irom es	ΰ ⁻	are see	king from sources	с С	are seel si	king fron ource	n any	Care s	eeking sourc	from pu ces	blic	Care priv	seekinç ate sou	g from Irces	Car	e seekir sou	ig from a rce	ا ۵ چ	are see	king fro sources	m public	ខ្លុំ	re seek rivate s	ng from ources	
Country	Survey Year I	Rural L	Irban D	liff.' Siç	g.² Run	al Urba	n Diff.	¹ Sig. ²	Rural	Urban	Diff. ¹ Siç	J.² Rur	al Urba	an Diff. ¹	Sig. ²	Rural (Jrban	Diff.1	Sig. ² R	ural Uri	ban Di	ff.' Sig. ²	Rural	Urban	Diff.1	Sig. ² R	ural Url	an Dif	ff1 Sig. ³	Rural	Urban	Diff.' Si	g.²
Bangladesh	2007 2011	71.4 74.3	74.8 76.3	3.4 2.0	8.8	3 12.0 1 10.5	3.7 3.7		12.6 43.1 ***	25.3 45.3 ***	12.7 2.2	** 79. *	6 85.9 9 91.4) -1.7 4 11.5		9.1 12.1	26.1 11.5	17.0 -0.6	* 2	5.7 30 4.8 58	0.6 4 3.4 13	.9 3.7	72.5 76.4	70.4 74.9	-2.1 -1.5		9.4 11 0.3 12	3 1. 1.5 4.	9 1	8.4 40.4 ***	19.0 45.9 **	10.5 5.6	
DR Congo	2007 2013-14	57.6 58.5	67.8 1 59.2 (10.2 0.8	27. 32.	3 21.5 4 20.0	5 -5.8) -12.4	4	16.9 8.6 **	27.0 17.9 **	10.1 9.3												37.3 60.1 ***	38.6 54.4 **	1.3 -5.7	3.2	5.4 32 4.9 18	2.3 6.	8 5.5 ***	6.8 8.2	3.8 13.9 ***	-3.0 5.7	*
Ethiopia	2005 2011	17.3 24.2 **	46.4 2 41.2 1	29.1 17.0	13.	1 30.3	3 17.2 2 6.2	2	2.7 6.7	15.7 16.4	13.0 9.7												25.0 32.9 **	38.7 58.0 **	13.7 25.2	7 -	8.3 28 2.7 35	3.8 10 5.4 12	.7	3.3 7.1 *	7.1 23.1 **	3.8 16.0	
Ghana	2003 2008	72.6 63.7 *	73.6 81.5 1	1.0 17.8 *	36.	9 45.4 5 41.6	4 8.5 5 1.1		4.9 5.2	11.0 18.5	6.1 13.3												48.0 62.0	54.9 66.3	6.9 4.3	<i>←</i> ∞ ′	9.3 28 8.6 29	8.1 8. 9.4 -9.	8 *	2.0 4.9	7.4 8.1	5.5 3.2	
Haiti	2005-6 2012	41.4 45.8	49.8 51.5	8.5 5.8	12.	9 17.3 9 15.4	3 4.4 1 1.4		22.4 25.1	23.4 31.7 *	1.1 6.5	37. 43.	5 39.5 51.9	5 2.1 9 8.9		9.6 14.5	13.2 10.9	3.6 -3.6	7 7	1.5 2 ⁻ 2.0 3 ²	1.0 4.5 2.2).6 2.5	36.8 41.9	46.6 46.7	9.8 4.8		0.7 17 4.6 15	7.8 7. 7.5 3.	- 0	19.2 19.5	14.6 22.6 *	-4.6 3.1	
Indonesia	2007 2012	89.6 88.8	92.8 90.4	3.2 1.6	25.	0 27.5 1 27.5	2 2.2 7 4.7		42.3 52.3 ***	47.9 52.1	5.6 -0.2									*			72.3 80.1 ***	77.2 80.1	4.9 0.0	5 5	0.3 19	9.2 -1. 1.0 0.	r. ®	30.9 45.7 ***	37.5 42.6	6.6 -3.1	*
Kenya	2003 2008-9	66.9 62.2	75.2 63.0	8.3 0.8	29. 38.	0 29.5 7 40.6	2 0.1		16.6 9.8 ***	24.7 12.2 *	8.1 2.5												37.1 60.3 ***	39.5 59.3 **	2.4 -1.0	04	1.1 16 0.1 32	5.6 2.4 -7.4	.7	8.4 9.2	14.2 16.1	5.8 6.9	
Liberia	2007 2013	74.4 76.8	80.9	6.5 5.2	31. 44.	8 46.(8 36.£	0 14.2 5 -8.2	*	21.2 9.4	22.7 25.3	1.5 15.9	78.	4 83.1 0 76.6	1 4.7 5 5.6		41.8 42.7	57.6 25.5	15.8 -17.2	*	7.9 1(9.6 2:	5.4 -1 3.9 14	1.5 4.2 *	78.8 73.3	77.0 73.5	-1.8 0.2	3.0	5.6 39 9.1 31	13 13 11 -7.	9. 6.	22.6 7.4 ***	14.9 17.5	-7.7 10.2	***
Madagascar	2003-4 2008-9	40.0 44.7	61.8 2 63.3 1	21.8 18.6	30.	5 30.3 3 23.6	3 4.8 5 -6.7		8.3 9.1	29.6 39.7	21.3 30.6												37.3 37.7	42.7 57.1 *	5.4 19.4	5 2	1.1 20 5.9 27).5 -0. 7.6 1.	9.8	9.1 6.7	21.0 23.5	11.9 16.8	
Mali	2007 2013	52.6 44.2 *	71.9 1 70.8 2	19.3 26.7	25.	5 40.5 2 41.5	5 14.5	¢ ~	2.8 1.5	6.1 7.4	3.3 5.9												27.9 51.4 ***	42.3 62.5	14.4 11.1	- 0	3.5 27 4.5 37	7. 14 1.6 7.	- 1	0.8 1.9	5.0 4.8	4.2 2.9	
Malawi	2004 2010	77.0 72.9 **	80.9 72.3	4.0 -0.6	33. 50.:	3 52.5 3 53.2	2 2.8	*	6.6 14.7 ***	4.5 17.1 **	-2.1 2.4												58.5 72.9 ***	49.5 63.0 *	-8.9 -10.0	2 2	8.4 33 1.7 49	3.2 4. 9.6 -2.	6 [7.8 13.0 ***	5.5 7.6	-2.3 -5.4	
Mozambique	2003 2011	56.0 58.4	70.8 1 74.0 1	14.8 15.6	45. 53.(0 63.5 8 71.1	3 18.4 1 17.3	4 00	2.0 0.0	1.9 1.5	-0.2 1.5												54.7 60.7	57.5 71.2	2.8 10.4	40	5.6 52 3.9 65	11 6.	6	1.5 0.9	0.6 1.2	-0.8 0.3	
Nigeria	2008 2013	68.1 73.8 **	73.9 74.2 (5.8 0.4	25. 24.(4 28.6 8 27.5	5 3.3		8.6 3.9	12.6 9.0	4.0 5.1	66. 75.	2 76.8 8 79.5	8 10.6 5 3.7		22.8 26.8	24.4 35.1	1.6 8.3		3.6 9	.1 0	* 55 *	62.8 71.2 ***	69.6 70.3	6.9 -1.0	*	2.1 28 2.3 25	3.2 6. 7.9 5.	5 -1	7.4 3.0 ***	12.6 7.5 *	5.2 4.5	
Nepal	2006 2011	58.1 70.5 ***	66.0 81.5 1	8.0 11.0	23. 18.	7 19.6 9 19.6	8 -3.9) 0.2		9.2 22.3 ***	21.6 36.6	12.4 14.3	65. 76.	2 71.9	9 6.7 3 12.6		28.2 24.1	15.9 33.5	-12.3 9.4	- 0	4.5 30 5.1 35	9.3 24 5.5 10	4.7 0.4	50.2 61.4 *	54.2 68.9	4.0 7.5	5 2	1.7 13 4.9 14	3.2 -8. 1.9 -10	.5	5.1 13.5 ***	15.4 28.5	10.3 15.0	
Pakistan	2006-7 2012-13	80.2 80.8	83.3 85.0	3.1	10. 8.3	7 9.1 3 10.4	-1.6 1 2.2		64.9 70.0 *	70.0 72.8	5.1 2.8	81. 82.	3 88.5 2 86.7	5 7.1 7 4.5		9.7 9.4	9.9 9.4	0.2 0.0	9	7.4 70 1.4 70	5.3 8 7.6 6	5.2	68.9 75.2 *	78.3 79.3	9.3 4.1		9.0 8 0.4 7		0, 80	54.9 64.2	65.6 70.3	10.7 6.2	
Rwanda	2005 2010	58.1 48.7 ***	77.2 1 65.3 1	19.1 16.7	23. 40.:	6 31. ¹ 3 44.(5 7.9) 3.7		2.2 0.6	13.8 12.7	11.6 12.1												28.7 50.0 ***	33.7 48.2 **	5.1 -1.9	<i>−</i> ∞ .	2.3 11 6.6 28	69 69	0 2	1.6 1.2	5.2 4.9	3.6 3.7	
Senegal	2005 2010-11	51.0 45.5 *	67.3 1 62.1 1	16.3 16.7	32. 34.	6 39.5 5 43.6	5 6.9 5 9.1		8.3 2.5 ***	16.2 7.1 *	7.9 4.6												32.6 47.2 ***	36.1 48.2 **	3.5 1.0	- m	7.7 16 2.9 30	5.9 -0. 1.7 -2.	89 C7	1.2 1.7	5.1 4.4	3.9 2.7	
Tanzania	2004-5 2010	82.0 78.4	92.8 1 79.9 .	10.8 1.4	47. 53.	4 55.9 3 50.2	9 8.5 2 -3.1		11.0 3.4 ***	23.0 16.6	11.9 13.2	*								*			62.3 63.9	58.0 63.5	-4.3 -0.4	44	0.1 3 ² 6.0 39	1.3 -5. 9.1 -6.	6	7.1 1.8 **	12.2 12.3	5.2 10.5	
																															υ	ontinue	(b

Table A9. - Continued

Fever Tever Care seeking from Care seeking from Source public sources Care seeking from Source public sources private sources Source Survey Care seeking from Care seeking from Source public sources private sources source Survey Care seeking from Care seeking from Survey Source private sources source 2006 830 851 2.1 30.7 34.5 35.9 46.8 44.6 2.2 83.4 77.5 5.9 2001 70.6 7.1 0.5 53.3 8.6 45.9 63.6 7.1 7.0 74.9 7.4 5.2 2.4 2013-14 34.7 37.6 5.1 2.4 5.9 2.4 2.2 <	Symptoms of ARI Diarrhea	n any Care seeking from public Care seeking from Care seeking from any Care seeking from public Care seeking from sources source sources source sources source so	Sig.² Rural Urban Diff.' Sig.²	* 336 25.4 -82 43.3 45.1 1.8 78.6 75.8 -2.8 30.9 28.7 -2.2 42.6 41.0 -1.6 329 28.3 -46 50.0 57.0 7.1 77.0 74.3 -2.7 32.6 25.1 -7.5 42.4 48.3 5.9	* 58.6 66.2 7.7 10.5 0.7 -9.8 68.0 59.7 -8.2 52.3 53.7 1.4 8.4 3.4 -5.1 63.7 14.3 10.6 2.3 7.2 4.9 *** 700 66.5 -3.4 64.0 59.9 4.2 2.7 4.6 2.0 **
Fever Care seeking from any care seeking source Care seeking from any care seeking source source public sou Survey Survey Survey public sou Survey Rural Urban Diff. Sig.? Rural Urban Di 2006 83.0 85.1 2.1 30.7 34.5 3 2011 84.0 92.7 8.7 3 36.8 28.3 8 2013 70.6 71.1 0.5 5.2.5 6.3.1 10 2013 74.0 79.4 5.4 6.6.5 70.6 1		g from Care seeking f	ff.' Sig.² Rural Urban Diff.' Sig.² Rural Urban Di	.9 46.8 44.6 .2.2 83.4 77.5 .5 3.6 45.9 63.6 17.7 ** 82.4 89.9 7	0.6 9.7 2.7 -7.0 74.9 72.5 -2 1 3.7 6.1 2.4 *** 69.3 76.2 6
	Fever	Care seeking from any Care seeking source public sour	Survey Year Rural Urban Diff. ¹ Sig. ² Rural Urban Di	2006 83.0 85.1 2.1 30.7 34.5 3. 2011 84.0 92.7 8.7 * 36.8 28.3 -8	2007 70.6 71.1 0.5 52.5 63.1 10 2013-14 740 794 5.4 66.5 70.6 4

For symptoms of ARI, the table is restricted to USAID MCH priority countries with complete information on symptoms of ARI. Percentage point difference between care seeking coverage among rural and urban children. ² To test whether the equity gap in care seeking between children in rural and urban households changed significantly between surveys, logistic regression models were run on the two combined surveys with an indicator for survey year and urban/rural residence, and an interaction term between these two indicators. A significant interaction term indicates that the change in care seeking differed significantly between children in urban versus rural households.

Table A10. Trend in coverage of care seeking among children in poorest and wealthiest quintile households and poorest-wealthiest quintile gap in care seeking equity, USAID MCH priority countries

						1	-									Cumpton	me of AL	0								Ģ	rhoa					I
	-	Care see	king fr	om any	Care	seekin	ig from pu	ublic	Care set	eking fro	m private	Care 5	seeking t	from any	Car	e seekin	ig from p	vublic	Care see	king fror	n private	Care s	eeking 1	from any	Care	seeking	g from p	ublic	Care see	king fror	n private	
		.,	source			So	urces			source	. s		source			los	urces			sources			source	e		sou	irces			sources		i
Country	Survey Year	Poor-Wea est -ies	년 고 말	ff.' Sig. ²	Poor- est	Wealt. -iest	h Diff.'	Sig. ²	oor- W	ealth iest D	iff.1 Sig.2	Poor- W est	fealth iest D	liff.' Sig. ²	Poor. est	- WealtI -iest	h Diff.'	Sig. ² F	^o oor-We est -ie	alth st Dif	ff. ¹ Sig. ²	Poor- W est -	ealth iest D	Niff.' Sig. ²	Poor-	Wealth -iest	Diff.1	Sig. ²	oor-Wea est -ie	st Eit	f.' Sig. ²	
Bangladesh	2007 2011	63.5 7 70.3 7	9.9	16.3 7.3	6.6 9.0	8 10. 8.	2 3.4 3 -0.6		6.8 40.4	28.7 49.5	21.9 9.0 ***	82.5 77.2	(89.7) 93.0	7.2 15.9	11. 9.	8 (22.2 6 11.5	2) 10.4 5 2.0		13.4 (5 42.4 5	1.1) 3.8.4 1	37.7 16.0	70.4 73.4	65.4 79.1	-5.0	4.3 13.1	12.1	1 7.8 t -2.7		6.5 2 35.9 5	0.0 1 6.0 2	3.5 0.1	
DR Congo	2007 2013-14	54.5 7 54.3 6	7.5 5.0	23.0 10.7	* 28.5	21.	6 -3.6 2 -9.4		13.4 9.1	42.3 22.4	28.9 13.3											55.9	38.9 52.0	38.9 -3.9	26.2 28.4	35.5 17.8	5 9.3 3 -10.6	*	12.5 8.9 1	1.1 -1 5.0	1.4 6.1	:
Ethiopia	2005 2011	11.1 4 17.4 4	3.5	29.1 26.1	9.3 12.6	24.	6 20.2 8 12.2		1.5	8.6 16.3 *	7.2 12.3											18.8 24.0	40.2 60.2	21.4 36.2	13.3 17.8	31.8 38.5	3 18.5 5 20.8		1.0 5.6 1 *	5.8 8.7 1	4.8 3.2	
Ghana	2003 2008	73.9 8 62.0 8	3.3	9.4 26.2	38.6 37.4	56.	4 17.8 0 14.6		2.7 3.2	13.7 27.8	10.9 24.7											47.1 60.2 (58.4 67.7)	11.3 7.5	20.4 40.2	26.9 (34.9)) 6.6) -5.3		0.6 1.0.9	4.6 1 3.1) 1	4.0 2.2	
Haiti	2005-6 2012	34.1 5 36.0 5	7.9	20.3 21.9	9.9 12.8	9. 18.	8 -0.1 2 5.4		18.6 16.5	32.6 36.2	14.0 19.7	26.3 32.8	(43.2) 60.4	16.9 27.6	13.	9 (9.4 4 12.2	t) 4.5 2 -1.2		16.0 (2 11.6 3	6.9) 1 89.0 2	10.9 27.4	33.7 36.7	44.5 55.3	10.8 18.7	6.3 15.4	15.8 21.1	3 9.5 I 5.7		19.3 14.9 2	9.6	1.4 4.8	
Indonesia	2007 2012	82.5 85.8 9;	2.3	32.5 6.4	25.6 33.7	16.	7 -8.9 3 -19.4	٠	29.2 35.0	62.1 69.1	32.9 34.1											63.9 78.6 ***	83.6 80.8	19.8 2.2	* 19.8 * 34.2	10.6	-9.2 3 -19.4		19.8 31.6 ***	4.5 3 0.1 1	4.7 8.6	*
Kenya	2003 2008-9	64.9 7 64.1 6	3.4 0.1	8.6 -4.0	27.3 46.1	39.	7 -1.6 1 -6.9		15.0 6.2	29.6 13.4	14.6 7.2											40.8 61.8	44.0 55.3	3.2 -6.5	22.2 42.7	16.0 23.6) -6.2 5 -19.1		7.6 2	1.8 1 2.9 1	4.2 6.8	
Liberia	2007 2013	63.2 8 73.7 81	3.2 ;	20.1 6.5	20.7 43.2	42.	7 21.9 3 -20.9	***	21.5 7.5	24.4 39.9	2.9 32.4 ***	79.2 61.2	(93.9) (86.2)	14.6 25.0	40.	3 (61.9 5 (7.9	9) 21.5 1) -34.6	***	18.2 (2 7.1 (3	9.1) 1 5.1) 2	11.0 28.9	69.1 71.7	84.2 73.2	15.0 1.6	23.9 36.9	38.4 24.0	t 14.4) -13.0	*	13.5 2	2.5	9.0 8.8	
Madagascar	2003-4 2008-9	39.7 6 42.0 6	5.5	20.8 23.5	24.5 28.1	24.	0 2.6 6 -3.6		7.7 6.4	33.4 41.8	25.6 35.4											39.1 35.3	38.4 59.3 *	-0.7 24.0	24.2 23.7	10.5 29.9	5 -13.8) 6.2	*	6.6 3.2	5.4 2	1.4 2.2	
Mali	2007 2013	52.6 7 41.7 7	3.2 5	20.6 32.4	20.7 17.2	44.	9 24.1 9 30.7		2.7	8.1 6.9	5.5 6.9											30.1 42.5	42.3 60.3	12.2 17.8	12.7 14.0	28.2 33.1	2 15.5 I 19.1		1.3 3.2	8.3 3.5	7.0 0.3	*
Malawi	2004 2010	75.0 7 68.6 7/	7.9	2.9 7.8	31.0 46.8	41.	6 10.6 4 1.6		5.4 14.5	8.8 25.5 ***	3.4 11.0											56.6 71.4 ***	52.4 66.1	-4.2 -5.4	28.8 53.1 ****	28.5 47.8	5 -0.4 3 -5.4		5.7 1 11.8 1	2.5 3.1	6.8 1.3	
Mozambique	2003 2011	53.0 7 57.6 7	3.7	20.7 13.6	40.2 53.8	65. 65.	0 24.8 8 12.1		2.6	3.6 2.9	1.0 2.9											51.1 60.3	53.8 72.6	2.7 12.4	40.6 53.5 *	46.5 64.8	5.9 3 11.3		1.0 1.1	1.6 0.3	0.6 0.9	
Nigeria	2008 2013	62.1 7 70.3 7.	3.2	12.7 3.0	20.3	29.	2 8.9 6 6.2		6.9 2.8 **	18.4 15.3	11.6 12.5	63.1 81.3	76.5 81.7	13.4 0.4	15. 25.	2 30.1 3 43.1	8 15.6 7 18.4		7.9	17.3 23.5 2	9.3 21.9	58.4 67.1	67.4 67.4	9.0 0.4	16.9 15.8	31.4 28.1	14.5 12.3		6.3 2.4 **	0.5 1	4.1 8.4	
Nepal	2006 2011	42.0 6 49.5 7	9.4	27.5 24.9	20.6	9. 0	7 -1.9 6 -13.6		3.2 7.3	26.1 38.3	22.9 31.0	53.2 55.7	(71.5) (87.6)	18.3 31.9	30.	9 (16.2 7 (29.3	2) -10.7 3) -1.4		9.3 (3 6.1 (4	8.4) 2 5.7) 3	29.1 39.6	29.9 51.5	62.2 62.1	32.4 10.6	21.4 28.6	13.7	7.7.7 3 -17.4		0.1 1	8.7 1 5.9 2	8.6 1.1	:
Pakistan	2006-7 2012-13	75.0 8 77.7 8	5.2	10.2 9.2	10.0 8.6	, 0°.	9 -3.1 6 0.0		59.4 67.3	72.6 75.8	13.1 8.6	70.5 81.0 *	93.8 87.5	23.3 6.4	* 11.	6 5. 4 4.	5 -3.1 1 -7.4		58.7 69.2	34.1 2 33.0 1	25.4 13.8	66.7 73.0	81.7 81.7	14.9 8.7	7.5 12.5	5.7	7 -1.8) -5.5		55.2 7 61.3 7	0.9 1 4.1 1	5.7 2.8	
Rwanda	2005 2010	54.8 7 41.7 6	6.4 5.4	21.7 23.7	21.5 35.1	47*	0 12.6 5 12.4 *		1.5	12.0 11.0	10.5 11.0											26.4 40.7	35.6 63.9	9.2 23.2	12.6 26.5 ****	13.7 43.1	1.1		0.7	4.6 7.7	3.9 7.7	
Senegal	2005 010-11	46.9 7 39.0 6	1.4	24.5 28.8	29.4 28.6	40.	5 11.1 7 17.2		7.9	14.6 11.4	6.7 9.9											32.8 45.1	34.0 53.8	1.2 8.7	17.0 30.0	16.9 34.7	-0.1 4.7		1.1 0.8	5.0 7.5	3.9 6.8	
Tanzania	2004-5 2010	76.8 9 72.5 7	3.9 :	17.1 7.2	46.9 49.5	54.	2 7.3 6 3.1		6.6 1.9 *	29.0 20.4	22.4 18.5											63.1 63.9	63.8 62.2	0.7 -1.7	40.7 48.9	34.7 43.5	-6.0 5.4		4.6 0.6 1	3.0 1	5.6 2.4	
Uganda	2006 2011	84.9 83.3 9	8.4 0.9	3.4 7.7	40.3 44.3	23.	5 -16.8 2 -23.1		41.7 38.8	58.0 67.0 *	16.2 28.2	85.1 80.2	84.3 90.1	-0.8 9.8	44. 38.	5 15.1 1 21.3	2 -29.4 3 -16.9		39.2 (44.3 (55.4 2 33.5 1	26.2 19.2	84.2 76.0	79.2 70.3	-5.0 -5.7	42.4 40.3	18.2 18.6	24.2 -21.7		38.5 E	5.9 1 9.5 1	7.4 3.6	
Zambia	2007 2013-14	70.5 6 72.1 7	6.0 7.2	-4.5 5.1	51.2 64.5	65. 65.	8 5.6 5 0.9		9.5 4.1 *	7.1 10.0	-2.4 5.9 *	86.2 73.6	(59.3) 85.8 *	-26.9 12.2	** 64. 65.	8 (54.3 1 72.1	3) -10.5 1 7.0		13.1 (1.9	1.8) -1 7.5	11.3 * 5.6	6.99 67.0	60.1 62.9	-9.9 -4.1	55.1 60.7	52.2 55.3	2 -2.9 3 -5.4		6.1 2.9	6.8 6.4	0.7 3.5	
Figures in parenthesi ¹ Percentage point di ² To test whether the and an interaction ter	es are base fference be equity gap m between	ed on 25-49 tween care in care seel these two i	unweig seeking king ber ndicator	hted cases g coverage tween child rs. A signif	s. For sym between dren in thε îcant inter.	ptoms childrer poorection to	of ARI, the n in the poi st and wea erm indica	table is re orest and ithiest qui	stricted 1 wealthies ntile hous e change	to USAIE st wealth seholds (e in care	0 MCH priorit quintiles. changed sign seeking diffe	y countries ificantly be red signific	with con tween su antly beth	nplete infor Irveys, logi ween child	istic regree	ssion mo-	ms of AR dels were and weal	1. e run on the thiest hous	e two coml seholds.	oined sur	rveys with an	indicator	for surve	y year and ب	wealth qu	intile (wi	ith childre	in the m	ddle three	quintile	s remove	é

Table A11. Background characteristics among children with recent diarrhea by interventioncoverage area, Nepal 2006 and 2011 DHS

		2006	NDHS			2011	NDHS	
	Non- POUZN	POUZN	Total	N	Non- POUZN	POUZN	Total	Ν
Any private care cought	Districts	Districts	TULAI		Districts	Districts	TULAI	
No	96.7	90.6	03.6	584	00.4	80.6	95 1	605
Yes	30.7	90.0	6.4	40	90.4	19.4	14.9	106
Total	100.0	100.0	100.0	623	100.0	100.0	100.0	711
Any public care sought	100.0	100.0	100.0	025	100.0	100.0	100.0	7.1.1
No	78.2	80.4	79.3	495	74.7	77.1	76.0	540
Yes	21.8	19.6	20.7	129	25.3	22.9	24.0	171
Total	100.0	100.0	100.0	623	100.0	100.0	100.0	711
Any care sought								
No	53.0	45.9	49.4	308	42.1	34.4	37.9	270
Yes	47.0	54.1	50.6	316	57.9	65.6	62.1	441
Total	100.0	100.0	100.0	623	100.0	100.0	100.0	711
Child was given ORS								
No	74.5	67.1	70.7	441	62.8	59.4	61.0	433
Yes	25.5	32.9	29.3	183	37.2	40.6	39.0	278
Total	100.0	100.0	100.0	623	100.0	100.0	100.0	711
Child was given zinc								
No	99.2	100.0	99.6	620	93.4	94.2	93.8	663
Yes	0.8	0.0	0.4	3	6.6	5.8	6.2	_44
Total	100.0	100.0	100.0	622	100.0	100.0	100.0	707
Child was given ORS and zinc						<i>i</i>		
No	100.0	100.0	100.0	623	95.2	95.1	95.2	673
Yes	0.0	0.0	0.0	0	4.8	4.9	4.8	34
lotal Place of regidence	100.0	100.0	100.0	623	100.0	100.0	100.0	707
	5.0	10.0	12.0	75	6.2	11 5	0.1	CE.
Burol	5.Z	10.0	12.0	70 579	0.3	11.5	9.1	646
Total	100.0	100.0	100.0	623	100.0	100.0	90.9	711
Household wealth quintile	100.0	100.0	100.0	023	100.0	100.0	100.0	711
Poorest	13.6	13.0	28.4	177	31.6	16.6	23.5	167
Poorer	23.1	10.0	21.0	131	26.0	19.9	20.0	162
Middle	16.6	19.6	18.1	113	21.9	28.4	25.4	181
Wealthier	12.0	22.4	17.3	108	14.2	18.0	16.2	116
Wealthiest	4.8	25.0	15.1	94	6.3	17.1	12.1	86
Total	100.0	100.0	100.0	623	100.0	100.0	100.0	711
Maternal age								
19 yrs or younger	7.0	11.8	9.5	59	8.1	8.3	8.2	58
20-34	78.3	78.5	78.4	489	80.1	82.6	81.4	579
35-49	14.6	9.6	12.1	75	11.9	9.2	10.4	74
Total	100.0	100.0	100.0	623	100.0	100.0	100.0	711
Mother's education level								
None	65.9	52.2	58.9	367	47.2	50.2	48.8	347
Primary	15.5	19.8	17.7	110	25.6	15.6	20.2	144
secondary or higher	18.6	28.0	23.4	146	27.2	34.3	31.0	220
I Otal Methoria madia expedure	100.0	100.0	100.0	623	100.0	100.0	100.0	711
Listena to the radia or watches								
tolovision less than once per week								
if at all	40.3	33.3	36.7	220	/8 1	47.6	17.8	340
listens to the radio or watches	40.5	55.5	30.7	225	40.1	47.0	47.0	540
television at least once per week	59.7	66.7	63.3	305	51 9	52 /	52.2	371
	100.0	100.0	100.0	623	100	100	100	711
Child's age				020				
Less than 1 year	23.1	29.5	26.4	164	25.7	26.7	26.3	187
1-2 years	32.6	29.2	30.9	193	36.5	31.0	33.5	239
2-3 years	18.3	20.7	19.5	121	20.0	20.4	20.2	144
3-4 years	15.0	11.2	13.1	81	10.5	14.6	12.7	90
4-5 years	11.0	9.4	10.2	64	7.3	7.3	7.3	52
Total	100.0	100.0	100.0	623	100.0	100.0	100.0	711
Sex of child								
Female	48.2	42.1	45.1	281	39.2	44.6	42.1	299
Male	51.8	57.9	54.9	342	60.8	55.4	57.9	412
Total	100.0	100.0	100.0	623	100.0	100.0	100.0	711

		2007 LDH	S			2011 LMIS		
	Non-EQUIP	EQUIP			Non-EQUIP	EQUIP		
	Counties	Counties	Тс	otal	Counties	Counties	То	otal
	%	%	%	Ν	%	%	%	Ν
Any public care sought								
No	60.5	78.6	64.2	1,012	69.7	56.9	67.4	955
Yes	39.5	21.4	35.8	565	30.3	43.1	32.6	461
Total	100.0	100.0	100.0	1,577	100.0	100.0	100.0	1416
Any private care sought								
No	82.2	62.9	78.4	1,236	74.9	85.8	76.8	1088
Yes	17.8	37.1	21.6	341	25.1	14.2	23.2	328
Total	100.0	100.0	100.0	1,577	100.0	100.0	100.0	1416
Any care sought								
No	25.4	17.3	23.7	374	22.3	25.3	22.8	323
Yes	74.6	82.7	76.3	1,203	77.7	74.7	77.2	1093
Total	100.0	100.0	100.0	1,577	100.0	100.0	100.0	1416
Place of Residence								
Urban	34.5	4.8	28.6	450	44.4	26.0	41.1	583
Rural	65.5	95.2	71.4	1,127	55.6	74.0	58.9	833
Total	100.0	100.0	100.0	1,577	100.0	100.0	100.0	1,416
Wealth Index								
Poorest	18.8	22.9	19.6	309	28.9	7.1	25.1	355
Poorer	22.7	34.0	24.9	393	23.3	38.0	25.8	366
Middle	19.9	26.8	21.3	336	15.1	42.4	19.8	281
Wealthier	23.8	12.3	21.5	339	19.2	11.0	17.7	251
Wealthiest	14.9	3.9	12.7	200	13.6	1.4	11.5	162
Total	100.0	100.0	100.0	1,577	100.0	100.0	100.0	1,416
Maternal Age								
19 years or younger	7.0	9.7	7.6	119	7.2	3.9	6.6	93
20-34 years	66.3	62.0	65.5	1,033	68.5	72.4	69.2	980
35-49 years	26.6	28.3	27.0	425	24.3	23.7	24.2	343
Total	100.0	100.0	100.0	1,577	100.0	100.0	100.0	1,416
Maternal Education								
None	47.5	38.2	45.6	719	48.8	33.0	46.1	652
Primary	33.8	46.7	36.4	574	30.3	37.2	31.5	446
secondary or higher	18.6	15.1	17.9	282	20.8	29.9	22.4	317
Total	100.0	100.0	100.0	1,57 <mark>5</mark>	100.0	100.0	100.0	1416
Child's Age								
Less than 1 year	21.6	17.2	20.8	327	20.7	14.9	19.6	278
1-2 years	23.4	17.0	22.1	349	24.8	23.0	24.5	347
2-3 years	23.0	27.3	23.9	376	21.3	21.2	21.2	301
3-4 years	17.7	22.7	18.7	295	16.6	18.9	17.0	241
4-5 years	14.3	15.9	14.6	230	16.6	22.0	17.6	249
Total	100.0	100.0	100.0	1,577	100.0	100.0	100.0	1,416
Sex of Child								
Female	49.0	46.2	48.4	763	47.0	49.8	47.5	672
Male	51.0	53.8	51.6	814	53.0	50.2	52.5	744
Total	100.0	100.0	100.0	1,577	100.0	100.0	100.0	1,416

Table A12. Background characteristics among children with recent fever by intervention coveragearea, Liberia 2007 DHS and 2011 MIS





Figure A5. Trend in coverage of any care seeking for symptoms of ARI among children in rural households and rural-urban equity gap in care seeking



Note: Countries are included only if (1) a significant change in care seeking coverage between surveys was observed in rural houseohlds, or (2) a significant change in urban-rural equity in care seeking coverage was observed between surveys.





Figure A7. Trend in coverage of any care seeking for fever among children in poorest-quintile households and poorest-wealthiest quintile gap in care seeking equity, USAID MCH priority countries







For the following countries, care seeking estimates for children in the wealthiest quintile are based on 25-49 unweighted cases and should be interpreted with caution: Liberia 2007, Liberia 2013, Nigeria 2008, Nigeria 2013, Zambia 2007.





For Ghana 2008, care seeking estimates for children in the wealthiest quintile are based on 25-49 unweighted cases and should be interpreted with caution.