ERRATA February 22, 2018

Uganda Bureau of Statistics (UBOS) and ICF. 2018. *Uganda Demographic and Health Survey 2016*. Kampala, Uganda, and Rockville, Maryland, USA: UBOS and ICF.

List of errors - February 22, 2018

| Error 1: For household population, incomplete primary education was coded as <6 years at the primary | |
|---|-----|
| level; correct coding is <7 years at the primary level. | . 1 |
| Error 1 Correction 1: Page 16, 1 st paragraph in Section 2.9.1 | . 1 |
| Error 1 Correction 2: Page 30, Table 2.12.1; 2 nd and 3 rd columns | .2 |
| Error 1 Correction 3: Page 31, Table 2.12.2; 2 nd and 3 rd columns | .3 |
| Error 2: For individual interviews, incomplete primary education was coded as <6 years at the primary | |
| level; correct coding is <7 years at the primary level | .3 |
| Error 2 Correction 1: Page 46, Figure 3.1 | |
| Error 2 Correction 2: Page 53, Table 3.2.1; 2 nd and 3 rd columns | .4 |
| Error 2 Correction 3: Page 54, Table 3.2.2; 2 nd and 3 rd columns | .5 |
| Error 3: For the most recent source of modern contraceptives, 1) 'mobile clinic' and 'private doctor' wer | æ |
| coded as part of 'private hospital/clinic' and 2) 5 women using traditional methods were originally | |
| included in the denominator. | |
| Error 3 Correction 1: Page 124, Table 7.8; 9 th , 11 th , and 12 th rows; Total column | .6 |
| Error 4: Traditional practitioners were included in the coding for 'health facility or provider' for children | 1 |
| with symptoms of ARI in the 2 weeks preceding the survey for whom advice or treatment was sought | .6 |
| Error 4 Correction 1: Page 165, Key Findings 2 nd bullet | .6 |
| Error 4 Correction 2: Page 168, 2 nd paragraph under section 10.3 | .6 |
| Error 4 Correction 3: Page 178, Table 10.5; 3 rd column | |
| Error 5: 146 children who had taken antimalarial drugs were initially excluded from the denominator | .8 |
| Error 5 Correction 1: Page 225, Key Findings 5 th bullet | |
| Error 5 Correction 2: Page 230, 2 nd paragraph under section 12.5 | .8 |
| Error 5 Correction 3: Page 230, last sentence in Trends paragraph under section 12.5: | |
| Error 5 Correction 4: Page 230, Figure 12.7 | .8 |
| Error 5 Correction 5: Page 243, Table 12.2 | .9 |

Error 1: For household population, incomplete primary education was coded as <6 years at the primary level; correct coding is <7 years at the primary level.

Error 1 Correction 1: Page 16, 1st paragraph in Section 2.9.1

Fifty three Fifty-four percent of women and 54% of men have not completed primary education. Nine Eight percent of women and 8 9% of men have completed primary school.

Table 2.12.1 Educational attainment of the female household population

Percent distribution of the de facto female household population age 6 and over by highest level of schooling attended or completed and median years completed, according to background characteristics, Uganda DHS 2016

| Background characteristic | No education | Some primary | Completed primary ¹ | Some secondary | Completed secondary ² | More than secondary | Don't know/ missing | Total | Number | Median years completed |
|---------------------------------------|-----------------|--|---------------------------------------|---------------------------------------|----------------------------------|---------------------|------------------------|----------------|----------------|------------------------------|
| Age | | | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · | | | · | | | |
| 6-9 | 37.3 | 62.4 62.6 | 0.2 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 100.0 | 6,017 | 0.0 |
| 10-14 | 4.7 | 86.7 91.2 | 6.2 1.7 | 2.2 | 0.0 | 0.0 | 0.0 | 100.0 | 6,378 | 2.7 |
| 15-19 | 2.9 | 47.0 53.6 | 18.1 11.5 | 29.2 | 0.6 | 1.7 | 0.3 | 100.0 | 4,392 | 5.6 |
| 20-24 | 4.1 | 35.1 36.1 | 15.4 14.3 | 31.8 | 3.2 | 10.2 | 0.2 | 100.0 | 3,978 | 6.7 |
| 25-29 | 7.6 | 37.8 35.2 | 12.4 14.9 | 25.6 | 2.7 | 13.1 | 0.8 | 100.0 | 3,314 | 6.4 |
| 30-34 | 14.0 | 44.4 40.9 | 10.2 13.7 | 18.1 | 1.3 | 11.5 | 0.6 | 100.0 | 2,557 | 5.5 |
| 35-39 | 18.2 | 49.3 49.5 | 9.8 9.6 | 13.8 | 1.0 | 7.1 | 0.8 | 100.0 | 2,126 | 4.1 |
| 40-44 | 21.5 | 49.5 48.5 | 9.4 10.4 | 11.0 | 0.9 | 7.2 | 0.5 | 100.0 | 1,596 | 4.0 |
| 45-49 | 27.7 | 46.3 43.5 | 9.9 12.8 | 10.4 | 0.6 | 4.0 | 1.1 | 100.0 | 1,209 | 3.3 |
| 50-54 | 38.6 | 42.1 40.3 | 7.7 9.5 | 6.9 | 0.2 | 3.5 | 1.1 | 100.0 | 1,332 | 2.0 |
| 55-59 | 44.4 | 37.8 36.8 | 6.5 7.6 | 6.2 | 0.2 | 4.1 | 0.7 | 100.0 | 779 | 1.2 |
| 60-64 | 48.5 | 32.8 32.7 | 6.6 6.6 | 7.3 | 0.2 | 3.9 | 0.8 | 100.0 | 727 | 0.0 |
| 65+ | 65.7 | 24.9 26.1 | 4 .2 3.0 | 1.6 | 0.2 | 2.1 | 1.3 | 100.0 | 1,680 | 0.0 |
| Don't know/ | | | | | | | | | | |
| missing | * | <u>*</u> | * * | * | * | * | * | 100.0 | 9 | * |
| Residence | | | | | | | | | | |
| Urban | 12.1 | 41.5 40.3 | | | 2.6 | 11.7 | 0.9 | 100.0 | 8,377 | 5.6 |
| Rural | 21.0 | 56.2 58.0 | 9.4 7.6 | 10.3 | 0.4 | 2.5 | 0.3 | 100.0 | 27,716 | 2.9 |
| Region | | | | | | | | | | |
| South Central | 13.0 | 42.4 40.4 | | | 2.4 | 10.9 | 1.5 | 100.0 | 4,332 | 5.5 |
| North Central | 15.8 | 50.2 51.0 | | | 1.4 | 4.8 | 0.8 | 100.0 | 3,853 | 4.2 |
| Kampala | 7.8 | 32.6 29.9 | | | 5.1 | 16.4 | 1.1 | 100.0 | 1,530 | 7.4 |
| Busoga | 17.9 | 52.5 54.1 | | | 0.4 | 3.0 | 0.2 | 100.0 | 3,514 | 3.5 |
| Bukedi | 15.5 | 60.8 64.5 | | | 0.3 | 2.5 | 0.1 | 100.0 | 2,432 | 3.1 |
| Bugisu | 16.5 | 54.0 59.0 | | | 0.5 | 2.6 | 0.0 | 100.0 | 1,939 | 3.6 |
| Teso | 14.8 | 58.6 63.7 | | | 0.1 | 4.1 | 0.5 | 100.0 | 2,189 | 3.4 |
| Karamoja | 70.6 | 23.9 25.2 | | | 0.2 | 0.5 | 0.0 | 100.0 | 844 | 0.0 |
| Lango | 21.3 | 60.9 64.0 | | | 0.1 | 2.3 | 0.1 | 100.0 | 2,001 | 2.7 |
| Acholi | 20.2 | 60.1 62.2 | | | 0.4 | 3.3 | 0.0 | 100.0 | 1,867 | 2.7 |
| West Nile | 21.5 | 62.2 65.2 | | | 0.2 | 2.2 | 0.1 | 100.0 | 2,540 | 2.1 |
| Bunyoro | 21.0 | 55.8 58.5 | | | 0.3 | 2.7 | 0.2 | 100.0 | 1,906 | 2.7 |
| Tooro | 23.0 | 53.1 53.9 | | | 0.5 | 2.3 | 0.0 | 100.0 | 2,639 | 3.0 |
| Kigezi | 19.6 | 56.3 55.7 | | | 0.9 | 3.6 | 0.4 | 100.0 | 1,503 | 3.2 |
| Ankole | 21.5 | 56.4 52.6 | 6.8 10.5 | 10.9 | 0.4 | 4.0 | 0.2 | 100.0 | 3,004 | 3.0 |
| Special area | 40.0 | | | | | | | 4000 | | |
| Island districts | 18.3 | 53.3 55.3 | | | 0.8 | 1.8 | 0.5 | 100.0 | 357 | 3.8 |
| Mountain districts Greater Kampala | 22.5 8.3 | 51.6 55.3 32.0 28.8 | | | 0.4 4.7 | 2.8 16.6 | 0.0 2.0 | 100.0 100.0 | 3,035 3,096 | 2.9 7.4 |
| • | 0.5 | 3∠.0 20.0 | , 0.0 9.0 | 30.1 | 7.7 | 10.0 | 2.0 | 100.0 | 3,030 | 7.7 |
| Wealth quintile Lowest | 31.1 | 57.1 60.4 | 7.8 4.5 | 3.4 | 0.1 | 0.4 | 0.1 | 100.0 | 6,986 | 1.4 |
| | 22.5 | 59.3 62.9 | | | 0.1 | 0.4 | 0.1 | 100.0 | 7,006 | 2.4 |
| Second Middle | 22.5 19.0 | 59.3 62.8 58.8 60.0 | | | 0.1 | 1.0 | 0.1 | 100.0 | 7,006 7,150 | 2.4 3.1 |
| Fourth | 14.9 | 53.2 52.7 | | | 0.2 | 3.5 | 0.4 | 100.0 | 7,150 | 3. i 4.1 |
| Highest | 8.4 | 37.0 35.2 | | | 3.5 | 3.5 16.5 | 0.3 1.1 | 100.0 | 7,237 7,713 | 6.6 |
| J | 18.9 | 52.8 53.9 | | | 0.9 | 4.6 | 0.4 | 100.0 | • | 3.4 |
| Total | 16.9 | 3∠.0 53.9 | 9.∪ 7.9 | 13.4 | 0.9 | 4.0 | 0.4 | 100.0 | 36,093 | 3.4 |

Note: An asterisk indicates that a figure is based on fewer than 25 unweighted cases and has been suppressed.

¹ Completed 7th grade at the primary level

² Completed 6th grade at the secondary level

Table 2.12.2 Educational attainment of the male household population

Percent distribution of the de facto male household population age 6 and over by highest level of schooling attended or completed and median years completed, according to background characteristics, Uganda DHS 2016

| Background characteristic | No education | Some primary | Completed primary ¹ | Some secondary | Completed secondary ² | More than secondary | Don't know/ missing | Total | Number | Median years completed |
|---------------------------|-----------------|---------------------------------|--------------------------------|----------------|----------------------------------|---------------------|------------------------|-------|--------|------------------------------|
| | Cadcation | primary | primary | Scoondary | Scoondary | Scoondary | missing | Total | Number | completed |
| Age | | | | | | | | | | |
| 6-9 | 41.5 | 58.4 58.4 | 0.1 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 100.0 | 6,050 | 0.0 |
| 10-14 | 4.5 | 89.6 93.2 | 4.6 1.0 | 1.2 | 0.0 | 0.0 | 0.0 | 100.0 | 6,305 | 2.4 |
| 15-19 | 3.4 | 48.6 56.5 | 17.2 9.3 | 28.7 | 0.5 | 1.5 | 0.1 | 100.0 | 4,335 | 5.4 |
| 20-24 | 3.4 | 34.3 33.7 | 12.5 13.1 | 32.8 | 5.2 | 10.8 | 1.0 | 100.0 | 3,170 | 6.9 |
| 25-29 | 3.6 | 34.7 31.1 | 10.2 13.8 | 26.3 | 6.0 | 17.6 | 1.5 | 100.0 | 2,595 | 7.2 |
| 30-34 | 6.7 | 38.2 30.8 | 10.0 17.5 | 23.7 | 4.2 | 15.4 | 1.7 | 100.0 | 2,266 | 6.6 |
| 35-39 | 9.4 | 41.6 36.4 | 10.5 15.7 | 20.1 | 3.4 | 12.7 | 2.4 | 100.0 | 1,875 | 6.2 |
| 40-44 | 8.3 | 45.6 41.1 | 11.0 15.4 | 18.9 | 1.9 | 12.8 | 1.5 | 100.0 | 1,506 | 6.0 |
| 45-49 | 9.9 | 43.6 40.1 | 11.0 14.6 | 20.3 | 1.8 | 11.9 | 1.5 | 100.0 | 1,229 | 5.9 |
| 50-54 | 11.0 | 47.2 37.6 | 9.6 19.3 | 17.7 | 1.1 | 11.1 | 2.2 | 100.0 | 952 | 6.0 |
| 55-59 | 13.2 | 48.1 39.3 | 8.8 17.6 | 14.3 | 1.9 | 11.9 | 1.9 | 100.0 | 634 | 5.6 |
| 60-64 | 16.9 | 47.7 40.9 | 9.8 16.6 | 12.9 | 0.2 | 9.7 | 2.8 | 100.0 | 627 | 5.1 |
| 65+ | 28.8 | 44.1 44.3 | 10.6 10.4 | 8.4 | 0.4 | 5.6 | 2.1 | 100.0 | 1,245 | 3.3 |
| Don't know/ | 20.0 | 77.1 | 10.0 10.4 | 0.4 | 0.7 | 0.0 | 2.1 | 100.0 | 1,240 | 0.0 |
| missing | (12.8) | (24.7) (25.2) | (8.5) (8.1) | (12.3) | (3.7) | (0.0) | (38.0) | 100.0 | 50 | (5.2) |
| missing | (12.0) | (24.1) (23.2) | (0.1) | (12.3) | (3.7) | (0.0) | (30.0) | 100.0 | 30 | (3.2) |
| Residence | | | | | | | | | | |
| Urban | 9.8 | 40.1 38.2 | 6.7 8.6 | 22.5 | 4.8 | 14.3 | 1.8 | 100.0 | 7,123 | 6.1 |
| Rural | 14.3 | 58.0 58.1 | 8.8 | 13.0 | 0.9 | 4.2 | 0.7 | 100.0 | 25,716 | 3.5 |
| | | | | | | | | | -, | |
| Region | | | | | | | | | | |
| South Central | 12.8 | 42.0 41.0 | 7.0 8.1 | 19.5 | 3.7 | 12.3 | 2.7 | 100.0 | 3,818 | 5.3 |
| North Central | 15.5 | 51.0 47.2 | 7.9 11.7 | 16.9 | 1.9 | 5.0 | 1.8 | 100.0 | 3,651 | 4.1 |
| Kampala | 7.0 | 29.6 25.5 | 4.3 8.4 | 28.7 | 7.8 | 20.2 | 2.4 | 100.0 | 1,310 | 8.7 |
| Busoga | 12.5 | 54.7 56.3 | 9.3 7.7 | 17.1 | 1.8 | 3.9 | 0.7 | 100.0 | 3,168 | 3.8 |
| Bukedi | 10.0 | 61.7 62.9 | 8.9 7.7 | 14.6 | 0.7 | 3.7 | 0.4 | 100.0 | 2,217 | 3.7 |
| Bugisu | 9.8 | 57.6 61.1 | 11.0 7.5 | 15.9 | 1.2 | 4.1 | 0.3 | 100.0 | 1,805 | 4.0 |
| Teso | 8.3 | 58.1 60.9 | 10.4 7.6 | 14.4 | 1.2 | 6.9 | 0.7 | 100.0 | 1,921 | 4.0 |
| Karamoja | 53.7 | 32.7 33.6 | 4.0 3.0 | 6.5 | 0.8 | 2.3 | 0.0 | 100.0 | 718 | 0.0 |
| Lango | 12.6 | 62.1 61.1 | 10.6 11.6 | 7.9 | 0.5 | 6.2 | 0.1 | 100.0 | 2,027 | 3.7 |
| Acholi | 9.0 | 58.5 58.9 | 9.4 9.0 | 14.2 | 1.2 | 7.7 | 0.0 | 100.0 | 1,726 | 4.1 |
| West Nile | 10.9 | 62.3 63.8 | 8.3 6.8 | 12.1 | 0.7 | 5.6 | 0.1 | 100.0 | 2,227 | 3.3 |
| | 14.4 | 59.1 61.5 | 9.9 7.4 | 11.3 | 1.1 | 3.7 | 0.5 | 100.0 | 1,834 | 3.5 |
| Bunyoro | 17.0 | 54.7 54.7 | 8.2 8.2 | 15.3 | 1.1 | 2.9 | 0.5 | 100.0 | | 3.4 |
| Tooro | | | | | | | | | 2,470 | |
| Kigezi | 11.0 | 58.4 55.5 | 8.2 11.1 | 13.0 | 2.1 | 6.7 | 0.5 | 100.0 | 1,279 | 3.9 |
| Ankole | 15.4 | 59.0 55.2 | 6.9 10.8 | 11.4 | 1.1 | 5.6 | 0.6 | 100.0 | 2,666 | 3.4 |
| Special area | | | | | | | | | | |
| Island districts | 14.6 | 54.7 54.1 | 9.6 10.2 | 15.0 | 1.6 | 2.1 | 2.3 | 100.0 | 380 | 3.9 |
| Mountain districts | 14.1 | 54.5 56.4 | 9.0 7.2 | 16.8 | 1.3 | 3.9 | 0.4 | 100.0 | 2,710 | 3.7 |
| Greater Kampala | 7.9 | 29.3 25.6 | 4.6 8.3 | 27.6 | 7.7 | 19.7 | 3.1 | 100.0 | 2,486 | 8.5 |
| Orcator Rampala | 7.5 | 20.0 | 4.0 0.0 | 27.0 | 7.7 | 10.7 | 0.1 | 100.0 | 2,400 | 0.0 |
| Wealth quintile | | | | | | | | | | |
| Lowest | 19.4 | 62.2 63.7 | 8.9 7.4 | 7.5 | 0.3 | 1.3 | 0.3 | 100.0 | 6,330 | 2.6 |
| Second | 15.6 | 61.2 62.4 | 9.6 8.4 | 10.5 | 0.5 | 2.1 | 0.5 | 100.0 | 6,553 | 3.1 |
| Middle | 12.7 | 59.8 59.6 | 9.9 10.2 | 13.6 | 0.7 | 2.6 | 0.6 | 100.0 | 6,599 | 3.7 |
| Fourth | 10.9 | 53.5 51.6 | 8.1 10.0 | 19.0 | 1.6 | 5.7 | 1.1 | 100.0 | 6,783 | 4.4 |
| Highest | 8.5 | 34.0 31.9 | 5.6 7.7 | 24.1 | 5.7 | 20.0 | 2.1 | 100.0 | 6,574 | 7.0 |
| i ligitost | 0.0 | | | ۲. ۱ | 0.7 | | | 100.0 | 0,017 | |
| Total | 13.3 | 54.1 53.8 | 8.4 8.8 | 15.0 | 1.8 | 6.4 | 0.9 | 100.0 | 32,839 | 3.9 |

Note: Figures in parentheses are based on 25-49 unweighted cases.

Error 2: For individual interviews, incomplete primary education was coded as <6 years at the primary level; correct coding is <7 years at the primary level

Error 2 Correction 1: Page 46, Figure 3.1

The proportion of women with incomplete primary should change from 43% to 45%, the proportion of women with complete primary should change from 14% to 13%, and the proportion of men with complete primary should change from 14% to 13%.

¹ Completed 7th grade at the primary level

² Completed 6th grade at the secondary level

Error 2 Correction 2: Page 53, Table 3.2.1; 2nd and 3rd columns

Table 3.2.1 Educational attainment: Women

Percent distribution of women age 15-49 by highest level of schooling attended or completed, and median years completed, according to background characteristics, Uganda DHS 2016

| | | | | Median | | | | | | |
|---------------------------|--------------|-----------------------------|--------------------------------|----------------|----------------------------------|------------------------|-------|-----------------|--------------------|--|
| Background characteristic | No education | Some primary | Completed primary ¹ | Some secondary | Completed secondary ² | More than secondary | Total | years completed | Number of women | |
| Age | | | | | | | | | | |
| 15-24 | 2.5 | 40.9 44.6 | 17.3 13.6 | 31.3 | 2.0 | 6.0 | 100.0 | 6.2 | 8,086 | |
| 15-19 | 1.8 | 4 6.0 51.8 | 18.7 12.9 | 30.5 | 1.2 | 1.8 | 100.0 | 5.8 | 4,264 | |
| 20-24 | 3.3 | 35.2 36.7 | 15.8 14.2 | 32.1 | 2.9 | 10.7 | 100.0 | 6.7 | 3,822 | |
| 25-29 | 6.5 | 38.0 38.4 | 14.4 14.0 | 25.2 | 2.3 | 13.6 | 100.0 | 6.4 | 3,051 | |
| 30-34 | 13.0 | 45.3 42.5 | | 19.1 | 1.3 | 10.4 | 100.0 | 5.5 | 2,543 | |
| 35-39 | 19.4 | 48.9 49.0 | | 13.7 | 0.8 | 7.0 | 100.0 | 4.1 | 2,011 | |
| 40-44 | 19.9 | 53.7 53.7 | 9.9 10.0 | | 0.7 | 5.9 | 100.0 | 3.8 | 1,608 | |
| 45-49 | 28.0 | 46.9 45.5 | 10.0 11.4 | 10.5 | 0.1 | 4.5 | 100.0 | 3.2 | 1,207 | |
| Residence | | | | | | | | | | |
| Urban | 5.0 | 28.2 26.4 | 10.1 11.8 | 35.8 | 3.8 | 17.2 | 100.0 | 8.1 | 4,943 | |
| Rural | 11.3 | 49.0 51.2 | 15.5 13.2 | 19.0 | 8.0 | 4.5 | 100.0 | 5.2 | 13,563 | |
| Region | | | | | | | | | | |
| South Central | 4.6 | 33.0 28.6 | 9.5 13.9 | 34.0 | 3.7 | 15.2 | 100.0 | 7.6 | 2,494 | |
| North Central | 8.0 | 36.7 37.5 | 15.1 14.3 | 28.8 | 2.5 | 8.9 | 100.0 | 6.3 | 1,963 | |
| Kampala | 2.1 | 20.6 17.6 | 7.4 10.3 | 41.5 | 6.1 | 22.3 | 100.0 | 9.3 | 1,025 | |
| Busoga | 9.2 | 37.9 40.2 | | 32.0 | 1.0 | 5.3 | 100.0 | 6.0 | 1,690 | |
| Bukedi | 6.0 | 51.7 57.9 | 17.7 11.5 | 19.8 | 0.4 | 4.3 | 100.0 | 5.2 | 1,169 | |
| Bugisu | 4.1 | 41.1 51.4 | 22.5 12.2 | 26.0 | 0.9 | 5.4 | 100.0 | 5.8 | 921 | |
| Teso | 7.0 | 4 8.0 53.9 | 18.6 12.8 | | 0.3 | 7.2 | 100.0 | 5.4 | 1,099 | |
| Karamoja | 66.1 | 23.6 26.5 | 5.0 2.0 | | 0.5 | 1.3 | 100.0 | 0.0 | 365 | |
| Lango | 9.1 | 57.2 64.3 | | | 0.2 | 4.5 | 100.0 | 4.8 | 1,010 | |
| Acholi | 12.9 | 50.6 56.7 | 15.5 9.4 | | 0.6 | 5.8 | 100.0 | 4.7 | 924 | |
| West Nile | 12.7 | 58.1 64.3 | | 12.0 | 0.3 | 4.1 | 100.0 | 4.0 | 1,247 | |
| Bunyoro | 14.2 | 49.6 50.9 | 13.3 12.1 | 18.0 | 0.6 | 4.3 | 100.0 | 4.8 | 1,014 | |
| Tooro | 11.5 | 48.2 48.9 | | 20.9 | 0.7 | 3.9 | 100.0 | 5.3 | 1,357 | |
| Kigezi | 12.4 | 47.1 43.5 | | 18.6 | 1.4 | 7.3 | 100.0 | 5.6 | 732 | |
| Ankole | 9.8 | 51.6 42.6 | 11.1 20.2 | 19.8 | 1.0 | 6.6 | 100.0 | 5.8 | 1,498 | |
| Special area | | | | | | | | | | |
| Island districts | 10.7 | 47.8 47.5 | 15.5 15.8 | | 1.5 | 3.5 | 100.0 | 5.5 | 203 | |
| Mountain districts | 12.4 | 41.1 47.7 | 17.8 11.2 | 23.0 | 0.8 | 4.9 | 100.0 | 5.4 | 1,481 | |
| Greater Kampala | 2.8 | 20.8 17.5 | 7.5 10.8 | 41.5 | 5.7 | 21.7 | 100.0 | 9.3 | 2,048 | |
| Wealth quintile | | | | | | | | | | |
| Lowest | 20.8 | 55.2 63.5 | | | 0.1 | 0.9 | 100.0 | 3.8 | 3,247 | |
| Second | 12.0 | 55.2 60.2 | | 13.8 | 0.1 | 1.2 | 100.0 | 4.7 | 3,397 | |
| Middle | 9.5 | 51.3 51.7 | | 19.8 | 0.4 | 2.0 | 100.0 | 5.4 | 3,460 | |
| Fourth | 6.7 | 40.9 38.7 | 13.8 16.0 | 31.3 | 0.9 | 6.5 | 100.0 | 6.3 | 3,683 | |
| Highest | 2.6 | 22.9 19.9 | 7.9 10.8 | 38.7 | 5.1 | 22.9 | 100.0 | 9.2 | 4,720 | |
| Total | 9.6 | 43.4 44.6 | 14.0 12.8 | 23.5 | 1.6 | 7.9 | 100.0 | 5.7 | 18,506 | |

¹ Completed 7th grade at the primary level ² Completed 6th grade at the secondary level

Error 2 Correction 3: Page 54, Table 3.2.2; 2nd and 3rd columns

Table 3.2.2 Educational attainment: Men

Percent distribution of men age 15-49 by highest level of schooling attended or completed, and median years completed, according to background characteristics, Uganda DHS 2016

| - | | | | Median | | | | | |
|---------------------------|--------------|---------------------------------|--------------------------------|----------------|----------------------------------|---------------------|-------|--------------------|------------------|
| Background characteristic | No education | Some primary | Completed primary ¹ | Some secondary | Completed secondary ² | More than secondary | Total | years completed | Number of men |
| Age | | | | | | | | | |
| 15-24 | 1.7 | 41.3 45.6 | 16.0 11.7 | 30.9 | 2.9 | 7.2 | 100.0 | 6.2 | 2,238 |
| 15-19 | 0.8 | 47.8 53.4 | 17.0 11.4 | 30.7 | 1.0 | 2.7 | 100.0 | 5.8 | 1,288 |
| 20-24 | 2.9 | 32.5 35.1 | 14.6 12.0 | 31.2 | 5.5 | 13.2 | 100.0 | 6.9 | 949 |
| 25-29 | 3.4 | 35.6 32.8 | 10.1 12.9 | 26.5 | 5.4 | 19.0 | 100.0 | 7.0 | 741 |
| 30-34 | 4.1 | 38.7 33.8 | 12.0 16.9 | 22.4 | 4.9 | 18.1 | 100.0 | 6.7 | 735 |
| 35-39 | 6.6 | 46.0 42.3 | 10.5 14.1 | 18.3 | 3.2 | 15.4 | 100.0 | 6.1 | 491 |
| 40-44 | 8.3 | 47.0 46.6 | 13.1 13.5 | 16.5 | 1.0 | 14.0 | 100.0 | 5.6 | 511 |
| 45-49 | 7.9 | 46.7 46.2 | 12.3 12.8 | 18.9 | 0.4 | 13.9 | 100.0 | 5.7 | 320 |
| Residence | | | | | | | | | |
| Urban | 1.7 | 25.3 22.6 | 9.1 11.8 | 32.2 | 7.9 | 23.9 | 100.0 | 9.2 | 1,274 |
| Rural | 4.6 | 46.9 48.3 | 15.0 13.6 | 23.3 | 1.7 | 8.5 | 100.0 | 5.8 | 3,763 |
| Region | | | | | | | | | |
| South Central | 3.4 | 35.2 32.9 | 9.8 12.0 | 24.5 | 5.8 | 21.3 | 100.0 | 7.3 | 661 |
| North Central | 6.2 | 40.8 38.7 | 12.7 14.8 | 28.9 | 2.9 | 8.5 | 100.0 | 6.3 | 592 |
| Kampala | 0.5 | 20.0 17.1 | 8.8 11.7 | 31.0 | 11.6 | 28.1 | 100.0 | 10.3 | 291 |
| Busoga | 7.3 | 29.8 39.4 | 15.5 5.9 | 39.1 | 2.2 | 6.1 | 100.0 | 6.3 | 412 |
| Bukedi | 3.5 | 47.9 46.7 | 15.4 16.6 | 24.6 | 1.2 | 7.4 | 100.0 | 6.0 | 335 |
| Bugisu | 1.2 | 34.7 48.8 | 24.1 10.0 | 28.9 | 2.2 | 8.9 | 100.0 | 6.0 | 258 |
| Teso | 0.6 | 43.2 48.3 | 18.4 13.3 | 20.5 | 1.5 | 15.7 | 100.0 | 6.1 | 276 |
| Karamoja | 39.5 | 27.1 33.8 | 10.6 4.0 | 16.4 | 2.3 | 4.1 | 100.0 | 2.8 | 80 |
| Lango | 0.8 | 53.8 49.9 | 16.0 19.9 | 14.3 | 1.5 | 13.5 | 100.0 | 6.0 | 328 |
| Acholi | 0.3 | 39.8 37.3 | 13.0 15.6 | 23.4 | 2.9 | 20.5 | 100.0 | 6.7 | 271 |
| West Nile | 0.3 | 51.1 54.9 | 15.7 11.9 | 21.0 | 1.8 | 10.1 | 100.0 | 5.7 | 281 |
| Bunyoro | 6.0 | 48.3 51.7 | 14.5 11.1 | 22.0 | 0.9 | 8.3 | 100.0 | 5.5 | 265 |
| Tooro | 5.2 | 47.5 45.2 | 12.1 14.4 | 27.1 | 3.6 | 4.5 | 100.0 | 6.0 | 400 |
| Kigezi | 2.3 | 50.4 43.1 | 8.1 15.4 | 22.0 | 3.6 | 13.6 | 100.0 | 6.2 | 181 |
| Ankole | 2.4 | 50.5 46.8 | 10.6 14.3 | 24.6 | 2.0 | 9.9 | 100.0 | 6.0 | 406 |
| Special area | | | | | | | | | |
| Island districts | 3.4 | 50.0 53.3 | 14.6 11.3 | 25.0 | 4.1 | 2.9 | 100.0 | 5.5 | 71 |
| Mountain districts | 3.0 | 39.4 44.7 | 17.5 12.2 | 28.6 | 2.9 | 8.6 | 100.0 | 6.2 | 386 |
| Greater Kampala | 1.4 | 21.4 15.3 | 6.0 12.2 | 31.4 | 11.3 | 28.4 | 100.0 | 10.2 | 522 |
| Wealth quintile | | | | | | | | | |
| Lowest | 8.2 | 55.0 59.7 | 17.9 13.2 | 14.8 | 0.8 | 3.3 | 100.0 | 5.0 | 859 |
| Second | 5.0 | 54.0 55.6 | 14.9 13.2 | 19.1 | 1.1 | 5.9 | 100.0 | 5.3 | 899 |
| Middle | 3.4 | 47.4 48.6 | 16.1 14.9 | 26.4 | 1.0 | 5.6 | 100.0 | 5.9 | 963 |
| Fourth | 2.0 | 40.7 37.8 | 13.5 16.4 | 30.1 | 2.9 | 10.9 | 100.0 | 6.6 | 1,102 |
| Highest | 2.0 | 18.5 17.2 | 7.2 8.6 | 33.2 | 8.6 | 30.5 | 100.0 | 10.2 | 1,213 |
| Total 15-49 | 3.8 | 41.5 41.8 | 13.5 13.1 | 25.6 | 3.2 | 12.4 | 100.0 | 6.3 | 5,037 |
| 50-54 | 9.7 | 51.7 41.1 | 9.4 20.0 | 14.7 | 0.6 | 13.9 | 100.0 | 5.9 | 299 |
| Total 15-54 | 4.2 | 42.0 41.8 | 13.3 13.5 | 25.0 | 3.1 | 12.5 | 100.0 | 6.3 | 5,336 |

¹ Completed 7th grade at the primary level ² Completed 6th grade at the secondary level

Error 3: For the most recent source of modern contraceptives, 1) 'mobile clinic' and 'private doctor' were coded as part of 'private hospital/clinic' and 2) 5 women using traditional methods were originally included in the denominator.

Error 3 Correction 1: Page 124, Table 7.8; 9th, 11th, and 12th rows; Total column

Table 7.8 Source of modern contraception methods

Percent distribution of users of modern contraceptive methods age 15-49 by most recent source of method, according to method, Uganda DHS 2016

| | Female | | | | | Male | | | |
|-----------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|--------------------------|-----------------|-------|
| Source | sterilisation | IUD | Injectables | Implants | Pill | condom | SDM | Tot | al |
| Public sector | 85.6 | 70.3 | 54.1 | 82.6 | 23.7 | 42.4 | (22.8) | 58.5 | 58.5 |
| Government hospital | 45.3 | 19.7 | 7.7 | 16.2 | 4.8 | 9.0 | (2.5) | 12.2 | 12.3 |
| Government health centre | 39.1 | 40.3 | 43.3 | 58.3 | 13.9 | 29.6 | (11.3) | 41.8 | 41.8 |
| Family planning clinic | 0.6 | 6.7 | 1.1 | 3.3 | 4.0 | 0.9 | (2.2) | 1.9 | 1.9 |
| Mobile clinic | 0.6 | 2.9 | 0.5 | 4.0 | 0.4 | 0.4 | (4.2) | 1.2 | 1.2 |
| Community health worker/VHT | 0.0 | 0.0 | 1.6 | 0.1 | 0.5 | 2.3 | (2.6) | 1.2 | 1.2 |
| Other | 0.0 | 8.0 | 0.0 | 0.7 | 0.0 | 0.1 | (0.0) | 0.2 | 0.2 |
| Private medical sector | 14.4 | 29.7 | 45.6 | 17.3 | 76.0 | 40.3 | (31.6) | 38.9 | 38.8 |
| Private hospital/clinic | 14.4 13.6 | 28.8 28.8 | 41.4 41.2 | 15.1 14.9 | 50.8 49.5 | 16.4 16.3 | (26.2) (22.1) | 31.6 | 31.4 |
| Pharmacy/drug shop | 0.0 | 0.5 | 3.6 | 0.3 | 24.7 | 22.8 | (3.8) | 6.4 | 6.3 |
| Private doctor | 0.0 0.0 | 0.0 0.0 | 0.0 0.1 | 0.0 0.2 | 0.01.3 | 0.0 0.2 | (0.0) (4.1) | 0.0 | 0.2 |
| Mobile clinic | 0.0 0.7 | 0.4 | 0.5 | 1.4 | 0.3 | 0.5 | (0.0) | 0.6 | 0.7 |
| Community health worker | 0.0 | 0.0 | 0.2 | 0.3 | 0.3 | 0.6 | (1.5) | 0.2 | 0.2 |
| Other private medical | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | (0.0) | 0.0 | 0.0 |
| Other source | 0.0 | 0.0 | 0.1 | 0.0 | 0.3 | 12.3 | (18.6) | 1.7 | 1.7 |
| Shop | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.0 | (0.0) | 1.2 | 1.2 |
| Church | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | (0.0) | 0.0 | 0.0 |
| Friend/relative | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 2.3 | (18.6) | 0.5 | 0.5 |
| Other | 0.0 | 0.0 | 0.2 | 0.1 | 0.0 | 5.0 | (27.0) | 1.0 | 1.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Number of women | 341 | 208 | 2,574 | 874 | 282 | 578 | 53 | 4,940 | 4,935 |

Note: Total includes other modern methods not listed separately but excludes the lactational amenorrhoea method (LAM). Figures in parentheses are based on 25-49 unweighted cases.

SDM = Standard days method

VHT = Village Health Team

Error 4: Traditional practitioners were included in the coding for 'health facility or provider' for children with symptoms of ARI in the 2 weeks preceding the survey for whom advice or treatment was sought.

Error 4 Correction 1: Page 165, Key Findings 2nd bullet

• **Symptoms** of **ARI**: Advice or treatment was sought for 84 80% of children under age 5 who had symptoms of an acute respiratory infection (ARI) in the 2 weeks before the survey. Thirty-nine percent had treatment or advice sought on the same or next day.

Error 4 Correction 2: Page 168, 2nd paragraph under section 10.3

Advice or treatment was sought for 8 in 10 (81 80%) children under age 5 with ARI symptoms in the 2 weeks before the survey; however, but was sought for only 4 in 10 (39%) on the same or next day.

Table 10.5 Prevalence and treatment of symptoms of ARI

Among children under age 5, percentage who had symptoms of acute respiratory infection (ARI) in the 2 weeks preceding the survey; and among children with symptoms of ARI in the 2 weeks preceding the survey, percentage for whom advice or treatment was sought, according to background characteristics, Uganda DHS 2016

| | Among children | under age 5: | Among children under age 5 with symptoms of ARI: | | | | | | | |
|--|--------------------------|----------------|---|----------------------------|--|------------|--|--|--|--|
| Background | Percentage with symptoms | Number of | Percenta whom adv treatmen sought fr health fac | vice or it was rom a | Percentage for whom treatment was sought same | Number of | | | | |
| characteristic | of ARI1 | children | provid | er ² | or next day | children | | | | |
| Age in months | | | | | | | | | | |
| <6 | 8.2 | 1,480 | 69.0 | 69.0 | | 122 | | | | |
| 6-11 | 12.4 | 1,582 | 76.8 | 76.3 | 36.8 | 196 | | | | |
| 12-23 | 11.6 | 2,859 | 84.7 | 84.3 | 38.8 | 331 | | | | |
| 24-35 36-47 | 9.8 7.4 | 2,890 2,819 | 79.1 87.1 | 79.1 86.6 | 39.7 37.0 | 283 209 | | | | |
| 48-59 | 7.4 | 2,863 | 80.6 | 80.4 | 40.7 | 213 | | | | |
| | | 2,000 | 00.0 | 00.1 | 10.7 | 210 | | | | |
| Sex Male | 9.7 | 7.252 | 79.9 | 79.9 | 38.7 | 703 | | | | |
| Female | 9.0 | 7,252 7,241 | 79.5 81.5 | 81.0 | | 651 | | | | |
| | 5.0 | 7,241 | 01.0 | 01.0 | 50.0 | 001 | | | | |
| Mother's smoking status Smokes cigarettes/tobacco | 8.1 | 105 | <u>*</u> | * | * | 9 | | | | |
| Does not smoke | 9.4 | 14,388 | 80.6 | 80.3 | 38.5 | 1,345 | | | | |
| | 5.4 | 14,000 | 00.0 | 00.0 | 50.5 | 1,040 | | | | |
| Cooking fuel Electricity or gas | (12.0) | 46 | * | * | * | 6 | | | | |
| Kerosene | (12.0) | 10 | <u>*</u> | * | * | 0 | | | | |
| Charcoal | 6.4 | 3,421 | 86.6 | 86.6 | 42.5 | 217 | | | | |
| Wood/straw ³ | 10.3 | 11,002 | 79.5 | 79.2 | 38.1 | 1,130 | | | | |
| Other fuel | * | 3 | * | * | * | 1 | | | | |
| No food cooked in household | * | 11 | * | * | * | 1 | | | | |
| Residence | | | | | | | | | | |
| Urban | 7.1 | 3,094 | 83.6 | 82.6 | | 219 | | | | |
| Rural | 10.0 | 11,398 | 80.1 | 80.0 | 37.1 | 1,135 | | | | |
| Region | | | | | | | | | | |
| South Central | 8.1 | 1,808 | 80.4 | 80.4 | 35.3 | 147 | | | | |
| North Central | 8.6 | 1,537 | 84.8 | 84.8 | 38.9 | 131 | | | | |
| Kampala | 4.9 | 554 | (88.4) | (88.4) | (64.8) | 27 | | | | |
| Busoga Bukedi | 12.3 4.9 | 1,430 1,016 | 81.0 80.6 | 81.0 80.6 | 38.7 39.0 | 175 50 | | | | |
| Bugisu | 9.3 | 733 | 75.7 | 75.7 | 38.7 | 68 | | | | |
| Teso | 14.4 | 911 | 70.0 | 70.0 | | 131 | | | | |
| Karamoja | 26.6 | 394 | 85.5 | 83.9 | 59.8 | 105 | | | | |
| Lango | 17.6 | 765 | 82.7 | 82.7 | | 135 | | | | |
| Acholi | 9.1 | 713 | 94.6 | 94.6 | | 65 | | | | |
| West Nile | 7.8 0.9 | 1,005 845 | 93.4 * | 93.4 | 52.1 * | 78 8 | | | | |
| Bunyoro Tooro | 13.2 | 1,140 | 70.3 | 69.0 | 22.0 | 150 | | | | |
| Kigezi | 6.4 | 484 | (73.5) | (73.5) | (33.0) | 31 | | | | |
| Ankole | 4.6 | 1,157 | (80.5) | (80.5) | | 54 | | | | |
| Special area | | | | | | | | | | |
| Island districts | 7.2 | 189 | 89.9 | 89.9 | 45.1 | 14 | | | | |
| Mountain districts | 11.1 | 1,198 | 76.1 | 75.5 | 30.3 | 133 | | | | |
| Greater Kampala | 4.2 | 1,197 | (87.8) | (87.8) | (59.7) | 51 | | | | |
| Mother's education | | | | | | | | | | |
| No education | 11.8 | 1,557 | 80.8 | 79.9 | 45.4 | 184 | | | | |
| Primary | 9.6 | 8,892 | 78.5 | 78.3 | | 853 | | | | |
| Secondary More than secondary | 8.4 5.8 | 3,113 931 | 85.5 (92.0) | 85.1 (92.0) | 38.3 (46.2) | 263 54 | | | | |
| • | 5.0 | 551 | (32.0) | (32.0) | (40.2) | 54 | | | | |
| Wealth quintile | 10.7 | 2 251 | 90.4 | 70.7 | 27.1 | 414 | | | | |
| Lowest Second | 12.7 10.5 | 3,251 3,038 | 80.1 78.0 | 79.7 77.6 | | 318 | | | | |
| Middle | 9.0 | 2,799 | 78.2 | 78.2 | | 252 | | | | |
| Fourth | 8.3 | 2,579 | 84.9 | 84.5 | | 214 | | | | |
| Highest | 5.5 | 2,826 | 85.8 | 85.8 | | 156 | | | | |
| Total | 9.3 | 14,493 | 80.7 | 80.4 | 38.6 | 1,354 | | | | |
| | | , | | 24.1 | | , | | | | |

Note: Figures in parentheses are based on 25-49 unweighted cases. An asterisk indicates that a figure is based on fewer than 25 unweighted cases and has been suppressed.

¹ Symptoms of ARI include short, rapid breathing which was chest-related and/or difficult breathing which was chest-

² Includes advice or treatment from the following sources: public sector, private medical sector, shop, market, and itinerant drug seller. Excludes advice or treatment from a traditional practitioner.

³ Includes grass, shrubs, and crop residues

Error 5: 146 children who had taken antimalarial drugs were initially excluded from the denominator.

Error 5 Correction 1: Page 225, Key Findings 5th bullet

Artemisinin-based combination therapy: Among children under age 5 with a fever in the 2 weeks
preceding the survey who took any antimalarial medication, 92 88% received artemisinin-based
combination therapy (ACT).

Error 5 Correction 2: Page 230, 2nd paragraph under section 12.5

Among children with a fever in the 2 weeks preceding the survey who took any antimalarial medication, 92 88% received artemisinin-based combination therapy (ACT). The next most used drug was quinine pills/syrup, taken by 8 7% of children (**Table 12.12**).

Error 5 Correction 3: Page 230, last sentence in Trends paragraph under section 12.5: The use of ACT for treatment of fever among children has increased considerably, from 5% in 2006 to 39% in 2009, 69% in 2011, 87% in 2014-15, and 92 88% in 2016 (**Figure 12.7**).

Error 5 Correction 4: Page 230, Figure 12.7

The percentage of children who received ACTs in 2016 should change from 92% to 88%.

Table 12.12 Type of antimalarial drugs used

Among children under age 5 with fever in the 2 weeks preceding the survey who took any antimalarial medication, percentage who took specific antimalarial drugs, according to background characteristics, Uganda DHS 2016

| | | | | | | | | Percenta | age of ch | ildren wh | o took: | | | | | | | | Number of children with | | |
|---|--|--|--|---|--|---|--|--|--|--|---|--|---|--|--|--|---|---|---|---|--|
| Background characteristic | Any ACT | | y ACT SP/Fansidar | | Chloroquine | | Amodia | ıquine | | Quinine pills/syrup | | Quinine injection/IV | | Artesunate (rectal) | | Artesunate (injection) | | Other anti- malarial | | fever who took any antimalarial drug | |
| Age in months <6 6-11 12-23 24-35 36-47 48-59 | 66.6 86.0 91.0 94.7 94.2 95.6 | 64.9 81.7 86.8 90.5 89.7 92.9 | 0.7 1.2 2.3 1.6 0.7 0.7 | 0.7 1.1 2.2 1.5 0.7 | 0.4 1.3 1.3 0.7 0.1 0.7 | 0.4 1.2 1.3 0.7 0.1 0.6 | 2.4 1.1 1.1 0.8 1.0 0.0 | 2.3 1.0 1.1 0.7 0.9 0.0 | 28.0 12.7 7.7 5.5 5.9 4.7 | 27.3 12.0 7.3 5.2 5.6 4.6 | 0.0 0.4 2.4 2.7 1.2 2.0 | 0.7 3.0 4.8 5.4 4.2 4.2 | 0.0 0.6 0.0 0.1 0.4 0.4 | 0.0 1.4 0.5 0.1 0.4 0.5 | 0.0 1.0 1.5 1.4 1.6 0.9 | 1.8 2.5 3.1 3.0 3.3 1.3 | 2.5 0.5 0.9 0.4 0.1 0.1 | 2.4 0.5 0.8 0.4 0.1 | 392 776 | 138 413 814 796 680 610 | |
| Sex Male Female | 91.1 92.3 | 87.4 88.2 | 1.2 1.5 | 1.2 1.4 | 0.9 0.7 | 0.9 0.6 | 0.7 1.0 | 0.7 1.0 | 8.2 7.2 | 7.9 6.9 | 1.6 2.1 | 3.8 4.9 | 0.3 0.3 | 0.4 0.5 | 1.0 1.6 | 2.5 2.8 | 0.6 0.4 | 0.6 0.4 | , | | |
| Residence Urban Rural | 88.5 92.2 | 83.3 88.5 | 1.5 1.3 | 1.4 1.3 | 1.1 0.7 | 1.0 0.7 | 0.7 0.9 | 0.7 0.8 | 9.7 7.4 | 9.2 7.1 | 1.5 1.9 | 4.9 4.3 | 0.6 0.2 | 1.3 0.4 | 2.8 1.1 | 4.3 2.4 | 1.1 0.4 | 1.1 0.4 | 438 2,866 | 464 2,985 | |
| Region South Central North Central Kampala Busoga Bukedi Bugisu Teso Karamoja Lango Acholi West Nile Bunyoro Tooro Kigezi Ankole Special area | 85.3 94.3 (86.8) 92.5 92.0 87.0 91.6 96.3 92.7 93.9 94.4 (63.4) 84.3 | 81.0 90.1 (72.2) 90.6 89.1 85.7 88.9 92.7 87.1 90.9 86.3 (58.8) 70.6 | 2.0 1.1 (6.1) 0.8 1.6 1.4 0.9 1.3 3.0 0.9 1.3 3.0 0.0 (4.3) | 1.9 1.1 (5.1) 0.8 1.5 1.3 0.7 0.0 0.9 1.3 2.9 0.0 0.0 (4.0) 4.0 | 0.8 0.9 (0.0) 0.5 2.5 4.0 0.7 0.0 1.6 0.3 0.0 (4.0) | 0.8 0.8 (0.0) 0.5 2.4 3.9 0.0 0.7 0.0 1.6 0.3 0.0 0.0 (3.7) 0.0 | 1.5 0.0 (0.0) 0.7 0.8 0.0 0.2 0.3 1.6 2.6 0.8 1.5 0.0 (8.3) | 1.4 0.0 (0.0) 0.7 0.8 0.0 0.2 0.3 1.5 2.5 0.8 1.4 0.0 (7.7) | 15.3 7.6 (12.3) 7.8 6.8 7.7 6.9 3.6 6.2 2.9 5.3 1.5 11.8 (18.7) | 14.5 7.3 (10.2) 7.6 6.6 7.6 6.7 3.4 5.8 2.8 5.0 1.5 11.2 (17.4) | 3.7 2.6 (1.6) 0.9 3.0 1.7 0.9 1.3 2.0 4.2 2.5 (0.0) 3.2 | 6.2 5.2 (9.7) 1.9 2.2 3.8 3.7 1.7 7.6 2.4 5.3 7.1 3.0 (7.3) 16.8 | 0.3 0.0 0.0 0.0 0.0 0.0 0.4 0.6 0.6 0.2 1.5 0.6 (0.0) | 1.1 0.0 (1.6) 0.0 0.0 0.6 0.7 0.8 0.6 0.5 1.4 1.2 (0.0) 0.0 | 4.1 1.6 (5.4) 0.2 1.6 0.5 2.1 0.9 1.0 1.3 0.0 2.0 (0.0) 0.0 | 5.6 3.3 (11.4) 1.0 3.3 1.2 1.1 4.2 0.9 3.1 2.6 2.1 5.9 (0.0) 2.2 | 1.7 0.0 (1.7) 0.2 0.4 2.0 0.0 0.0 0.4 0.3 0.0 0.0 0.0 0.0 0.0 | 1.7 0.0 (1.4) 0.2 0.4 2.0 0.9 0.0 0.4 0.2 0.0 0.0 (2.5) | 34 634 216 119 394 124 253 287 331 63 161 18 69 | 336 295 40 647 223 121 406 129 269 296 349 66 170 20 82 | |
| Island districts Mountain districts Greater | 89.0 88.0 | 87.8 82.7 | 1.9 0.8 | 0.7 | 2.4 | 0.9 2.3 | 0.4 0.0 | 0.4 | 11.7 8.8 | 11.5 8.3 | 0.0 3.4 | 0.5 4.9 | 0.0 0.0 | 0.2 | 0.5 0.9 | 1.0 5.2 | 0.0 1.5 | 0.0 | | 49 174 | |
| Kampala | 91.0 | 80.1 | 1.9 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 10.2 | 9.0 | 0.5 | 6.8 | 0.8 | 2.7 | 4.9 | 8.4 | 1.9 | 1.7 | 107 | 122 | |
| Mother's education No education Primary Secondary More than secondary | 92.8 92.5 88.7 88.8 | 89.0 88.9 84.7 | 2.0 1.1 2.0 | 1.9 1.1 1.9 | 1.2 0.7 0.4 3.6 | 1.2 0.7 0.4 3.3 | 1.8 0.7 0.5 | 1.8 0.7 0.5 | 5.0 7.6 10.3 4.4 | 4.8 7.3 9.9 | 0.9 2.0 2.0 | 3.3 4.5 4.9 | 0.2 0.2 0.2 2.5 | 0.4 0.2 0.7 4.1 | 1.0 1.0 2.1 3.3 | 2.4 2.2 3.0 | 0.0 0.3 1.4 1.5 | 0.0 0.3 1.3 | 2,209 606 | 404 2,299 635 | |
| Wealth quintile Lowest Second Middle Fourth Highest | 93.8 92.6 91.6 88.9 87.9 | 91.3 88.9 87.5 84.7 81.0 | 1.4 1.4 1.4 1.3 1.2 | 1.3 1.3 1.3 1.2 1.1 | 0.6 0.8 1.3 0.4 1.0 | 0.6 0.8 1.2 0.4 0.9 | 0.8 1.0 0.3 1.2 1.3 | 0.8 0.9 0.2 1.2 | 4.7 8.7 8.9 9.6 9.4 | 4.6 8.3 8.5 9.1 8.7 | 1.4 2.2 2.2 2.0 1.5 | 3.2 4.8 5.3 4.9 4.1 | 0.3 0.1 0.4 0.0 0.8 | 0.3 0.2 0.4 0.2 2.0 | 0.6 1.3 0.7 1.8 3.5 | 1.4 2.4 1.9 3.3 7.2 | 0.3 0.1 0.4 0.6 2.2 | 0.3 0.1 0.3 0.5 2.0 | 782 612 539 338 | 1,061 815 641 566 367 | |
| Total | 91.7 | 87.8 | 1.4 | 1.3 | 0.8 | 0.8 | 0.9 | 0.8 | 7.7 | 7.4 | 1.8 | 4.4 | 0.3 | 0.5 | 1.3 | 2.7 | 0.5 | 0.5 | 3,303 | 3,449 | |

Note: Figures in parentheses are based on 25-49 unweighted cases. ACT = Artemisinin-based combination therapy